

**AVERAGE NUMBER OF FEMALES BY AGE GROUP, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>9,150</b>	<b>9,129</b>	<b>9,081</b>	<b>9,050</b>	<b>9,040</b>	<b>9,047</b>	<b>9,046</b>	<b>9,042</b>	<b>9,049</b>	<b>9,020</b>	<b>-1.4</b>
<b>10-14</b>	<b>1,247</b>	<b>1,242</b>	<b>1,238</b>	<b>1,242</b>	<b>1,248</b>	<b>1,257</b>	<b>1,264</b>	<b>1,272</b>	<b>1,281</b>	<b>1,284</b>	<b>3.0</b>
<b>15-17</b>	<b>796</b>	<b>787</b>	<b>777</b>	<b>768</b>	<b>761</b>	<b>756</b>	<b>750</b>	<b>744</b>	<b>738</b>	<b>730</b>	<b>-8.3</b>
<b>18-19</b>	<b>529</b>	<b>521</b>	<b>512</b>	<b>506</b>	<b>501</b>	<b>497</b>	<b>492</b>	<b>487</b>	<b>483</b>	<b>476</b>	<b>-10.0</b>
<b>20-24</b>	<b>1,257</b>	<b>1,231</b>	<b>1,211</b>	<b>1,202</b>	<b>1,196</b>	<b>1,192</b>	<b>1,187</b>	<b>1,182</b>	<b>1,178</b>	<b>1,170</b>	<b>-6.9</b>
<b>25-29</b>	<b>1,398</b>	<b>1,387</b>	<b>1,370</b>	<b>1,353</b>	<b>1,339</b>	<b>1,327</b>	<b>1,314</b>	<b>1,300</b>	<b>1,287</b>	<b>1,269</b>	<b>-9.2</b>
<b>30-34</b>	<b>1,404</b>	<b>1,398</b>	<b>1,384</b>	<b>1,370</b>	<b>1,359</b>	<b>1,351</b>	<b>1,341</b>	<b>1,330</b>	<b>1,321</b>	<b>1,307</b>	<b>-6.9</b>
<b>35-39</b>	<b>1,264</b>	<b>1,274</b>	<b>1,284</b>	<b>1,299</b>	<b>1,317</b>	<b>1,338</b>	<b>1,358</b>	<b>1,378</b>	<b>1,400</b>	<b>1,416</b>	<b>12.0</b>
<b>40-44</b>	<b>1,253</b>	<b>1,285</b>	<b>1,301</b>	<b>1,307</b>	<b>1,316</b>	<b>1,327</b>	<b>1,337</b>	<b>1,347</b>	<b>1,359</b>	<b>1,366</b>	<b>9.0</b>

**AVERAGE NUMBER OF FEMALES BY AGE GROUP, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>1,268</b>	<b>1,285</b>	<b>1,295</b>	<b>1,303</b>	<b>1,314</b>	<b>1,328</b>	<b>1,339</b>	<b>1,351</b>	<b>1,364</b>	<b>1,373</b>	<b>8.3</b>
<b>10-14</b>	<b>200</b>	<b>203</b>	<b>204</b>	<b>205</b>	<b>206</b>	<b>208</b>	<b>210</b>	<b>211</b>	<b>213</b>	<b>214</b>	<b>7.0</b>
<b>15-17</b>	<b>128</b>	<b>128</b>	<b>126</b>	<b>124</b>	<b>123</b>	<b>122</b>	<b>121</b>	<b>120</b>	<b>118</b>	<b>117</b>	<b>-8.6</b>
<b>18-19</b>	<b>82</b>	<b>82</b>	<b>81</b>	<b>80</b>	<b>80</b>	<b>80</b>	<b>79</b>	<b>78</b>	<b>78</b>	<b>77</b>	<b>-6.1</b>
<b>20-24</b>	<b>180</b>	<b>177</b>	<b>177</b>	<b>180</b>	<b>184</b>	<b>188</b>	<b>191</b>	<b>195</b>	<b>199</b>	<b>203</b>	<b>12.8</b>
<b>25-29</b>	<b>180</b>	<b>181</b>	<b>181</b>	<b>181</b>	<b>181</b>	<b>182</b>	<b>182</b>	<b>182</b>	<b>183</b>	<b>182</b>	<b>1.1</b>
<b>30-34</b>	<b>203</b>	<b>206</b>	<b>206</b>	<b>203</b>	<b>200</b>	<b>198</b>	<b>195</b>	<b>193</b>	<b>190</b>	<b>188</b>	<b>-7.4</b>
<b>35-39</b>	<b>170</b>	<b>177</b>	<b>182</b>	<b>185</b>	<b>188</b>	<b>192</b>	<b>195</b>	<b>199</b>	<b>202</b>	<b>206</b>	<b>21.2</b>
<b>40-44</b>	<b>123</b>	<b>130</b>	<b>137</b>	<b>143</b>	<b>150</b>	<b>157</b>	<b>164</b>	<b>171</b>	<b>178</b>	<b>185</b>	<b>50.4</b>

**AVERAGE NUMBER OF FEMALES BY AGE GROUP, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>7,881</b>	<b>7,843</b>	<b>7,786</b>	<b>7,746</b>	<b>7,726</b>	<b>7,719</b>	<b>7,706</b>	<b>7,690</b>	<b>7,685</b>	<b>7,646</b>	<b>-3.0</b>
<b>10-14</b>	<b>1,047</b>	<b>1,039</b>	<b>1,034</b>	<b>1,037</b>	<b>1,042</b>	<b>1,048</b>	<b>1,054</b>	<b>1,060</b>	<b>1,068</b>	<b>1,070</b>	<b>2.2</b>
<b>15-17</b>	<b>667</b>	<b>659</b>	<b>651</b>	<b>644</b>	<b>638</b>	<b>634</b>	<b>629</b>	<b>624</b>	<b>619</b>	<b>613</b>	<b>-8.1</b>
<b>18-19</b>	<b>446</b>	<b>439</b>	<b>431</b>	<b>426</b>	<b>421</b>	<b>417</b>	<b>413</b>	<b>408</b>	<b>404</b>	<b>398</b>	<b>-10.8</b>
<b>20-24</b>	<b>1,077</b>	<b>1,053</b>	<b>1,033</b>	<b>1,021</b>	<b>1,012</b>	<b>1,004</b>	<b>996</b>	<b>987</b>	<b>979</b>	<b>967</b>	<b>-10.2</b>
<b>25-29</b>	<b>1,218</b>	<b>1,206</b>	<b>1,189</b>	<b>1,172</b>	<b>1,157</b>	<b>1,145</b>	<b>1,132</b>	<b>1,117</b>	<b>1,104</b>	<b>1,086</b>	<b>-10.8</b>
<b>30-34</b>	<b>1,201</b>	<b>1,192</b>	<b>1,178</b>	<b>1,167</b>	<b>1,159</b>	<b>1,152</b>	<b>1,145</b>	<b>1,137</b>	<b>1,130</b>	<b>1,119</b>	<b>-6.8</b>
<b>35-39</b>	<b>1,094</b>	<b>1,097</b>	<b>1,102</b>	<b>1,114</b>	<b>1,129</b>	<b>1,146</b>	<b>1,162</b>	<b>1,179</b>	<b>1,197</b>	<b>1,210</b>	<b>10.6</b>
<b>40-44</b>	<b>1,129</b>	<b>1,155</b>	<b>1,164</b>	<b>1,163</b>	<b>1,166</b>	<b>1,170</b>	<b>1,173</b>	<b>1,176</b>	<b>1,181</b>	<b>1,181</b>	<b>4.6</b>

**AVERAGE ANNUAL NUMBER OF RESIDENT BIRTHS, ACCORDING TO MOTHER'S AGE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>508</b>	<b>546</b>	<b>538</b>	<b>537</b>	<b>525</b>	<b>528</b>	<b>509</b>	<b>490</b>	<b>493</b>	<b>483</b>	<b>-4.9</b>
<b>10-14</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>2</b>	<b>0.0</b>
<b>15-17</b>	<b>45</b>	<b>50</b>	<b>43</b>	<b>42</b>	<b>37</b>	<b>43</b>	<b>44</b>	<b>41</b>	<b>38</b>	<b>35</b>	<b>-22.2</b>
<b>18-19</b>	<b>74</b>	<b>81</b>	<b>82</b>	<b>79</b>	<b>80</b>	<b>78</b>	<b>77</b>	<b>69</b>	<b>70</b>	<b>63</b>	<b>-14.9</b>
<b>20-24</b>	<b>182</b>	<b>194</b>	<b>191</b>	<b>190</b>	<b>182</b>	<b>181</b>	<b>169</b>	<b>168</b>	<b>169</b>	<b>170</b>	<b>-6.6</b>
<b>25-29</b>	<b>132</b>	<b>141</b>	<b>141</b>	<b>141</b>	<b>138</b>	<b>133</b>	<b>128</b>	<b>125</b>	<b>126</b>	<b>124</b>	<b>-6.1</b>
<b>30-34</b>	<b>55</b>	<b>58</b>	<b>55</b>	<b>59</b>	<b>65</b>	<b>70</b>	<b>67</b>	<b>59</b>	<b>59</b>	<b>58</b>	<b>5.5</b>
<b>35-39</b>	<b>13</b>	<b>16</b>	<b>18</b>	<b>18</b>	<b>16</b>	<b>16</b>	<b>17</b>	<b>20</b>	<b>23</b>	<b>25</b>	<b>92.3</b>
<b>40-44</b>	<b>3</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>4</b>	<b>3</b>	<b>4</b>	<b>33.3</b>

**AVERAGE ANNUAL NUMBER OF RESIDENT BIRTHS, ACCORDING TO MOTHER'S AGE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>90</b>	<b>101</b>	<b>103</b>	<b>103</b>	<b>101</b>	<b>102</b>	<b>98</b>	<b>89</b>	<b>92</b>	<b>88</b>	<b>-2.2</b>
<b>10-14</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0.0</b>
<b>15-17</b>	<b>13</b>	<b>15</b>	<b>15</b>	<b>15</b>	<b>16</b>	<b>16</b>	<b>15</b>	<b>12</b>	<b>12</b>	<b>10</b>	<b>-23.1</b>
<b>18-19</b>	<b>14</b>	<b>18</b>	<b>19</b>	<b>20</b>	<b>17</b>	<b>17</b>	<b>16</b>	<b>16</b>	<b>16</b>	<b>14</b>	<b>0.0</b>
<b>20-24</b>	<b>31</b>	<b>34</b>	<b>35</b>	<b>35</b>	<b>36</b>	<b>35</b>	<b>34</b>	<b>31</b>	<b>33</b>	<b>33</b>	<b>6.5</b>
<b>25-29</b>	<b>20</b>	<b>22</b>	<b>20</b>	<b>19</b>	<b>18</b>	<b>20</b>	<b>19</b>	<b>18</b>	<b>16</b>	<b>17</b>	<b>-15.0</b>
<b>30-34</b>	<b>7</b>	<b>8</b>	<b>8</b>	<b>9</b>	<b>8</b>	<b>10</b>	<b>8</b>	<b>7</b>	<b>6</b>	<b>7</b>	<b>0.0</b>
<b>35-39</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>2</b>	<b>100.0</b>
<b>40-44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>-</b>

**AVERAGE ANNUAL NUMBER OF RESIDENT BIRTHS, ACCORDING TO MOTHER'S AGE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>372</b>	<b>363</b>	<b>387</b>	<b>418</b>	<b>445</b>	<b>435</b>	<b>434</b>	<b>424</b>	<b>426</b>	<b>411</b>	<b>10.5</b>
<b>10-14</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>-100.0</b>
<b>15-17</b>	<b>28</b>	<b>29</b>	<b>34</b>	<b>32</b>	<b>35</b>	<b>28</b>	<b>27</b>	<b>21</b>	<b>27</b>	<b>28</b>	<b>0.0</b>
<b>18-19</b>	<b>48</b>	<b>47</b>	<b>50</b>	<b>60</b>	<b>63</b>	<b>63</b>	<b>59</b>	<b>63</b>	<b>61</b>	<b>61</b>	<b>27.1</b>
<b>20-24</b>	<b>140</b>	<b>134</b>	<b>136</b>	<b>151</b>	<b>160</b>	<b>156</b>	<b>154</b>	<b>146</b>	<b>146</b>	<b>136</b>	<b>-2.9</b>
<b>25-29</b>	<b>98</b>	<b>97</b>	<b>108</b>	<b>112</b>	<b>119</b>	<b>121</b>	<b>123</b>	<b>120</b>	<b>113</b>	<b>110</b>	<b>12.2</b>
<b>30-34</b>	<b>42</b>	<b>40</b>	<b>44</b>	<b>48</b>	<b>50</b>	<b>47</b>	<b>51</b>	<b>56</b>	<b>60</b>	<b>59</b>	<b>40.5</b>
<b>35-39</b>	<b>11</b>	<b>10</b>	<b>10</b>	<b>12</b>	<b>15</b>	<b>17</b>	<b>16</b>	<b>15</b>	<b>15</b>	<b>15</b>	<b>36.4</b>
<b>40-44</b>	<b>4</b>	<b>5</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>-50.0</b>

**NUMBER OF LIVE BIRTHS PER 1,000 FEMALES, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>55.5</b>	<b>59.8</b>	<b>59.2</b>	<b>59.3</b>	<b>58.1</b>	<b>58.4</b>	<b>56.3</b>	<b>54.2</b>	<b>54.5</b>	<b>53.5</b>	<b>-3.6</b>
<b>10-14</b>	<b>1.6</b>	<b>1.6</b>	<b>2.4</b>	<b>2.4</b>	<b>2.4</b>	<b>1.6</b>	<b>1.6</b>	<b>1.6</b>	<b>2.3</b>	<b>1.6</b>	<b>0.0</b>
<b>15-17</b>	<b>56.5</b>	<b>63.5</b>	<b>55.3</b>	<b>54.7</b>	<b>48.6</b>	<b>56.9</b>	<b>58.7</b>	<b>55.1</b>	<b>51.5</b>	<b>47.9</b>	<b>-15.2</b>
<b>18-19</b>	<b>139.9</b>	<b>155.5</b>	<b>160.2</b>	<b>156.1</b>	<b>159.7</b>	<b>156.9</b>	<b>156.5</b>	<b>141.7</b>	<b>144.9</b>	<b>132.4</b>	<b>-5.4</b>
<b>20-24</b>	<b>144.8</b>	<b>157.6</b>	<b>157.7</b>	<b>158.1</b>	<b>152.2</b>	<b>151.8</b>	<b>142.4</b>	<b>142.1</b>	<b>143.5</b>	<b>145.3</b>	<b>0.3</b>
<b>25-29</b>	<b>94.4</b>	<b>101.7</b>	<b>102.9</b>	<b>104.2</b>	<b>103.1</b>	<b>100.2</b>	<b>97.4</b>	<b>96.2</b>	<b>97.9</b>	<b>97.7</b>	<b>3.5</b>
<b>30-34</b>	<b>39.2</b>	<b>41.5</b>	<b>39.7</b>	<b>43.1</b>	<b>47.8</b>	<b>51.8</b>	<b>50.0</b>	<b>44.4</b>	<b>44.7</b>	<b>44.4</b>	<b>13.3</b>
<b>35-39</b>	<b>10.3</b>	<b>12.6</b>	<b>14.0</b>	<b>13.9</b>	<b>12.1</b>	<b>12.0</b>	<b>12.5</b>	<b>14.5</b>	<b>16.4</b>	<b>17.7</b>	<b>71.8</b>
<b>40-44</b>	<b>2.4</b>	<b>0.8</b>	<b>1.5</b>	<b>2.3</b>	<b>2.3</b>	<b>2.3</b>	<b>1.5</b>	<b>3.0</b>	<b>2.2</b>	<b>2.9</b>	<b>20.8</b>

**NUMBER OF LIVE BIRTHS PER 1,000 FEMALES, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>71.0</b>	<b>78.6</b>	<b>79.5</b>	<b>79.0</b>	<b>76.9</b>	<b>76.8</b>	<b>73.2</b>	<b>65.9</b>	<b>67.4</b>	<b>64.1</b>	<b>-9.7</b>
<b>10-14</b>	<b>5.0</b>	<b>4.9</b>	<b>9.8</b>	<b>9.8</b>	<b>4.9</b>	<b>4.8</b>	<b>4.8</b>	<b>4.7</b>	<b>4.7</b>	<b>4.7</b>	<b>-6.0</b>
<b>15-17</b>	<b>101.6</b>	<b>117.2</b>	<b>119.0</b>	<b>121.0</b>	<b>130.1</b>	<b>131.1</b>	<b>124.0</b>	<b>100.0</b>	<b>101.7</b>	<b>85.5</b>	<b>-15.8</b>
<b>18-19</b>	<b>170.7</b>	<b>219.5</b>	<b>234.6</b>	<b>250.0</b>	<b>212.5</b>	<b>212.5</b>	<b>202.5</b>	<b>205.1</b>	<b>205.1</b>	<b>181.8</b>	<b>6.5</b>
<b>20-24</b>	<b>172.2</b>	<b>192.1</b>	<b>197.7</b>	<b>194.4</b>	<b>195.7</b>	<b>186.2</b>	<b>178.0</b>	<b>159.0</b>	<b>165.8</b>	<b>162.6</b>	<b>-5.6</b>
<b>25-29</b>	<b>111.1</b>	<b>121.5</b>	<b>110.5</b>	<b>105.0</b>	<b>99.4</b>	<b>109.9</b>	<b>104.4</b>	<b>98.9</b>	<b>87.4</b>	<b>93.4</b>	<b>-15.9</b>
<b>30-34</b>	<b>34.5</b>	<b>38.8</b>	<b>38.8</b>	<b>44.3</b>	<b>40.0</b>	<b>50.5</b>	<b>41.0</b>	<b>36.3</b>	<b>31.6</b>	<b>37.2</b>	<b>7.8</b>
<b>35-39</b>	<b>5.9</b>	<b>5.6</b>	<b>11.0</b>	<b>10.8</b>	<b>10.6</b>	<b>5.2</b>	<b>10.3</b>	<b>10.1</b>	<b>14.9</b>	<b>9.7</b>	<b>64.4</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>5.8</b>	<b>5.6</b>	<b>5.4</b>	<b>-</b>

**NUMBER OF LIVE BIRTHS PER 1,000 FEMALES, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>52.9</b>	<b>56.6</b>	<b>55.9</b>	<b>55.9</b>	<b>54.9</b>	<b>55.1</b>	<b>53.3</b>	<b>52.1</b>	<b>52.2</b>	<b>51.5</b>	<b>-2.6</b>
<b>10-14</b>	<b>1.0</b>	<b>1.0</b>	<b>1.0</b>	<b>1.0</b>	<b>1.0</b>	<b>1.0</b>	<b>0.0</b>	<b>0.9</b>	<b>0.9</b>	<b>0.9</b>	<b>-10.0</b>
<b>15-17</b>	<b>46.5</b>	<b>53.1</b>	<b>41.5</b>	<b>40.4</b>	<b>32.9</b>	<b>41.0</b>	<b>44.5</b>	<b>46.5</b>	<b>42.0</b>	<b>40.8</b>	<b>-12.3</b>
<b>18-19</b>	<b>134.5</b>	<b>143.5</b>	<b>146.2</b>	<b>138.5</b>	<b>147.3</b>	<b>143.9</b>	<b>147.7</b>	<b>129.9</b>	<b>131.2</b>	<b>120.6</b>	<b>-10.3</b>
<b>20-24</b>	<b>139.3</b>	<b>151.0</b>	<b>151.0</b>	<b>150.8</b>	<b>143.3</b>	<b>145.4</b>	<b>135.5</b>	<b>138.8</b>	<b>137.9</b>	<b>140.6</b>	<b>0.9</b>
<b>25-29</b>	<b>91.1</b>	<b>97.8</b>	<b>101.8</b>	<b>104.1</b>	<b>102.9</b>	<b>98.7</b>	<b>96.3</b>	<b>95.8</b>	<b>98.7</b>	<b>98.5</b>	<b>8.1</b>
<b>30-34</b>	<b>39.1</b>	<b>41.9</b>	<b>39.9</b>	<b>42.8</b>	<b>48.3</b>	<b>52.1</b>	<b>51.5</b>	<b>45.7</b>	<b>46.0</b>	<b>45.6</b>	<b>16.6</b>
<b>35-39</b>	<b>10.1</b>	<b>13.7</b>	<b>14.5</b>	<b>14.4</b>	<b>12.4</b>	<b>13.1</b>	<b>12.9</b>	<b>15.3</b>	<b>16.7</b>	<b>18.2</b>	<b>80.2</b>
<b>40-44</b>	<b>2.7</b>	<b>0.9</b>	<b>1.7</b>	<b>2.6</b>	<b>1.7</b>	<b>1.7</b>	<b>1.7</b>	<b>2.6</b>	<b>1.7</b>	<b>1.7</b>	<b>-37.0</b>

**PERCENT OF LIVE BIRTHS OCCURRING TO UNWED MOTHERS AGES 10-44,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**ALL RACES**

**AREA**

**DYER**

**THREE - YEAR AVERAGES 1988 - 1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>27.8</b>	<b>29.5</b>	<b>30.1</b>	<b>33.1</b>	<b>34.1</b>	<b>35.4</b>	<b>35.4</b>	<b>34.7</b>	<b>36.7</b>	<b>38.5</b>	<b>38.5</b>
<b>10-14</b>	<b>50.0</b>	<b>50.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>
<b>15-17</b>	<b>60.0</b>	<b>60.0</b>	<b>62.8</b>	<b>66.7</b>	<b>78.4</b>	<b>74.4</b>	<b>70.5</b>	<b>70.7</b>	<b>76.3</b>	<b>82.9</b>	<b>38.2</b>
<b>18-19</b>	<b>40.5</b>	<b>43.2</b>	<b>46.3</b>	<b>51.9</b>	<b>53.8</b>	<b>57.7</b>	<b>55.8</b>	<b>56.5</b>	<b>58.6</b>	<b>63.5</b>	<b>56.8</b>
<b>20-24</b>	<b>25.8</b>	<b>29.4</b>	<b>30.9</b>	<b>32.6</b>	<b>33.5</b>	<b>34.8</b>	<b>36.7</b>	<b>36.9</b>	<b>39.6</b>	<b>40.6</b>	<b>57.4</b>
<b>25-29</b>	<b>16.7</b>	<b>16.3</b>	<b>16.3</b>	<b>19.1</b>	<b>20.3</b>	<b>21.1</b>	<b>19.5</b>	<b>18.4</b>	<b>19.8</b>	<b>23.4</b>	<b>40.1</b>
<b>30-34</b>	<b>18.2</b>	<b>19.0</b>	<b>14.5</b>	<b>18.6</b>	<b>16.9</b>	<b>17.1</b>	<b>14.9</b>	<b>15.3</b>	<b>18.6</b>	<b>17.2</b>	<b>-5.5</b>
<b>35-39</b>	<b>7.7</b>	<b>12.5</b>	<b>16.7</b>	<b>16.7</b>	<b>18.8</b>	<b>12.5</b>	<b>17.6</b>	<b>10.0</b>	<b>13.0</b>	<b>12.0</b>	<b>55.8</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>25.0</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS OCCURRING TO UNWED MOTHERS AGES 10-44,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NON-WHITE**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>68.9</b>	<b>71.3</b>	<b>75.7</b>	<b>76.7</b>	<b>77.2</b>	<b>76.5</b>	<b>76.5</b>	<b>75.3</b>	<b>75.0</b>	<b>77.3</b>	<b>12.2</b>
<b>10-14</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>0.0</b>
<b>15-17</b>	<b>100.0</b>	<b>93.3</b>	<b>93.3</b>	<b>93.3</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>91.7</b>	<b>91.7</b>	<b>90.0</b>	<b>-10.0</b>
<b>18-19</b>	<b>92.9</b>	<b>88.9</b>	<b>89.5</b>	<b>90.0</b>	<b>94.1</b>	<b>94.1</b>	<b>87.5</b>	<b>93.8</b>	<b>93.8</b>	<b>100.0</b>	<b>7.6</b>
<b>20-24</b>	<b>67.7</b>	<b>67.6</b>	<b>74.3</b>	<b>74.3</b>	<b>75.0</b>	<b>77.1</b>	<b>79.4</b>	<b>77.4</b>	<b>81.8</b>	<b>81.8</b>	<b>20.8</b>
<b>25-29</b>	<b>45.0</b>	<b>50.0</b>	<b>55.0</b>	<b>52.6</b>	<b>50.0</b>	<b>50.0</b>	<b>52.6</b>	<b>50.0</b>	<b>56.3</b>	<b>64.7</b>	<b>43.8</b>
<b>30-34</b>	<b>42.9</b>	<b>62.5</b>	<b>62.5</b>	<b>66.7</b>	<b>62.5</b>	<b>60.0</b>	<b>50.0</b>	<b>42.9</b>	<b>33.3</b>	<b>42.9</b>	<b>0.0</b>
<b>35-39</b>	<b>100.0</b>	<b>100.0</b>	<b>50.0</b>	<b>50.0</b>	<b>50.0</b>	<b>100.0</b>	<b>50.0</b>	<b>50.0</b>	<b>33.3</b>	<b>0.0</b>	<b>-100.0</b>
<b>40-44</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS OCCURRING TO UNWED MOTHERS AGES 10-44,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>18.7</b>	<b>20.0</b>	<b>19.3</b>	<b>22.6</b>	<b>23.8</b>	<b>25.6</b>	<b>25.3</b>	<b>25.7</b>	<b>27.9</b>	<b>29.4</b>	<b>57.2</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>-</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>-</b>
<b>15-17</b>	<b>45.2</b>	<b>45.7</b>	<b>44.4</b>	<b>53.8</b>	<b>61.9</b>	<b>61.5</b>	<b>57.1</b>	<b>58.6</b>	<b>69.2</b>	<b>80.0</b>	<b>77.0</b>
<b>18-19</b>	<b>28.3</b>	<b>30.2</b>	<b>33.3</b>	<b>39.0</b>	<b>43.5</b>	<b>48.3</b>	<b>47.5</b>	<b>45.3</b>	<b>47.2</b>	<b>54.2</b>	<b>91.5</b>
<b>20-24</b>	<b>17.3</b>	<b>21.4</b>	<b>20.5</b>	<b>23.4</b>	<b>22.8</b>	<b>24.7</b>	<b>25.9</b>	<b>27.7</b>	<b>28.9</b>	<b>30.1</b>	<b>74.0</b>
<b>25-29</b>	<b>10.8</b>	<b>10.2</b>	<b>9.9</b>	<b>13.9</b>	<b>15.1</b>	<b>15.9</b>	<b>13.8</b>	<b>13.1</b>	<b>14.7</b>	<b>15.9</b>	<b>47.2</b>
<b>30-34</b>	<b>12.8</b>	<b>12.0</b>	<b>6.4</b>	<b>8.0</b>	<b>8.9</b>	<b>10.0</b>	<b>10.2</b>	<b>11.5</b>	<b>15.4</b>	<b>13.7</b>	<b>7.0</b>
<b>35-39</b>	<b>0.0</b>	<b>6.7</b>	<b>6.3</b>	<b>6.3</b>	<b>7.1</b>	<b>6.7</b>	<b>13.3</b>	<b>5.6</b>	<b>10.0</b>	<b>9.1</b>	<b>-</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**NUMBER OF OTHER TERMINATION'S ACCORDING TO WOMAN'S AGE AND PLACE OF RESIDENCE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**ALL RACES**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>97</b>	<b>101</b>	<b>99</b>	<b>98</b>	<b>87</b>	<b>83</b>	<b>77</b>	<b>74</b>	<b>66</b>	<b>63</b>	<b>-35.1</b>
<b>10-14</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>-100.0</b>
<b>15-17</b>	<b>16</b>	<b>17</b>	<b>15</b>	<b>14</b>	<b>11</b>	<b>8</b>	<b>6</b>	<b>7</b>	<b>7</b>	<b>6</b>	<b>-62.5</b>
<b>18-19</b>	<b>14</b>	<b>15</b>	<b>17</b>	<b>13</b>	<b>11</b>	<b>11</b>	<b>10</b>	<b>8</b>	<b>7</b>	<b>7</b>	<b>-50.0</b>
<b>20-24</b>	<b>31</b>	<b>34</b>	<b>30</b>	<b>29</b>	<b>25</b>	<b>27</b>	<b>26</b>	<b>28</b>	<b>23</b>	<b>24</b>	<b>-22.6</b>
<b>25-29</b>	<b>16</b>	<b>17</b>	<b>19</b>	<b>21</b>	<b>20</b>	<b>20</b>	<b>18</b>	<b>17</b>	<b>15</b>	<b>14</b>	<b>-12.5</b>
<b>30-34</b>	<b>8</b>	<b>7</b>	<b>8</b>	<b>11</b>	<b>13</b>	<b>10</b>	<b>8</b>	<b>6</b>	<b>7</b>	<b>7</b>	<b>-12.5</b>
<b>35-39</b>	<b>7</b>	<b>6</b>	<b>6</b>	<b>4</b>	<b>2</b>	<b>3</b>	<b>5</b>	<b>5</b>	<b>3</b>	<b>2</b>	<b>-71.4</b>
<b>40-44</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0.0</b>

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S ACCORDING TO WOMAN'S AGE AND PLACE OF RESIDENCE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>20</b>	<b>18</b>	<b>19</b>	<b>15</b>	<b>17</b>	<b>16</b>	<b>19</b>	<b>20</b>	<b>20</b>	<b>18</b>	<b>-10.0</b>
<b>10-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>15-17</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>-66.7</b>
<b>18-19</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>-66.7</b>
<b>20-24</b>	<b>7</b>	<b>6</b>	<b>7</b>	<b>5</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>8</b>	<b>7</b>	<b>7</b>	<b>0.0</b>
<b>25-29</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>4</b>	<b>5</b>	<b>5</b>	<b>400.0</b>
<b>30-34</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>-50.0</b>
<b>35-39</b>	<b>3</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>-100.0</b>
<b>40-44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S ACCORDING TO WOMAN'S AGE AND PLACE OF RESIDENCE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>76</b>	<b>82</b>	<b>80</b>	<b>82</b>	<b>70</b>	<b>67</b>	<b>57</b>	<b>54</b>	<b>46</b>	<b>45</b>	<b>-40.8</b>
<b>10-14</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-100.0</b>
<b>15-17</b>	<b>13</b>	<b>14</b>	<b>13</b>	<b>12</b>	<b>8</b>	<b>5</b>	<b>4</b>	<b>4</b>	<b>5</b>	<b>4</b>	<b>-69.2</b>
<b>18-19</b>	<b>10</b>	<b>12</b>	<b>14</b>	<b>12</b>	<b>10</b>	<b>9</b>	<b>8</b>	<b>7</b>	<b>5</b>	<b>5</b>	<b>-50.0</b>
<b>20-24</b>	<b>24</b>	<b>28</b>	<b>23</b>	<b>24</b>	<b>20</b>	<b>22</b>	<b>20</b>	<b>20</b>	<b>16</b>	<b>16</b>	<b>-33.3</b>
<b>25-29</b>	<b>15</b>	<b>15</b>	<b>17</b>	<b>17</b>	<b>14</b>	<b>14</b>	<b>12</b>	<b>12</b>	<b>10</b>	<b>9</b>	<b>-40.0</b>
<b>30-34</b>	<b>6</b>	<b>5</b>	<b>5</b>	<b>9</b>	<b>11</b>	<b>10</b>	<b>6</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>0.0</b>
<b>35-39</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>4</b>	<b>2</b>	<b>2</b>	<b>-50.0</b>
<b>40-44</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-100.0</b>

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S PER 1,000 LIVE BIRTHS, ACCORDING TO WOMAN'S AGE  
AND PLACE OF RESIDENCE, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>205.8</b>	<b>216.5</b>	<b>206.9</b>	<b>191.6</b>	<b>185.5</b>	<b>185.0</b>	<b>183.1</b>	<b>166.8</b>	<b>158.4</b>	<b>151.8</b>	<b>-26.2</b>
<b>10-14</b>	<b>384.6</b>	<b>384.6</b>	<b>545.5</b>	<b>857.1</b>	<b>1,000.0</b>	<b>400.0</b>	<b>500.0</b>	<b>333.3</b>	<b>666.7</b>	<b>500.0</b>	<b>30.0</b>
<b>15-17</b>	<b>428.6</b>	<b>381.4</b>	<b>340.4</b>	<b>360.3</b>	<b>340.0</b>	<b>361.5</b>	<b>341.3</b>	<b>300.9</b>	<b>186.0</b>	<b>143.9</b>	<b>-66.4</b>
<b>18-19</b>	<b>247.3</b>	<b>231.6</b>	<b>220.4</b>	<b>187.5</b>	<b>187.8</b>	<b>206.5</b>	<b>173.0</b>	<b>145.8</b>	<b>140.4</b>	<b>134.2</b>	<b>-45.7</b>
<b>20-24</b>	<b>167.0</b>	<b>186.7</b>	<b>191.1</b>	<b>173.7</b>	<b>178.4</b>	<b>158.3</b>	<b>156.1</b>	<b>137.1</b>	<b>148.9</b>	<b>157.2</b>	<b>-5.9</b>
<b>25-29</b>	<b>167.7</b>	<b>187.9</b>	<b>140.2</b>	<b>126.3</b>	<b>120.3</b>	<b>138.8</b>	<b>150.6</b>	<b>147.3</b>	<b>150.0</b>	<b>142.5</b>	<b>-15.0</b>
<b>30-34</b>	<b>137.0</b>	<b>153.8</b>	<b>173.1</b>	<b>157.6</b>	<b>131.4</b>	<b>149.7</b>	<b>189.9</b>	<b>205.1</b>	<b>150.9</b>	<b>118.2</b>	<b>-13.7</b>
<b>35-39</b>	<b>352.9</b>	<b>529.4</b>	<b>571.4</b>	<b>525.0</b>	<b>360.0</b>	<b>321.4</b>	<b>240.7</b>	<b>140.0</b>	<b>220.0</b>	<b>283.0</b>	<b>-19.8</b>
<b>40-44</b>	<b>454.5</b>	<b>66.7</b>	<b>250.0</b>	<b>333.3</b>	<b>800.0</b>	<b>666.7</b>	<b>600.0</b>	<b>888.9</b>	<b>666.7</b>	<b>625.0</b>	<b>37.5</b>

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S PER 1,000 LIVE BIRTHS, ACCORDING TO WOMAN'S AGE  
AND PLACE OF RESIDENCE, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>222.2</b>	<b>178.2</b>	<b>184.5</b>	<b>145.6</b>	<b>168.3</b>	<b>156.9</b>	<b>193.9</b>	<b>224.7</b>	<b>217.4</b>	<b>204.5</b>	<b>-8.0</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-17</b>	<b>230.8</b>	<b>200.0</b>	<b>133.3</b>	<b>133.3</b>	<b>125.0</b>	<b>125.0</b>	<b>133.3</b>	<b>166.7</b>	<b>166.7</b>	<b>100.0</b>	<b>-56.7</b>
<b>18-19</b>	<b>214.3</b>	<b>166.7</b>	<b>105.3</b>	<b>50.0</b>	<b>58.8</b>	<b>117.6</b>	<b>125.0</b>	<b>62.5</b>	<b>62.5</b>	<b>71.4</b>	<b>-66.7</b>
<b>20-24</b>	<b>225.8</b>	<b>176.5</b>	<b>200.0</b>	<b>142.9</b>	<b>111.1</b>	<b>142.9</b>	<b>176.5</b>	<b>258.1</b>	<b>212.1</b>	<b>212.1</b>	<b>-6.1</b>
<b>25-29</b>	<b>50.0</b>	<b>45.5</b>	<b>100.0</b>	<b>157.9</b>	<b>277.8</b>	<b>250.0</b>	<b>263.2</b>	<b>222.2</b>	<b>312.5</b>	<b>294.1</b>	<b>488.2</b>
<b>30-34</b>	<b>285.7</b>	<b>250.0</b>	<b>375.0</b>	<b>111.1</b>	<b>125.0</b>	<b>0.0</b>	<b>125.0</b>	<b>142.9</b>	<b>166.7</b>	<b>142.9</b>	<b>-50.0</b>
<b>35-39</b>	<b>3,000.0</b>	<b>1,000.0</b>	<b>500.0</b>	<b>500.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>500.0</b>	<b>333.3</b>	<b>0.0</b>	<b>-100.0</b>
<b>40-44</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

Note: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S PER 1,000 LIVE BIRTHS, ACCORDING TO WOMAN'S AGE  
AND PLACE OF RESIDENCE, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-96</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>190.1</b>	<b>198.5</b>	<b>204.0</b>	<b>183.6</b>	<b>185.9</b>	<b>183.8</b>	<b>189.9</b>	<b>165.0</b>	<b>158.2</b>	<b>140.2</b>	<b>-26.3</b>
<b>10-14</b>	<b>1,000.0</b>	<b>1,000.0</b>	<b>1,000.0</b>	<b>1,250.0</b>	<b>1,666.7</b>	<b>1,000.0</b>	<b>750.0</b>	<b>250.0</b>	<b>666.7</b>	<b>2,000.0</b>	<b>100.0</b>
<b>15-17</b>	<b>416.7</b>	<b>395.3</b>	<b>386.1</b>	<b>410.5</b>	<b>400.0</b>	<b>469.9</b>	<b>462.5</b>	<b>406.3</b>	<b>212.5</b>	<b>152.9</b>	<b>-63.3</b>
<b>18-19</b>	<b>234.5</b>	<b>200.0</b>	<b>208.1</b>	<b>177.8</b>	<b>194.7</b>	<b>231.6</b>	<b>214.7</b>	<b>164.9</b>	<b>148.4</b>	<b>131.1</b>	<b>-44.1</b>
<b>20-24</b>	<b>164.3</b>	<b>169.6</b>	<b>184.3</b>	<b>161.5</b>	<b>175.4</b>	<b>149.3</b>	<b>155.8</b>	<b>139.6</b>	<b>150.7</b>	<b>147.4</b>	<b>-10.3</b>
<b>25-29</b>	<b>149.2</b>	<b>195.2</b>	<b>153.8</b>	<b>140.3</b>	<b>132.0</b>	<b>140.5</b>	<b>141.3</b>	<b>119.8</b>	<b>126.5</b>	<b>115.5</b>	<b>-22.6</b>
<b>30-34</b>	<b>104.0</b>	<b>116.7</b>	<b>165.4</b>	<b>132.9</b>	<b>106.0</b>	<b>112.7</b>	<b>190.8</b>	<b>207.1</b>	<b>171.3</b>	<b>113.0</b>	<b>8.6</b>
<b>35-39</b>	<b>312.5</b>	<b>333.3</b>	<b>400.0</b>	<b>342.9</b>	<b>288.9</b>	<b>260.0</b>	<b>208.3</b>	<b>136.4</b>	<b>239.1</b>	<b>282.6</b>	<b>-9.6</b>
<b>40-44</b>	<b>363.6</b>	<b>66.7</b>	<b>250.0</b>	<b>333.3</b>	<b>800.0</b>	<b>666.7</b>	<b>600.0</b>	<b>875.0</b>	<b>714.3</b>	<b>500.0</b>	<b>37.5</b>

NOTE: Other termination's include reported fetal deaths and induced abortions

**PERCENT OF OTHER TERMINATION'S TO UNWED FEMALES AGES 10-44, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>78.4</b>	<b>81.2</b>	<b>77.8</b>	<b>75.5</b>	<b>73.6</b>	<b>75.9</b>	<b>76.6</b>	<b>78.4</b>	<b>78.8</b>	<b>77.8</b>	<b>-0.8</b>
<b>10-14</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>-</b>	<b>100.0</b>	<b>-</b>	<b>-</b>
<b>15-17</b>	<b>93.8</b>	<b>88.2</b>	<b>93.3</b>	<b>85.7</b>	<b>90.9</b>	<b>100.0</b>	<b>100.0</b>	<b>85.7</b>	<b>100.0</b>	<b>100.0</b>	<b>6.6</b>
<b>18-19</b>	<b>92.9</b>	<b>93.3</b>	<b>94.1</b>	<b>100.0</b>	<b>90.9</b>	<b>81.8</b>	<b>90.0</b>	<b>87.5</b>	<b>100.0</b>	<b>85.7</b>	<b>-7.8</b>
<b>20-24</b>	<b>77.4</b>	<b>79.4</b>	<b>73.3</b>	<b>75.9</b>	<b>72.0</b>	<b>74.1</b>	<b>80.8</b>	<b>82.1</b>	<b>82.6</b>	<b>75.0</b>	<b>-3.1</b>
<b>25-29</b>	<b>62.5</b>	<b>64.7</b>	<b>63.2</b>	<b>61.9</b>	<b>60.0</b>	<b>65.0</b>	<b>66.7</b>	<b>70.6</b>	<b>73.3</b>	<b>78.6</b>	<b>25.8</b>
<b>30-34</b>	<b>62.5</b>	<b>71.4</b>	<b>62.5</b>	<b>63.6</b>	<b>61.5</b>	<b>70.0</b>	<b>50.0</b>	<b>50.0</b>	<b>57.1</b>	<b>71.4</b>	<b>14.2</b>
<b>35-39</b>	<b>57.1</b>	<b>66.7</b>	<b>66.7</b>	<b>75.0</b>	<b>50.0</b>	<b>66.7</b>	<b>60.0</b>	<b>60.0</b>	<b>66.7</b>	<b>50.0</b>	<b>-12.4</b>
<b>40-44</b>	<b>0.0</b>	<b>100.0</b>	<b>100.0</b>	<b>50.0</b>	<b>50.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

NOTE: Other termination's include reported fetal deaths and induced abortions

**PERCENT OF OTHER TERMINATION'S TO UNWED FEMALES AGES 10-44, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>85.0</b>	<b>83.3</b>	<b>84.2</b>	<b>80.0</b>	<b>82.4</b>	<b>81.3</b>	<b>84.2</b>	<b>85.0</b>	<b>85.0</b>	<b>88.9</b>	<b>4.6</b>
<b>10-14</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>15-17</b>	<b>100.0</b>	<b>66.7</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>0.0</b>
<b>18-19</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>0.0</b>
<b>20-24</b>	<b>85.7</b>	<b>83.3</b>	<b>71.4</b>	<b>80.0</b>	<b>75.0</b>	<b>80.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>16.7</b>
<b>25-29</b>	<b>0.0</b>	<b>0.0</b>	<b>50.0</b>	<b>66.7</b>	<b>80.0</b>	<b>80.0</b>	<b>80.0</b>	<b>75.0</b>	<b>80.0</b>	<b>80.0</b>	<b>-</b>
<b>30-34</b>	<b>50.0</b>	<b>50.0</b>	<b>66.7</b>	<b>100.0</b>	<b>100.0</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>100.0</b>	<b>100.0</b>
<b>35-39</b>	<b>66.7</b>	<b>100.0</b>	<b>100.0</b>	<b>0.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>100.0</b>	<b>100.0</b>	<b>-</b>	<b>-</b>
<b>40-44</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>

NOTE: Other termination's include reported fetal deaths and induced abortions

**PERCENT OF OTHER TERMINATION'S TO UNWED FEMALES AGES 10-44, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>77.6</b>	<b>80.5</b>	<b>75.0</b>	<b>74.4</b>	<b>70.0</b>	<b>74.6</b>	<b>73.7</b>	<b>75.9</b>	<b>73.9</b>	<b>73.3</b>	<b>-5.5</b>
<b>10-14</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>15-17</b>	<b>92.3</b>	<b>92.9</b>	<b>84.6</b>	<b>83.3</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>8.3</b>
<b>18-19</b>	<b>90.0</b>	<b>91.7</b>	<b>100.0</b>	<b>100.0</b>	<b>90.0</b>	<b>77.8</b>	<b>75.0</b>	<b>85.7</b>	<b>100.0</b>	<b>80.0</b>	<b>-11.1</b>
<b>20-24</b>	<b>75.0</b>	<b>75.0</b>	<b>73.9</b>	<b>75.0</b>	<b>70.0</b>	<b>72.7</b>	<b>75.0</b>	<b>75.0</b>	<b>68.8</b>	<b>68.8</b>	<b>-8.3</b>
<b>25-29</b>	<b>66.7</b>	<b>73.3</b>	<b>58.8</b>	<b>58.8</b>	<b>57.1</b>	<b>64.3</b>	<b>66.7</b>	<b>75.0</b>	<b>70.0</b>	<b>66.7</b>	<b>0.0</b>
<b>30-34</b>	<b>66.7</b>	<b>80.0</b>	<b>60.0</b>	<b>55.6</b>	<b>63.6</b>	<b>60.0</b>	<b>66.7</b>	<b>75.0</b>	<b>60.0</b>	<b>66.7</b>	<b>0.0</b>
<b>35-39</b>	<b>50.0</b>	<b>50.0</b>	<b>50.0</b>	<b>66.7</b>	<b>50.0</b>	<b>66.7</b>	<b>50.0</b>	<b>50.0</b>	<b>50.0</b>	<b>50.0</b>	<b>0.0</b>
<b>40-44</b>	<b>0.0</b>	<b>100.0</b>	<b>100.0</b>	<b>50.0</b>	<b>50.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF PREGNANCIES ACCORDING TO WOMAN'S AGE, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**ALL RACES**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>605</b>	<b>647</b>	<b>638</b>	<b>635</b>	<b>613</b>	<b>612</b>	<b>586</b>	<b>565</b>	<b>560</b>	<b>547</b>	<b>-9.6</b>
<b>10-14</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>5</b>	<b>4</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>4</b>	<b>3</b>	<b>-25.0</b>
<b>15-17</b>	<b>61</b>	<b>67</b>	<b>59</b>	<b>56</b>	<b>49</b>	<b>51</b>	<b>50</b>	<b>48</b>	<b>46</b>	<b>42</b>	<b>-31.1</b>
<b>18-19</b>	<b>88</b>	<b>97</b>	<b>99</b>	<b>92</b>	<b>91</b>	<b>89</b>	<b>87</b>	<b>78</b>	<b>77</b>	<b>70</b>	<b>-20.5</b>
<b>20-24</b>	<b>214</b>	<b>229</b>	<b>222</b>	<b>219</b>	<b>207</b>	<b>208</b>	<b>196</b>	<b>197</b>	<b>193</b>	<b>194</b>	<b>-9.3</b>
<b>25-29</b>	<b>148</b>	<b>158</b>	<b>161</b>	<b>163</b>	<b>158</b>	<b>153</b>	<b>147</b>	<b>142</b>	<b>141</b>	<b>139</b>	<b>-6.1</b>
<b>30-34</b>	<b>63</b>	<b>66</b>	<b>64</b>	<b>71</b>	<b>78</b>	<b>81</b>	<b>75</b>	<b>65</b>	<b>66</b>	<b>65</b>	<b>3.2</b>
<b>35-39</b>	<b>20</b>	<b>22</b>	<b>24</b>	<b>22</b>	<b>19</b>	<b>20</b>	<b>22</b>	<b>26</b>	<b>27</b>	<b>27</b>	<b>35.0</b>
<b>40-44</b>	<b>4</b>	<b>3</b>	<b>3</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>4</b>	<b>5</b>	<b>4</b>	<b>5</b>	<b>25.0</b>

**NUMBER OF PREGNANCIES ACCORDING TO WOMAN'S AGE, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-97</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>111</b>	<b>120</b>	<b>122</b>	<b>118</b>	<b>118</b>	<b>118</b>	<b>117</b>	<b>109</b>	<b>112</b>	<b>106</b>	<b>-4.5</b>
<b>10-14</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>0.0</b>
<b>15-17</b>	<b>17</b>	<b>18</b>	<b>18</b>	<b>17</b>	<b>19</b>	<b>18</b>	<b>17</b>	<b>14</b>	<b>14</b>	<b>12</b>	<b>-29.4</b>
<b>18-19</b>	<b>18</b>	<b>21</b>	<b>21</b>	<b>21</b>	<b>18</b>	<b>19</b>	<b>18</b>	<b>18</b>	<b>18</b>	<b>16</b>	<b>-11.1</b>
<b>20-24</b>	<b>39</b>	<b>41</b>	<b>42</b>	<b>41</b>	<b>41</b>	<b>40</b>	<b>40</b>	<b>39</b>	<b>41</b>	<b>40</b>	<b>2.6</b>
<b>25-29</b>	<b>21</b>	<b>24</b>	<b>23</b>	<b>22</b>	<b>24</b>	<b>25</b>	<b>24</b>	<b>22</b>	<b>21</b>	<b>22</b>	<b>4.8</b>
<b>30-34</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>8</b>	<b>8</b>	<b>8</b>	<b>-11.1</b>
<b>35-39</b>	<b>4</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>3</b>	<b>4</b>	<b>3</b>	<b>-25.0</b>
<b>40-44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>-</b>

**NUMBER OF PREGNANCIES ACCORDING TO WOMAN'S AGE, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>494</b>	<b>527</b>	<b>515</b>	<b>516</b>	<b>494</b>	<b>493</b>	<b>469</b>	<b>455</b>	<b>447</b>	<b>439</b>	<b>-11.1</b>
<b>10-14</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>-66.7</b>
<b>15-17</b>	<b>44</b>	<b>49</b>	<b>40</b>	<b>39</b>	<b>30</b>	<b>32</b>	<b>32</b>	<b>33</b>	<b>31</b>	<b>29</b>	<b>-34.1</b>
<b>18-19</b>	<b>70</b>	<b>75</b>	<b>78</b>	<b>71</b>	<b>73</b>	<b>69</b>	<b>69</b>	<b>60</b>	<b>59</b>	<b>54</b>	<b>-22.9</b>
<b>20-24</b>	<b>175</b>	<b>187</b>	<b>179</b>	<b>178</b>	<b>166</b>	<b>168</b>	<b>155</b>	<b>157</b>	<b>151</b>	<b>153</b>	<b>-12.6</b>
<b>25-29</b>	<b>127</b>	<b>134</b>	<b>138</b>	<b>140</b>	<b>134</b>	<b>127</b>	<b>122</b>	<b>119</b>	<b>119</b>	<b>116</b>	<b>-8.7</b>
<b>30-34</b>	<b>54</b>	<b>55</b>	<b>52</b>	<b>60</b>	<b>68</b>	<b>70</b>	<b>65</b>	<b>57</b>	<b>58</b>	<b>57</b>	<b>5.6</b>
<b>35-39</b>	<b>15</b>	<b>19</b>	<b>21</b>	<b>19</b>	<b>16</b>	<b>19</b>	<b>19</b>	<b>22</b>	<b>22</b>	<b>24</b>	<b>60.0</b>
<b>40-44</b>	<b>4</b>	<b>3</b>	<b>3</b>	<b>5</b>	<b>5</b>	<b>4</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>-25.0</b>

**NUMBER OF PREGNANCIES PER 1,000 WOMEN, BY AGE GROUP, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>66.1</b>	<b>70.9</b>	<b>70.3</b>	<b>70.2</b>	<b>67.8</b>	<b>67.6</b>	<b>64.8</b>	<b>62.5</b>	<b>61.9</b>	<b>60.6</b>	<b>-8.3</b>
<b>10-14</b>	<b>3.2</b>	<b>3.2</b>	<b>3.2</b>	<b>4.0</b>	<b>3.2</b>	<b>2.4</b>	<b>2.4</b>	<b>2.4</b>	<b>3.1</b>	<b>2.3</b>	<b>-28.1</b>
<b>15-17</b>	<b>76.6</b>	<b>85.1</b>	<b>75.9</b>	<b>72.9</b>	<b>64.4</b>	<b>67.5</b>	<b>66.7</b>	<b>64.5</b>	<b>62.3</b>	<b>57.5</b>	<b>-24.9</b>
<b>18-19</b>	<b>166.4</b>	<b>186.2</b>	<b>193.4</b>	<b>181.8</b>	<b>181.6</b>	<b>179.1</b>	<b>176.8</b>	<b>160.2</b>	<b>159.4</b>	<b>147.1</b>	<b>-11.6</b>
<b>20-24</b>	<b>170.2</b>	<b>186.0</b>	<b>183.3</b>	<b>182.2</b>	<b>173.1</b>	<b>174.5</b>	<b>165.1</b>	<b>166.7</b>	<b>163.8</b>	<b>165.8</b>	<b>-2.6</b>
<b>25-29</b>	<b>105.9</b>	<b>113.9</b>	<b>117.5</b>	<b>120.5</b>	<b>118.0</b>	<b>115.3</b>	<b>111.9</b>	<b>109.2</b>	<b>109.6</b>	<b>109.5</b>	<b>3.4</b>
<b>30-34</b>	<b>44.9</b>	<b>47.2</b>	<b>46.2</b>	<b>51.8</b>	<b>57.4</b>	<b>60.0</b>	<b>55.9</b>	<b>48.9</b>	<b>50.0</b>	<b>49.7</b>	<b>10.7</b>
<b>35-39</b>	<b>15.8</b>	<b>17.3</b>	<b>18.7</b>	<b>16.9</b>	<b>14.4</b>	<b>14.9</b>	<b>16.2</b>	<b>18.9</b>	<b>19.3</b>	<b>19.1</b>	<b>20.9</b>
<b>40-44</b>	<b>3.2</b>	<b>2.3</b>	<b>2.3</b>	<b>3.8</b>	<b>3.8</b>	<b>3.8</b>	<b>3.0</b>	<b>3.7</b>	<b>2.9</b>	<b>3.7</b>	<b>15.6</b>

**NUMBER OF PREGNANCIES PER 1,000 WOMEN, BY AGE GROUP, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>87.5</b>	<b>93.4</b>	<b>94.2</b>	<b>90.6</b>	<b>89.8</b>	<b>88.9</b>	<b>87.4</b>	<b>80.7</b>	<b>82.1</b>	<b>77.2</b>	<b>-11.8</b>
<b>10-14</b>	<b>5.0</b>	<b>9.9</b>	<b>9.8</b>	<b>9.8</b>	<b>9.7</b>	<b>4.8</b>	<b>9.5</b>	<b>4.7</b>	<b>9.4</b>	<b>4.7</b>	<b>-6.0</b>
<b>15-17</b>	<b>132.8</b>	<b>140.6</b>	<b>142.9</b>	<b>137.1</b>	<b>154.5</b>	<b>147.5</b>	<b>140.5</b>	<b>116.7</b>	<b>118.6</b>	<b>102.6</b>	<b>-22.7</b>
<b>18-19</b>	<b>219.5</b>	<b>256.1</b>	<b>259.3</b>	<b>262.5</b>	<b>225.0</b>	<b>237.5</b>	<b>227.8</b>	<b>230.8</b>	<b>230.8</b>	<b>207.8</b>	<b>-5.3</b>
<b>20-24</b>	<b>216.7</b>	<b>231.6</b>	<b>237.3</b>	<b>227.8</b>	<b>222.8</b>	<b>212.8</b>	<b>209.4</b>	<b>200.0</b>	<b>206.0</b>	<b>197.0</b>	<b>-9.1</b>
<b>25-29</b>	<b>116.7</b>	<b>132.6</b>	<b>127.1</b>	<b>121.5</b>	<b>132.6</b>	<b>137.4</b>	<b>131.9</b>	<b>120.9</b>	<b>114.8</b>	<b>120.9</b>	<b>3.6</b>
<b>30-34</b>	<b>44.3</b>	<b>48.5</b>	<b>53.4</b>	<b>49.3</b>	<b>50.0</b>	<b>50.5</b>	<b>51.3</b>	<b>41.5</b>	<b>42.1</b>	<b>42.6</b>	<b>-3.8</b>
<b>35-39</b>	<b>23.5</b>	<b>16.9</b>	<b>16.5</b>	<b>16.2</b>	<b>10.6</b>	<b>5.2</b>	<b>15.4</b>	<b>15.1</b>	<b>19.8</b>	<b>14.6</b>	<b>-37.9</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>6.4</b>	<b>6.1</b>	<b>5.8</b>	<b>5.6</b>	<b>5.4</b>	<b>-</b>

**NUMBER OF PREGNANCIES PER 1,000 WOMEN, BY AGE GROUP, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-97</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>62.7</b>	<b>67.2</b>	<b>66.1</b>	<b>66.6</b>	<b>63.9</b>	<b>63.9</b>	<b>60.9</b>	<b>59.2</b>	<b>58.2</b>	<b>57.4</b>	<b>-8.5</b>
<b>10-14</b>	<b>2.9</b>	<b>1.9</b>	<b>1.9</b>	<b>1.9</b>	<b>1.0</b>	<b>1.0</b>	<b>0.9</b>	<b>0.9</b>	<b>1.9</b>	<b>0.9</b>	<b>-69.0</b>
<b>15-17</b>	<b>66.0</b>	<b>74.4</b>	<b>61.4</b>	<b>60.6</b>	<b>47.0</b>	<b>50.5</b>	<b>50.9</b>	<b>52.9</b>	<b>50.1</b>	<b>47.3</b>	<b>-28.3</b>
<b>18-19</b>	<b>157.0</b>	<b>170.8</b>	<b>181.0</b>	<b>166.7</b>	<b>173.4</b>	<b>165.5</b>	<b>167.1</b>	<b>147.1</b>	<b>146.0</b>	<b>135.7</b>	<b>-13.6</b>
<b>20-24</b>	<b>162.5</b>	<b>177.6</b>	<b>173.3</b>	<b>174.3</b>	<b>164.0</b>	<b>167.3</b>	<b>155.6</b>	<b>159.1</b>	<b>154.2</b>	<b>158.2</b>	<b>-2.6</b>
<b>25-29</b>	<b>104.3</b>	<b>111.1</b>	<b>116.1</b>	<b>119.5</b>	<b>115.8</b>	<b>110.9</b>	<b>107.8</b>	<b>106.5</b>	<b>107.8</b>	<b>106.8</b>	<b>2.4</b>
<b>30-34</b>	<b>45.0</b>	<b>46.1</b>	<b>44.1</b>	<b>51.4</b>	<b>58.7</b>	<b>60.8</b>	<b>56.8</b>	<b>50.1</b>	<b>51.3</b>	<b>50.9</b>	<b>13.1</b>
<b>35-39</b>	<b>13.7</b>	<b>17.3</b>	<b>19.1</b>	<b>17.1</b>	<b>14.2</b>	<b>16.6</b>	<b>16.4</b>	<b>18.7</b>	<b>18.4</b>	<b>19.8</b>	<b>44.5</b>
<b>40-44</b>	<b>3.5</b>	<b>2.6</b>	<b>2.6</b>	<b>4.3</b>	<b>4.3</b>	<b>3.4</b>	<b>2.6</b>	<b>2.6</b>	<b>2.5</b>	<b>2.5</b>	<b>-28.6</b>

**PERCENT OF PREGNANCIES OCCURRING TO UNWED WOMEN AGES 10-44,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>35.9</b>	<b>37.7</b>	<b>37.5</b>	<b>39.7</b>	<b>39.6</b>	<b>41.0</b>	<b>40.8</b>	<b>40.5</b>	<b>41.8</b>	<b>43.0</b>	<b>19.8</b>
<b>10-14</b>	<b>75.0</b>	<b>75.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>33.3</b>
<b>15-17</b>	<b>70.5</b>	<b>67.2</b>	<b>69.5</b>	<b>73.2</b>	<b>81.6</b>	<b>78.4</b>	<b>76.0</b>	<b>72.9</b>	<b>80.4</b>	<b>83.3</b>	<b>18.2</b>
<b>18-19</b>	<b>48.9</b>	<b>51.5</b>	<b>54.5</b>	<b>58.7</b>	<b>59.3</b>	<b>61.8</b>	<b>59.8</b>	<b>60.3</b>	<b>62.3</b>	<b>65.7</b>	<b>34.4</b>
<b>20-24</b>	<b>33.6</b>	<b>37.1</b>	<b>36.9</b>	<b>38.8</b>	<b>38.2</b>	<b>40.4</b>	<b>42.9</b>	<b>43.7</b>	<b>44.6</b>	<b>44.8</b>	<b>33.3</b>
<b>25-29</b>	<b>21.6</b>	<b>21.5</b>	<b>21.7</b>	<b>24.5</b>	<b>25.3</b>	<b>27.5</b>	<b>25.9</b>	<b>25.4</b>	<b>26.2</b>	<b>28.8</b>	<b>33.3</b>
<b>30-34</b>	<b>23.8</b>	<b>25.8</b>	<b>21.9</b>	<b>25.4</b>	<b>24.4</b>	<b>23.5</b>	<b>20.0</b>	<b>20.0</b>	<b>22.7</b>	<b>23.1</b>	<b>-2.9</b>
<b>35-39</b>	<b>30.0</b>	<b>27.3</b>	<b>29.2</b>	<b>27.3</b>	<b>21.1</b>	<b>25.0</b>	<b>27.3</b>	<b>23.1</b>	<b>18.5</b>	<b>14.8</b>	<b>-50.7</b>
<b>40-44</b>	<b>25.0</b>	<b>33.3</b>	<b>33.3</b>	<b>20.0</b>	<b>20.0</b>	<b>20.0</b>	<b>25.0</b>	<b>20.0</b>	<b>25.0</b>	<b>20.0</b>	<b>-20.0</b>

**PERCENT OF PREGNANCIES OCCURRING TO UNWED WOMEN AGES 10-44,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>72.1</b>	<b>73.3</b>	<b>77.0</b>	<b>77.1</b>	<b>78.0</b>	<b>78.0</b>	<b>77.8</b>	<b>77.1</b>	<b>77.7</b>	<b>80.2</b>	<b>11.2</b>
<b>10-14</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>0.0</b>
<b>15-17</b>	<b>94.1</b>	<b>88.9</b>	<b>94.4</b>	<b>94.1</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>92.9</b>	<b>91.7</b>	<b>-2.6</b>
<b>18-19</b>	<b>88.9</b>	<b>90.5</b>	<b>90.5</b>	<b>90.5</b>	<b>94.4</b>	<b>94.7</b>	<b>94.4</b>	<b>88.9</b>	<b>94.4</b>	<b>100.0</b>	<b>12.5</b>
<b>20-24</b>	<b>69.2</b>	<b>70.7</b>	<b>76.2</b>	<b>73.2</b>	<b>75.6</b>	<b>77.5</b>	<b>82.5</b>	<b>82.1</b>	<b>82.9</b>	<b>85.0</b>	<b>22.8</b>
<b>25-29</b>	<b>47.6</b>	<b>45.8</b>	<b>52.2</b>	<b>54.5</b>	<b>58.3</b>	<b>56.0</b>	<b>58.3</b>	<b>59.1</b>	<b>61.9</b>	<b>72.7</b>	<b>52.7</b>
<b>30-34</b>	<b>55.6</b>	<b>60.0</b>	<b>63.6</b>	<b>80.0</b>	<b>70.0</b>	<b>60.0</b>	<b>40.0</b>	<b>37.5</b>	<b>37.5</b>	<b>50.0</b>	<b>-10.1</b>
<b>35-39</b>	<b>75.0</b>	<b>66.7</b>	<b>100.0</b>	<b>66.7</b>	<b>50.0</b>	<b>100.0</b>	<b>66.7</b>	<b>66.7</b>	<b>50.0</b>	<b>33.3</b>	<b>-55.6</b>
<b>40-44</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**PERCENT OF PREGNANCIES OCCURRING TO UNWED WOMEN AGES 10-44,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	27.7	29.4	28.0	31.0	30.6	32.3	31.3	31.6	32.7	33.9	22.4
<b>10-14</b>	66.7	50.0	50.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	49.9
<b>15-17</b>	61.4	59.2	57.5	61.5	70.0	65.6	62.5	63.6	74.2	82.8	34.9
<b>18-19</b>	38.6	40.0	44.9	49.3	50.7	53.6	50.7	50.0	50.8	55.6	44.0
<b>20-24</b>	25.1	29.4	27.4	30.3	28.9	31.5	32.3	33.8	33.8	34.0	35.5
<b>25-29</b>	17.3	17.2	15.9	20.0	19.4	22.0	18.9	19.3	19.3	20.7	19.7
<b>30-34</b>	18.5	18.2	11.5	16.7	17.6	18.6	15.4	15.8	20.7	19.3	4.3
<b>35-39</b>	13.3	15.8	19.0	15.8	18.8	21.1	21.1	18.2	13.6	12.5	-6.0
<b>40-44</b>	25.0	33.3	33.3	20.0	20.0	0.0	0.0	0.0	0.0	33.3	33.2

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY AGE OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>7.8</b>	<b>8.7</b>	<b>8.5</b>	<b>8.0</b>	<b>7.9</b>	<b>9.0</b>	<b>8.8</b>	<b>8.9</b>	<b>7.5</b>	<b>7.9</b>	<b>1.3</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>10.0</b>	<b>10.0</b>	<b>11.1</b>	<b>0.0</b>	<b>16.7</b>	<b>25.0</b>	<b>33.3</b>	<b>25.0</b>	<b>-</b>
<b>15-17</b>	<b>9.6</b>	<b>12.7</b>	<b>12.3</b>	<b>11.1</b>	<b>10.6</b>	<b>13.2</b>	<b>13.6</b>	<b>11.3</b>	<b>11.2</b>	<b>13.1</b>	<b>36.5</b>
<b>18-19</b>	<b>7.1</b>	<b>8.6</b>	<b>8.9</b>	<b>9.7</b>	<b>10.8</b>	<b>13.6</b>	<b>13.0</b>	<b>10.0</b>	<b>7.6</b>	<b>7.4</b>	<b>4.2</b>
<b>20-24</b>	<b>8.4</b>	<b>9.3</b>	<b>9.0</b>	<b>8.9</b>	<b>8.4</b>	<b>9.4</b>	<b>8.8</b>	<b>9.1</b>	<b>6.7</b>	<b>6.5</b>	<b>-22.6</b>
<b>25-29</b>	<b>7.1</b>	<b>6.4</b>	<b>6.8</b>	<b>4.0</b>	<b>4.3</b>	<b>4.3</b>	<b>6.5</b>	<b>8.0</b>	<b>6.6</b>	<b>6.7</b>	<b>-5.6</b>
<b>30-34</b>	<b>8.5</b>	<b>10.9</b>	<b>7.8</b>	<b>9.5</b>	<b>7.2</b>	<b>9.4</b>	<b>6.9</b>	<b>7.9</b>	<b>6.7</b>	<b>8.6</b>	<b>1.2</b>
<b>35-39</b>	<b>5.0</b>	<b>4.0</b>	<b>7.1</b>	<b>11.1</b>	<b>14.0</b>	<b>10.0</b>	<b>1.9</b>	<b>6.6</b>	<b>11.3</b>	<b>13.3</b>	<b>166.0</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>8.3</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY AGE OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>7.8</b>	<b>8.7</b>	<b>8.5</b>	<b>8.0</b>	<b>7.9</b>	<b>9.0</b>	<b>8.8</b>	<b>8.9</b>	<b>7.5</b>	<b>7.9</b>	<b>1.3</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>10.0</b>	<b>10.0</b>	<b>11.1</b>	<b>0.0</b>	<b>16.7</b>	<b>25.0</b>	<b>33.3</b>	<b>25.0</b>	<b>-</b>
<b>15-17</b>	<b>9.6</b>	<b>12.7</b>	<b>12.3</b>	<b>11.1</b>	<b>10.6</b>	<b>13.2</b>	<b>13.6</b>	<b>11.3</b>	<b>11.2</b>	<b>13.1</b>	<b>36.5</b>
<b>18-19</b>	<b>7.1</b>	<b>8.6</b>	<b>8.9</b>	<b>9.7</b>	<b>10.8</b>	<b>13.6</b>	<b>13.0</b>	<b>10.0</b>	<b>7.6</b>	<b>7.4</b>	<b>4.2</b>
<b>20-24</b>	<b>8.4</b>	<b>9.3</b>	<b>9.0</b>	<b>8.9</b>	<b>8.4</b>	<b>9.4</b>	<b>8.8</b>	<b>9.1</b>	<b>6.7</b>	<b>6.5</b>	<b>-22.6</b>
<b>25-29</b>	<b>7.1</b>	<b>6.4</b>	<b>6.8</b>	<b>4.0</b>	<b>4.3</b>	<b>4.3</b>	<b>6.5</b>	<b>8.0</b>	<b>6.6</b>	<b>6.7</b>	<b>-5.6</b>
<b>30-34</b>	<b>8.5</b>	<b>10.9</b>	<b>7.8</b>	<b>9.5</b>	<b>7.2</b>	<b>9.4</b>	<b>6.9</b>	<b>7.9</b>	<b>6.7</b>	<b>8.6</b>	<b>1.2</b>
<b>35-39</b>	<b>5.0</b>	<b>4.0</b>	<b>7.1</b>	<b>11.1</b>	<b>14.0</b>	<b>10.0</b>	<b>1.9</b>	<b>6.6</b>	<b>11.3</b>	<b>13.3</b>	<b>166.0</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>8.3</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY AGE OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>6.4</b>	<b>7.2</b>	<b>6.7</b>	<b>6.5</b>	<b>6.4</b>	<b>8.2</b>	<b>8.3</b>	<b>8.6</b>	<b>6.1</b>	<b>6.1</b>	<b>-4.7</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>33.3</b>	<b>25.0</b>	<b>25.0</b>	<b>-</b>
<b>15-17</b>	<b>6.3</b>	<b>8.6</b>	<b>7.2</b>	<b>6.3</b>	<b>6.3</b>	<b>8.8</b>	<b>10.6</b>	<b>9.1</b>	<b>8.9</b>	<b>12.0</b>	<b>90.5</b>
<b>18-19</b>	<b>4.4</b>	<b>5.8</b>	<b>5.8</b>	<b>5.6</b>	<b>9.0</b>	<b>13.2</b>	<b>14.2</b>	<b>10.7</b>	<b>7.5</b>	<b>6.8</b>	<b>54.5</b>
<b>20-24</b>	<b>6.2</b>	<b>7.7</b>	<b>7.5</b>	<b>8.4</b>	<b>7.1</b>	<b>8.4</b>	<b>8.1</b>	<b>8.5</b>	<b>4.9</b>	<b>4.1</b>	<b>-33.9</b>
<b>25-29</b>	<b>7.2</b>	<b>6.2</b>	<b>5.8</b>	<b>3.3</b>	<b>3.9</b>	<b>4.7</b>	<b>6.7</b>	<b>7.8</b>	<b>5.8</b>	<b>5.0</b>	<b>-30.6</b>
<b>30-34</b>	<b>8.4</b>	<b>9.9</b>	<b>7.7</b>	<b>8.6</b>	<b>6.5</b>	<b>9.4</b>	<b>7.3</b>	<b>8.9</b>	<b>6.3</b>	<b>7.2</b>	<b>-14.3</b>
<b>35-39</b>	<b>5.7</b>	<b>4.4</b>	<b>6.0</b>	<b>10.4</b>	<b>11.4</b>	<b>8.7</b>	<b>0.0</b>	<b>5.6</b>	<b>8.2</b>	<b>10.4</b>	<b>82.5</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>12.5</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>EDUCATION</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL LEVELS</b>	7.9	8.7	8.5	8.0	7.9	9.0	8.8	8.9	7.5	7.9	0.0
<b>0-8 YEARS</b>	12.4	12.2	12.4	9.7	7.7	9.1	11.9	16.7	13.2	10.6	-14.5
<b>9-11 YEARS</b>	12.2	13.6	12.2	10.8	11.1	12.3	12.6	11.1	9.0	11.5	-5.7
<b>12 YEARS</b>	4.7	5.0	5.7	7.2	7.5	8.8	8.2	9.0	8.1	7.9	68.1
<b>13-15 YEARS</b>	7.2	8.6	8.3	6.3	5.6	6.4	6.3	6.2	4.7	4.3	-40.3
<b>16 YEARS</b>	4.3	3.5	3.0	2.1	4.1	5.6	4.3	5.5	5.4	6.1	41.9
<b>17 OR MORE</b>	5.7	11.8	13.2	7.5	4.2	2.4	2.1	0.0	1.6	1.6	-71.9

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>EDUCATION</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL LEVELS</b>	14.4	14.8	15.9	14.2	13.8	12.0	10.5	10.4	13.4	15.5	7.6
<b>0-8 YEARS</b>	37.5	35.0	36.8	20.0	13.3	0.0	12.5	14.3	18.8	12.5	-66.7
<b>9-11 YEARS</b>	22.6	25.0	24.6	20.9	17.1	15.2	12.5	11.4	13.3	15.7	-30.5
<b>12 YEARS</b>	3.8	4.2	7.4	10.4	13.3	12.2	10.3	9.9	13.9	16.7	339.5
<b>13-15 YEARS</b>	11.1	12.0	10.6	10.2	10.9	8.8	5.6	5.7	9.3	13.2	18.9
<b>16 YEARS</b>	0.0	0.0	0.0	0.0	0.0	7.7	16.7	42.9	25.0	12.5	-
<b>17 OR MORE</b>	0.0	0.0	0.0	0.0	20.0	20.0	16.7	0.0	12.5	20.0	-

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>EDUCATION</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL LEVELS</b>	6.5	7.3	6.7	6.5	6.4	8.2	8.3	8.6	6.1	6.1	-6.2
<b>0-8 YEARS</b>	6.7	8.1	7.4	8.0	6.3	10.9	11.8	17.2	11.5	10.3	53.7
<b>9-11 YEARS</b>	9.4	10.0	7.8	7.3	9.2	11.5	12.6	11.1	8.0	10.0	6.4
<b>12 YEARS</b>	4.8	5.2	5.4	6.5	6.3	8.0	7.7	8.8	6.7	6.1	27.1
<b>13-15 YEARS</b>	6.3	7.8	7.7	5.5	4.3	5.8	6.5	6.3	3.6	2.2	-65.1
<b>16 YEARS</b>	4.4	3.8	3.2	2.3	4.6	5.3	2.9	2.9	3.8	5.5	25.0
<b>17 OR MORE</b>	6.1	12.5	13.9	8.1	2.3	0.0	0.0	0.0	0.0	0.0	-100.0

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY AGE OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>1.5</b>	<b>1.6</b>	<b>1.1</b>	<b>1.1</b>	<b>1.0</b>	<b>1.8</b>	<b>1.8</b>	<b>1.6</b>	<b>1.4</b>	<b>1.2</b>	<b>-20.0</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-17</b>	<b>0.0</b>	<b>1.3</b>	<b>1.5</b>	<b>3.2</b>	<b>3.5</b>	<b>4.7</b>	<b>4.5</b>	<b>3.2</b>	<b>3.4</b>	<b>2.8</b>	<b>-</b>
<b>18-19</b>	<b>1.3</b>	<b>2.0</b>	<b>1.6</b>	<b>0.8</b>	<b>0.8</b>	<b>1.3</b>	<b>2.2</b>	<b>1.9</b>	<b>1.9</b>	<b>2.1</b>	<b>61.5</b>
<b>20-24</b>	<b>1.6</b>	<b>1.4</b>	<b>1.0</b>	<b>1.1</b>	<b>1.1</b>	<b>2.2</b>	<b>2.2</b>	<b>2.0</b>	<b>1.2</b>	<b>1.0</b>	<b>-37.5</b>
<b>25-29</b>	<b>1.5</b>	<b>1.9</b>	<b>1.4</b>	<b>0.7</b>	<b>0.2</b>	<b>0.5</b>	<b>0.8</b>	<b>0.5</b>	<b>0.5</b>	<b>0.3</b>	<b>-80.0</b>
<b>30-34</b>	<b>3.0</b>	<b>2.3</b>	<b>0.0</b>	<b>1.1</b>	<b>1.5</b>	<b>2.4</b>	<b>1.5</b>	<b>1.7</b>	<b>0.6</b>	<b>0.6</b>	<b>-80.0</b>
<b>35-39</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.6</b>	<b>5.6</b>	<b>5.3</b>	<b>-</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY AGE OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>3.3</b>	<b>3.0</b>	<b>1.9</b>	<b>1.9</b>	<b>2.0</b>	<b>2.9</b>	<b>2.7</b>	<b>2.6</b>	<b>3.3</b>	<b>3.0</b>	<b>-9.1</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-17</b>	<b>0.0</b>	<b>2.2</b>	<b>2.1</b>	<b>4.3</b>	<b>4.1</b>	<b>6.1</b>	<b>4.3</b>	<b>2.8</b>	<b>2.7</b>	<b>6.3</b>	<b>-</b>
<b>18-19</b>	<b>2.3</b>	<b>1.8</b>	<b>1.8</b>	<b>0.0</b>	<b>1.9</b>	<b>1.9</b>	<b>4.2</b>	<b>2.0</b>	<b>2.0</b>	<b>2.3</b>	<b>0.0</b>
<b>20-24</b>	<b>6.3</b>	<b>3.9</b>	<b>1.9</b>	<b>1.9</b>	<b>1.8</b>	<b>3.8</b>	<b>2.9</b>	<b>3.2</b>	<b>4.0</b>	<b>3.0</b>	<b>-52.4</b>
<b>25-29</b>	<b>3.3</b>	<b>4.4</b>	<b>3.2</b>	<b>1.8</b>	<b>0.0</b>	<b>0.0</b>	<b>1.8</b>	<b>1.9</b>	<b>2.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>30-34</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>3.7</b>	<b>3.8</b>	<b>3.2</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>35-39</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>14.3</b>	<b>20.0</b>	<b>25.0</b>	<b>-</b>
<b>40-44</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY AGE OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>1.1</b>	<b>1.3</b>	<b>0.9</b>	<b>0.8</b>	<b>0.8</b>	<b>1.5</b>	<b>1.6</b>	<b>1.4</b>	<b>1.0</b>	<b>0.8</b>	<b>-27.3</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-17</b>	<b>0.0</b>	<b>1.0</b>	<b>1.2</b>	<b>2.5</b>	<b>3.1</b>	<b>3.8</b>	<b>4.7</b>	<b>3.4</b>	<b>3.8</b>	<b>1.3</b>	<b>-</b>
<b>18-19</b>	<b>1.1</b>	<b>2.1</b>	<b>1.6</b>	<b>1.1</b>	<b>0.5</b>	<b>1.1</b>	<b>1.6</b>	<b>1.9</b>	<b>1.9</b>	<b>2.1</b>	<b>90.9</b>
<b>20-24</b>	<b>0.7</b>	<b>0.8</b>	<b>0.9</b>	<b>0.9</b>	<b>0.9</b>	<b>1.8</b>	<b>2.0</b>	<b>1.7</b>	<b>0.5</b>	<b>0.5</b>	<b>-28.6</b>
<b>25-29</b>	<b>1.2</b>	<b>1.4</b>	<b>1.1</b>	<b>0.5</b>	<b>0.3</b>	<b>0.6</b>	<b>0.6</b>	<b>0.3</b>	<b>0.3</b>	<b>0.3</b>	<b>-75.0</b>
<b>30-34</b>	<b>3.5</b>	<b>2.6</b>	<b>0.0</b>	<b>0.7</b>	<b>1.2</b>	<b>2.2</b>	<b>1.7</b>	<b>1.9</b>	<b>0.6</b>	<b>0.7</b>	<b>-80.0</b>
<b>35-39</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>3.3</b>	<b>3.0</b>	<b>-</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>EDUCATION</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL LEVELS</b>	<b>1.5</b>	<b>1.6</b>	<b>1.1</b>	<b>1.1</b>	<b>1.0</b>	<b>1.8</b>	<b>1.8</b>	<b>1.6</b>	<b>1.4</b>	<b>1.2</b>	<b>-20.0</b>
<b>0-8 YEARS</b>	<b>2.3</b>	<b>2.3</b>	<b>1.8</b>	<b>0.0</b>	<b>0.0</b>	<b>1.5</b>	<b>3.0</b>	<b>2.8</b>	<b>1.5</b>	<b>0.0</b>	<b>-100.0</b>
<b>9-11 YEARS</b>	<b>2.8</b>	<b>2.8</b>	<b>1.6</b>	<b>1.5</b>	<b>2.0</b>	<b>2.9</b>	<b>2.6</b>	<b>1.8</b>	<b>1.3</b>	<b>1.6</b>	<b>-42.9</b>
<b>12 YEARS</b>	<b>1.0</b>	<b>1.2</b>	<b>1.1</b>	<b>1.4</b>	<b>1.0</b>	<b>1.7</b>	<b>1.8</b>	<b>1.9</b>	<b>1.9</b>	<b>1.5</b>	<b>50.0</b>
<b>13-15 YEARS</b>	<b>0.8</b>	<b>0.8</b>	<b>0.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.7</b>	<b>1.1</b>	<b>1.5</b>	<b>1.1</b>	<b>0.7</b>	<b>-12.5</b>
<b>16 YEARS</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.0</b>	<b>0.9</b>	<b>0.9</b>	<b>0.0</b>	<b>0.9</b>	<b>1.0</b>	<b>-</b>
<b>17 OR MORE</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>EDUCATION</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL LEVELS</b>	<b>3.3</b>	<b>3.0</b>	<b>1.9</b>	<b>1.9</b>	<b>2.0</b>	<b>2.9</b>	<b>2.7</b>	<b>2.6</b>	<b>3.3</b>	<b>3.0</b>	<b>-9.1</b>
<b>0-8 YEARS</b>	<b>8.3</b>	<b>10.0</b>	<b>5.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>9-11 YEARS</b>	<b>4.3</b>	<b>4.6</b>	<b>2.6</b>	<b>2.7</b>	<b>2.9</b>	<b>4.0</b>	<b>2.5</b>	<b>1.4</b>	<b>1.3</b>	<b>2.2</b>	<b>-48.8</b>
<b>12 YEARS</b>	<b>2.9</b>	<b>1.7</b>	<b>1.7</b>	<b>2.4</b>	<b>2.7</b>	<b>4.1</b>	<b>4.0</b>	<b>3.3</b>	<b>4.3</b>	<b>3.9</b>	<b>34.5</b>
<b>13-15 YEARS</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.9</b>	<b>3.8</b>	<b>5.6</b>	<b>3.8</b>	<b>-</b>
<b>16 YEARS</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>17 OR MORE</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1985-1996**

<b>EDUCATION</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL LEVELS</b>	<b>1.1</b>	<b>1.3</b>	<b>0.9</b>	<b>0.8</b>	<b>0.8</b>	<b>1.5</b>	<b>1.6</b>	<b>1.4</b>	<b>1.0</b>	<b>0.8</b>	<b>-27.3</b>
<b>0-8 YEARS</b>	<b>1.0</b>	<b>0.9</b>	<b>1.1</b>	<b>0.0</b>	<b>0.0</b>	<b>1.8</b>	<b>3.9</b>	<b>3.4</b>	<b>1.9</b>	<b>0.0</b>	<b>-100.0</b>
<b>9-11 YEARS</b>	<b>2.4</b>	<b>2.2</b>	<b>1.2</b>	<b>1.2</b>	<b>1.8</b>	<b>2.6</b>	<b>2.6</b>	<b>1.8</b>	<b>1.3</b>	<b>1.4</b>	<b>-41.7</b>
<b>12 YEARS</b>	<b>0.6</b>	<b>1.1</b>	<b>0.9</b>	<b>1.1</b>	<b>0.6</b>	<b>1.2</b>	<b>1.2</b>	<b>1.5</b>	<b>1.3</b>	<b>1.0</b>	<b>66.7</b>
<b>13-15 YEARS</b>	<b>1.0</b>	<b>1.0</b>	<b>0.5</b>	<b>0.0</b>	<b>0.0</b>	<b>0.9</b>	<b>0.9</b>	<b>1.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>16 YEARS</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.1</b>	<b>1.1</b>	<b>1.0</b>	<b>0.0</b>	<b>1.0</b>	<b>1.1</b>	<b>-</b>
<b>17 OR MORE</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**PERCENT OF MOTHERS WITH SELECTED RISK FACTORS  
RESIDENT DATA, TENNESSEE**

**RACE GROUP**

**ALL RACES**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>EDUCATION LT 9 YEARS</b>	8.4	8.0	7.0	6.4	4.9	4.2	4.4	4.9	4.6	3.2	-61.9
<b>EDUCATION 9-11 YEARS</b>	28.4	28.6	27.8	28.2	28.1	28.3	27.5	26.8	25.4	26.3	-7.4
<b>PARITY 4+</b>	1.4	1.0	1.1	1.6	2.0	2.0	1.9	2.4	2.4	2.8	100.0
<b>PREVIOUS TERMINATION</b>	22.0	23.1	23.8	24.1	24.7	24.7	24.0	24.3	24.6	23.4	6.4
<b>PREV. LIVE BTH NOW DEAD</b>	2.0	1.6	1.4	2.0	2.0	2.2	2.3	3.0	2.6	2.3	15.0
<b>PREV. LIVE BTH W/IN LAST 24 MO</b>	14.5	15.0	15.3	15.0	14.4	15.1	16.3	16.4	15.6	14.5	0.0
<b>ONE OR MORE FACTORS</b>	57.8	58.5	58.0	58.3	57.7	58.0	57.5	57.9	56.0	54.3	-6.1

**PERCENT OF MOTHERS WITH SELECTED RISK FACTORS  
RESIDENT DATA, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>EDUCATION LT 9 YEARS</b>	8.9	6.6	6.1	4.9	4.9	3.6	5.4	5.2	5.8	3.0	-66.3
<b>EDUCATION 9- 11 YEARS</b>	34.3	35.5	36.9	35.6	34.5	32.1	27.2	26.0	27.2	33.6	-2.0
<b>PARITY 4+</b>	4.4	3.0	3.2	4.5	5.6	5.8	5.4	5.9	4.7	5.3	20.5
<b>PREVIOUS TERMINATION</b>	22.5	25.7	26.9	26.2	26.6	25.3	24.5	23.8	23.9	23.4	4.0
<b>PREV. LIVE BTH NOW DEAD</b>	4.8	2.6	1.9	2.3	3.0	3.6	3.7	4.5	4.7	4.9	2.1
<b>PREV. LIVE BTH W/IN LAST 24 MO.</b>	19.9	23.7	23.9	26.2	23.7	24.4	24.5	23.0	22.5	21.5	8.0
<b>ONE OR MORE FACTORS</b>	67.9	70.4	70.6	70.6	69.4	68.8	66.0	65.1	63.8	66.8	-1.6

**PERCENT OF MOTHERS WITH SELECTED RISK FACTORS  
RESIDENT DATA, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>EDUCATION LT 9 YEARS</b>	8.4	8.3	7.2	6.8	4.9	4.3	4.1	4.8	4.3	3.3	-60.7
<b>EDUCATION 9-11 YEARS</b>	27.1	27.0	25.6	26.3	26.5	27.3	27.6	27.0	25.0	24.6	-9.2
<b>PARITY 4+</b>	0.8	0.5	0.6	0.8	1.1	1.1	1.1	1.6	1.9	2.2	175.0
<b>PREVIOUS TERMINATION</b>	21.9	22.5	23.1	23.7	24.3	24.6	23.9	24.4	24.8	23.4	6.8
<b>PREV. LIVE BTH NOW DEAD</b>	1.4	1.4	1.3	1.9	1.7	1.9	1.9	2.7	2.2	1.8	28.6
<b>PREV. LIVE BTH W/IN LAST 24 MO.</b>	13.3	13.0	13.2	12.3	12.2	12.9	14.3	15.0	14.0	12.9	-3.0
<b>ONE OR MORE FACTORS</b>	55.6	55.8	55.0	55.3	54.9	55.4	55.5	56.3	54.2	51.4	-7.6

**PERCENT OF LIVE BIRTHS BY GESTATIONAL AGE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>WEEKS</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>LT 36 WKS</b>	<b>8.3</b>	<b>8.5</b>	<b>8.1</b>	<b>7.7</b>	<b>7.0</b>	<b>7.6</b>	<b>8.0</b>	<b>7.4</b>	<b>6.6</b>	<b>5.9</b>	<b>-28.9</b>
<b>LT 22</b>	<b>0.4</b>	<b>0.5</b>	<b>0.5</b>	<b>0.3</b>	<b>0.4</b>	<b>0.4</b>	<b>0.3</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	<b>-75.0</b>
<b>22-27</b>	<b>1.5</b>	<b>1.6</b>	<b>1.4</b>	<b>0.9</b>	<b>0.6</b>	<b>0.8</b>	<b>1.0</b>	<b>1.0</b>	<b>0.7</b>	<b>0.7</b>	<b>-53.3</b>
<b>28-31</b>	<b>1.6</b>	<b>1.3</b>	<b>1.4</b>	<b>1.4</b>	<b>1.4</b>	<b>1.6</b>	<b>2.0</b>	<b>1.8</b>	<b>1.6</b>	<b>1.0</b>	<b>-37.5</b>
<b>32-35</b>	<b>4.8</b>	<b>5.2</b>	<b>4.9</b>	<b>5.1</b>	<b>4.6</b>	<b>4.8</b>	<b>4.7</b>	<b>4.5</b>	<b>4.3</b>	<b>4.1</b>	<b>-14.6</b>
<b>36-39</b>	<b>34.8</b>	<b>36.7</b>	<b>37.9</b>	<b>37.5</b>	<b>36.2</b>	<b>35.0</b>	<b>34.9</b>	<b>35.9</b>	<b>35.4</b>	<b>35.4</b>	<b>1.7</b>
<b>40-42</b>	<b>41.8</b>	<b>41.3</b>	<b>41.2</b>	<b>42.7</b>	<b>43.1</b>	<b>43.3</b>	<b>42.0</b>	<b>43.0</b>	<b>43.1</b>	<b>42.9</b>	<b>2.6</b>
<b>43-46</b>	<b>10.1</b>	<b>9.3</b>	<b>8.3</b>	<b>7.3</b>	<b>8</b>	<b>8.8</b>	<b>10.1</b>	<b>9.2</b>	<b>8.7</b>	<b>8.3</b>	<b>-17.8</b>
<b>47 +</b>	<b>2.2</b>	<b>2.1</b>	<b>2</b>	<b>1.8</b>	<b>1.7</b>	<b>1.9</b>	<b>2.2</b>	<b>1.9</b>	<b>1.5</b>	<b>0.9</b>	<b>-59.1</b>

**PERCENT OF LIVE BIRTHS BY GESTATIONAL AGE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>WEEKS</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>LT 36 WKS</b>	19.2	18.4	16.8	14.6	13.2	11.7	12.9	10.0	11.6	10.6	-44.8
<b>LT 22</b>	1.8	2.0	1.6	0.6	0.7	1.0	0.7	0.4	0.0	0.0	-100.0
<b>22-27</b>	3.3	3.3	3.2	1.9	1.6	1.9	2.4	2.2	1.1	1.9	-42.4
<b>28-31</b>	4.4	2.6	2.9	3.2	3.6	2.3	3.1	1.9	4.0	2.6	-40.9
<b>32-35</b>	9.6	10.5	9.1	8.7	7.2	6.5	6.8	5.6	6.5	6.0	-37.5
<b>36-39</b>	39.9	39.8	40.8	40.8	41.1	44.2	42.2	43.5	39.5	38.9	-2.5
<b>40-42</b>	28.8	32.2	32.4	33.0	33.9	33.1	33.0	32.7	32.6	31.3	8.7
<b>43-46</b>	7.4	5.6	5.8	5.8	5.3	6.5	7.5	9.3	6.9	6.8	-8.1
<b>47 +</b>	1.8	2	1	1	0.3	1	1.4	2.2	2.5	2.3	27.8

**PERCENT OF LIVE BIRTHS BY GESTATIONAL AGE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>WEEKS</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>LT 36 WKS</b>	<b>5.9</b>	<b>6.3</b>	<b>6.0</b>	<b>6.1</b>	<b>5.6</b>	<b>6.7</b>	<b>6.8</b>	<b>6.8</b>	<b>5.5</b>	<b>4.6</b>	<b>-22.0</b>
<b>LT 22</b>	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	<b>0.2</b>	<b>0.3</b>	<b>0.2</b>	<b>0.2</b>	<b>0.0</b>	<b>0.1</b>	<b>0.1</b>	<b>0.0</b>
<b>22-27</b>	<b>1.1</b>	<b>1.2</b>	<b>0.9</b>	<b>0.7</b>	<b>0.4</b>	<b>0.5</b>	<b>0.7</b>	<b>0.7</b>	<b>0.6</b>	<b>0.4</b>	<b>-63.6</b>
<b>28-31</b>	<b>1.0</b>	<b>1.0</b>	<b>1.0</b>	<b>0.9</b>	<b>0.9</b>	<b>1.5</b>	<b>1.7</b>	<b>1.8</b>	<b>1.1</b>	<b>0.6</b>	<b>-40.0</b>
<b>32-35</b>	<b>3.7</b>	<b>4.0</b>	<b>3.9</b>	<b>4.2</b>	<b>4.0</b>	<b>4.4</b>	<b>4.2</b>	<b>4.2</b>	<b>3.7</b>	<b>3.5</b>	<b>-5.4</b>
<b>36-39</b>	<b>33.7</b>	<b>35.9</b>	<b>37.2</b>	<b>36.6</b>	<b>35.0</b>	<b>32.7</b>	<b>33.1</b>	<b>34.2</b>	<b>34.5</b>	<b>34.6</b>	<b>2.7</b>
<b>40-42</b>	<b>44.6</b>	<b>43.4</b>	<b>43.4</b>	<b>45.0</b>	<b>45.3</b>	<b>45.8</b>	<b>44.2</b>	<b>45.3</b>	<b>45.5</b>	<b>45.5</b>	<b>2.0</b>
<b>43-46</b>	<b>10.7</b>	<b>10.1</b>	<b>8.9</b>	<b>7.6</b>	<b>8.6</b>	<b>9.4</b>	<b>10.8</b>	<b>9.1</b>	<b>9.1</b>	<b>8.6</b>	<b>-19.6</b>
<b>47 +</b>	<b>2.3</b>	<b>2.2</b>	<b>2.3</b>	<b>2</b>	<b>2</b>	<b>2.1</b>	<b>2.4</b>	<b>1.8</b>	<b>1.2</b>	<b>0.6</b>	<b>-73.9</b>

**PERCENT OF LIVE BIRTHS WITH LATE OR NO PRENATAL CARE, ACCORDING TO MOM'S AGE AND RACE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**DYER**

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL RACES ALL AGES	23.0	23.0	21.8	19.8	20.0	19.9	20.2	20.2	21.5	25.3	10.0
10-17	28.8	31.3	31.6	30.1	31.8	33.6	39.0	36.9	36.3	34.1	18.4
18-19	36.8	37.9	32.3	26.8	26.1	26.7	25.7	25.0	28.1	35.5	-3.5
NONWHITE: ALL AGES	34.1	36.2	33.1	31.4	34.5	39.5	40.5	37.2	37.3	41.5	21.7
10-17	26.3	46.3	47.8	45.5	40.8	38.9	44.2	40.7	40.4	42.3	60.8
18-19	43.2	45.9	40.5	43.2	45.5	49.1	41.7	38.5	41.5	47.9	10.9
WHITE: ALL AGES	20.8	20.3	19.3	17.3	16.8	15.3	15.4	16.1	17.7	21.4	2.9
10-17	29.9	24.4	24.5	23.2	27.8	30.2	35.7	33.8	33.7	29.1	-2.7
18-19	35.2	35.7	30.2	22.8	20.5	20.0	20.3	21.3	24.2	32.2	-8.5

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER	AREA										PERCENT CHANGE 1988-90 TO 1997-99
	ALL RACES	DYER									
	10-44										
THREE -YEAR AVERAGES 1988-1999											
RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	
ONE OR MORE RISK FACTORS		54.9	53.3	53.7	55.4	57.1	59.9	65.6	62.2	60.8	10.7
SMOKING		0.2	0.2	0.1	0.3	0.2	0.3	0.3	0.4	0.4	100.0
C-SECTION		30.4	30.6	30.7	29.2	27.8	27.2	28.0	28.4	27.6	-9.2
WT GAIN < 15#		7.3	7.1	7.6	8.8	9.7	9.0	9.0	7.8	8.1	11.0
ANEMIA		0.5	0.4	0.4	0.7	1.0	1.4	1.9	2.4	2.7	440.0
DIABETES		1.0	1.4	1.6	2.3	2.8	2.7	2.6	2.1	2.3	130.0
HYPERTENSION		1.8	1.7	1.8	2.5	3.0	3.3	2.7	3.2	5.0	177.8
LABOR/DELIVERY COMPLICATIONS		36.3	34.0	34.4	35.9	37.7	40.8	48.2	41.8	40.6	11.8
ALCOHOL OR DRUG USE		0.7	0.8	1.1	1.1	1.3	1.6	2.1	3.2	4.0	471.4

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>MOTHER</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>DYER</b>										
<b>10-44</b>												
<b>THREE -YEAR AVERAGES 1988-1999</b>												
<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ONE OR MORE RISK FACTORS</b>		<b>58.3</b>	<b>57.0</b>	<b>54.8</b>	<b>60.7</b>	<b>62.1</b>	<b>64.5</b>	<b>71.0</b>	<b>65.8</b>	<b>68.3</b>	<b>17.2</b>	
<b>SMOKING</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>-</b>	
<b>C-SECTION</b>		<b>31.9</b>	<b>31.0</b>	<b>30.6</b>	<b>30.8</b>	<b>30.5</b>	<b>28.4</b>	<b>29.8</b>	<b>29.4</b>	<b>30.6</b>	<b>-4.1</b>	
<b>WT GAIN &lt; 15#</b>		<b>11.2</b>	<b>11.3</b>	<b>11.6</b>	<b>13.9</b>	<b>14.8</b>	<b>12.8</b>	<b>14.5</b>	<b>14.0</b>	<b>16.2</b>	<b>44.6</b>	
<b>ANEMIA</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.0</b>	<b>1.7</b>	<b>2.1</b>	<b>2.3</b>	<b>2.2</b>	<b>3.0</b>	<b>-</b>	
<b>DIABETES</b>		<b>0.0</b>	<b>0.3</b>	<b>1.0</b>	<b>2.0</b>	<b>2.7</b>	<b>2.5</b>	<b>2.7</b>	<b>2.9</b>	<b>2.6</b>	<b>-</b>	
<b>HYPERTENSION</b>		<b>2.4</b>	<b>2.0</b>	<b>1.7</b>	<b>2.0</b>	<b>3.7</b>	<b>5.0</b>	<b>4.6</b>	<b>4.4</b>	<b>5.7</b>	<b>137.5</b>	
<b>LABOR/DELIVERY COMPLICATIONS</b>		<b>35.9</b>	<b>33.7</b>	<b>34.9</b>	<b>36.6</b>	<b>37.2</b>	<b>40.1</b>	<b>49.6</b>	<b>40.8</b>	<b>41.1</b>	<b>14.5</b>	
<b>ALCOHOL OR DRUG USE</b>		<b>1.0</b>	<b>1.0</b>	<b>1.0</b>	<b>1.0</b>	<b>1.0</b>	<b>2.1</b>	<b>2.3</b>	<b>3.7</b>	<b>4.5</b>	<b>350.0</b>	

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER	AREA										PERCENT CHANGE 1988-90 TO 1997-99
	WHITE	DYER									
	10-44										
THREE -YEAR AVERAGES 1988-1999											
RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	
ONE OR MORE RISK FACTORS		54.1	52.7	53.6	54.4	56.0	59.0	64.5	61.4	59.0	9.1
SMOKING		0.3	0.3	0.2	0.3	0.2	0.3	0.3	0.4	0.4	33.3
C-SECTION		30.1	30.6	30.7	29.1	27.3	27.0	27.5	28.1	26.9	-10.6
WT GAIN < 15#		6.4	6.1	6.7	7.6	8.5	8.3	7.8	6.5	6.3	-1.6
ANEMIA		0.7	0.5	0.5	0.6	0.9	1.2	1.8	2.5	2.6	271.4
DIABETES		1.3	1.7	1.8	2.4	2.8	2.8	2.6	1.9	2.2	69.2
HYPERTENSION		1.7	1.7	1.8	2.7	2.9	2.9	2.3	3.0	4.9	188.2
LABOR/DELIVERY COMPLICATIONS		36.5	34.2	34.4	35.7	37.7	40.9	47.9	42.0	40.5	11.0
ALCOHOL OR DRUG USE		0.6	0.8	1.1	1.1	1.4	1.5	2.1	3.1	3.7	516.7

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>MOTHER</b>		<b>AREA</b>										
<b>ALL RACES</b>		<b>DYER</b>										
<b>AGE: 10-17</b>												
<b>THREE -YEAR AVERAGES 1988-1999</b>												
<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>	
<b>ONE OR MORE RISK FACTORS</b>		<b>46.5</b>	<b>41.4</b>	<b>41.2</b>	<b>48.4</b>	<b>48.9</b>	<b>52.2</b>	<b>55.3</b>	<b>59.2</b>	<b>57.4</b>	<b>23.4</b>	
<b>SMOKING</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.8</b>	<b>0.9</b>	<b>-</b>	
<b>C-SECTION</b>		<b>19.1</b>	<b>18.6</b>	<b>19.1</b>	<b>17.2</b>	<b>16.3</b>	<b>15.2</b>	<b>16.7</b>	<b>21.6</b>	<b>18.3</b>	<b>-4.2</b>	
<b>WT GAIN &lt; 15#</b>		<b>4.5</b>	<b>4.3</b>	<b>5.9</b>	<b>8.2</b>	<b>6.7</b>	<b>4.3</b>	<b>4.5</b>	<b>5.6</b>	<b>6.1</b>	<b>35.6</b>	
<b>ANEMIA</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.6</b>	<b>1.5</b>	<b>2.2</b>	<b>2.3</b>	<b>2.4</b>	<b>1.7</b>	<b>-</b>	
<b>DIABETES</b>		<b>0.6</b>	<b>0.7</b>	<b>0.7</b>	<b>0.8</b>	<b>0.7</b>	<b>0.7</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>HYPERTENSION</b>		<b>1.9</b>	<b>2.1</b>	<b>1.5</b>	<b>1.6</b>	<b>1.5</b>	<b>1.4</b>	<b>0.8</b>	<b>3.2</b>	<b>5.2</b>	<b>173.7</b>	
<b>LABOR/DELIVERY COMPLICATIONS</b>		<b>38.2</b>	<b>32.9</b>	<b>32.4</b>	<b>37.7</b>	<b>41.5</b>	<b>45.7</b>	<b>47.7</b>	<b>42.4</b>	<b>40.9</b>	<b>7.1</b>	
<b>ALCOHOL OR DRUG USE</b>		<b>0.0</b>	<b>0.7</b>	<b>2.2</b>	<b>2.5</b>	<b>1.5</b>	<b>0.7</b>	<b>2.3</b>	<b>5.6</b>	<b>6.1</b>	<b>-</b>	

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>MOTHER</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>DYER</b>										
<b>AGE: 10-17</b>												
<b>THREE -YEAR AVERAGES 1988-1999</b>												
<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ONE OR MORE RISK FACTORS</b>		<b>49.0</b>	<b>44.4</b>	<b>46.2</b>	<b>57.4</b>	<b>61.5</b>	<b>59.6</b>	<b>61.0</b>	<b>52.4</b>	<b>52.8</b>	<b>7.8</b>	
<b>SMOKING</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>C-SECTION</b>		<b>20.4</b>	<b>18.5</b>	<b>26.9</b>	<b>27.8</b>	<b>28.8</b>	<b>19.2</b>	<b>14.6</b>	<b>9.5</b>	<b>11.1</b>	<b>-45.6</b>	
<b>WT GAIN &lt; 15#</b>		<b>6.1</b>	<b>7.4</b>	<b>7.7</b>	<b>11.1</b>	<b>9.6</b>	<b>5.8</b>	<b>2.4</b>	<b>7.1</b>	<b>8.3</b>	<b>36.1</b>	
<b>ANEMIA</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>3.7</b>	<b>3.8</b>	<b>5.8</b>	<b>4.9</b>	<b>4.8</b>	<b>2.8</b>	<b>-</b>	
<b>DIABETES</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>HYPERTENSION</b>		<b>2.0</b>	<b>3.7</b>	<b>3.8</b>	<b>1.9</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>7.1</b>	<b>8.3</b>	<b>315.0</b>	
<b>LABOR/DELIVERY COMPLICATIONS</b>		<b>40.8</b>	<b>33.3</b>	<b>34.6</b>	<b>42.6</b>	<b>51.9</b>	<b>51.9</b>	<b>56.1</b>	<b>33.3</b>	<b>30.6</b>	<b>-25.0</b>	
<b>ALCOHOL OR DRUG USE</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>2.4</b>	<b>2.4</b>	<b>5.6</b>	<b>-</b>	

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER		AREA										PERCENT CHANGE 1988-90 TO 1997-99
WHITE		DYER										
AGE: 10-17												
THREE -YEAR AVERAGES 1988-1999												
RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ONE OR MORE RISK FACTORS		45.4	39.5	38.1	41.2	41.0	47.7	52.7	62.7	59.5	31.1	
SMOKING		0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.3	-	
C-SECTION		18.5	18.6	14.3	8.8	8.4	12.8	17.6	27.7	21.5	16.2	
WT GAIN < 15#		3.7	2.3	4.8	5.9	4.8	3.5	5.5	4.8	5.1	37.8	
ANEMIA		0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.2	1.3	-	
DIABETES		0.9	1.2	1.2	1.5	1.2	1.2	0.0	0.0	0.0	-100.0	
HYPERTENSION		1.9	1.2	0.0	1.5	2.4	2.3	1.1	1.2	3.8	100.0	
LABOR/DELIVERY COMPLICATIONS		37.0	32.6	31.0	33.8	34.9	41.9	44.0	47.0	45.6	23.2	
ALCOHOL OR DRUG USE		0.0	1.2	3.6	4.4	2.4	1.2	2.2	7.2	6.3	-	

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>MOTHER</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL RACES</b>		<b>DYER</b>										
<b>AGE: 18-19</b>												
<b>THREE -YEAR AVERAGES 1988-1999</b>												
<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ONE OR MORE RISK FACTORS</b>		<b>55.5</b>	<b>53.8</b>	<b>52.7</b>	<b>53.3</b>	<b>54.5</b>	<b>58.4</b>	<b>62.2</b>	<b>58.1</b>	<b>56.3</b>	<b>1.4</b>	
<b>SMOKING</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.4</b>	<b>0.4</b>	<b>1.0</b>	<b>1.0</b>	<b>1.1</b>	<b>-</b>	
<b>C-SECTION</b>		<b>25.7</b>	<b>24.3</b>	<b>27.0</b>	<b>25.8</b>	<b>22.6</b>	<b>19.5</b>	<b>16.7</b>	<b>20.5</b>	<b>21.1</b>	<b>-17.9</b>	
<b>WT GAIN &lt; 15#</b>		<b>6.9</b>	<b>6.9</b>	<b>8.9</b>	<b>10.4</b>	<b>11.1</b>	<b>10.0</b>	<b>9.1</b>	<b>7.1</b>	<b>7.4</b>	<b>7.2</b>	
<b>ANEMIA</b>		<b>0.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.8</b>	<b>0.9</b>	<b>0.9</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>DIABETES</b>		<b>1.2</b>	<b>1.2</b>	<b>0.0</b>	<b>0.0</b>	<b>0.9</b>	<b>0.9</b>	<b>1.0</b>	<b>0.5</b>	<b>1.1</b>	<b>-8.3</b>	
<b>HYPERTENSION</b>		<b>1.6</b>	<b>1.2</b>	<b>0.0</b>	<b>1.3</b>	<b>1.7</b>	<b>2.6</b>	<b>1.4</b>	<b>2.4</b>	<b>3.7</b>	<b>131.3</b>	
<b>LABOR/DELIVERY COMPLICATIONS</b>		<b>40.4</b>	<b>36.4</b>	<b>38.8</b>	<b>36.7</b>	<b>39.6</b>	<b>43.7</b>	<b>51.7</b>	<b>45.2</b>	<b>41.1</b>	<b>1.7</b>	
<b>ALCOHOL OR DRUG USE</b>		<b>0.8</b>	<b>1.6</b>	<b>2.1</b>	<b>1.7</b>	<b>3.0</b>	<b>3.9</b>	<b>4.8</b>	<b>5.2</b>	<b>5.3</b>	<b>562.5</b>	

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**MOTHER**

**AREA**

**NONWHITE**  
**AGE: 18-19**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ONE OR MORE RISK FACTORS</b>		<b>49.1</b>	<b>50.9</b>	<b>50.0</b>	<b>59.6</b>	<b>62.3</b>	<b>66.7</b>	<b>72.0</b>	<b>66.0</b>	<b>65.9</b>	<b>34.2</b>
<b>SMOKING</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>C-SECTION</b>		<b>21.8</b>	<b>26.3</b>	<b>26.7</b>	<b>28.8</b>	<b>22.6</b>	<b>20.8</b>	<b>22.0</b>	<b>28.0</b>	<b>25.0</b>	<b>14.7</b>
<b>WT GAIN &lt; 15#</b>		<b>7.3</b>	<b>5.3</b>	<b>13.3</b>	<b>17.3</b>	<b>20.8</b>	<b>14.6</b>	<b>16.0</b>	<b>12.0</b>	<b>15.9</b>	<b>117.8</b>
<b>ANEMIA</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>DIABETES</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>2.0</b>	<b>2.3</b>	<b>-</b>
<b>HYPERTENSION</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.9</b>	<b>2.1</b>	<b>2.0</b>	<b>2.0</b>	<b>2.3</b>	<b>-</b>
<b>LABOR/DELIVERY COMPLICATIONS</b>		<b>30.9</b>	<b>31.6</b>	<b>33.3</b>	<b>32.7</b>	<b>34.0</b>	<b>41.7</b>	<b>54.0</b>	<b>48.0</b>	<b>40.9</b>	<b>32.4</b>
<b>ALCOHOL OR DRUG USE</b>		<b>1.8</b>	<b>1.8</b>	<b>1.7</b>	<b>0.0</b>	<b>1.9</b>	<b>4.2</b>	<b>4.0</b>	<b>4.0</b>	<b>2.3</b>	<b>27.8</b>

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER	AREA										PERCENT CHANGE 1988-90 TO 1997-99
	WHITE	DYER									
AGE: 18-19	THREE -YEAR AVERAGES 1988-1999										
RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	
ONE OR MORE RISK FACTORS		57.4	54.7	53.7	51.6	52.2	56.3	59.1	55.6	53.4	-7.0
SMOKING		0.0	0.0	0.0	0.0	0.5	0.5	1.3	1.3	1.4	-
C-SECTION		26.8	23.7	27.1	25.0	22.5	19.1	15.1	18.1	19.9	-25.7
WT GAIN < 15#		6.8	7.4	7.3	8.5	8.2	8.7	6.9	5.6	4.8	-29.4
ANEMIA		0.5	0.0	0.0	1.1	1.1	1.1	0.0	0.0	0.0	-100.0
DIABETES		1.6	1.6	0.0	0.0	1.1	1.1	1.3	0.0	0.7	-56.3
HYPERTENSION		2.1	1.6	0.0	1.6	1.6	2.7	1.3	2.5	4.1	95.2
LABOR/DELIVERY COMPLICATIONS		43.2	37.9	40.7	37.8	41.2	44.3	50.9	44.4	41.1	-4.9
ALCOHOL OR DRUG USE		0.5	1.6	2.3	2.1	3.3	3.8	5.0	5.6	6.2	1140.0

**PERCENT OF LIVE BIRTHS WITH HIGH PARITY, ACCORDING TO MOM'S AGE AND RACE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

<b>DYER</b>
-------------

**THREE -YEAR AVERAGES 1988-1999**

<b>RACE/AGE</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL RACES</b>											
<b>UNDER 30</b>	1.0	1.2	0.9	0.9	0.5	0.5	1.0	1.4	1.8	1.3	30.0
<b>30 AND UP</b>	5.2	4.1	4.8	4.6	3.9	4.8	4.9	5.1	3.0	4.5	-13.5
<b>NONWHITE:</b>											
<b>UNDER 30</b>	2.5	2.0	2.2	2.5	1.8	2.2	3.6	4.8	5.5	3.9	56.0
<b>30 AND UP</b>	13.0	14.8	25.0	22.2	13.8	12.9	12.1	12.1	8.1	17.1	31.5
<b>WHITE:</b>											
<b>UNDER 30</b>	0.7	1.0	0.6	0.6	0.2	0.1	0.3	0.5	0.9	0.7	0.0
<b>30 AND UP</b>	4.1	2.4	1.7	2.1	2.5	3.5	3.8	4.1	2.1	2.6	-36.6

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**ALL RACES**

**AREA**  
**DYER**

**YEAR**  
**1995**

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTH	0	1	2	3	4+	UNK
<b>10-17</b>	<b>2,012</b>	<b>51</b>	<b>43</b>	<b>8</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>256</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>253</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>252</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>251</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>250</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>250</b>	<b>9</b>	<b>8</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>251</b>	<b>17</b>	<b>16</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>249</b>	<b>23</b>	<b>17</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**NONWHITE**

**AREA**  
**DYER**

**YEAR**  
**1995**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTH</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>332</b>	<b>16</b>	<b>12</b>	<b>4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>43</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>42</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>42</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>42</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>41</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>41</b>	<b>4</b>	<b>4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>41</b>	<b>4</b>	<b>3</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>40</b>	<b>7</b>	<b>4</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**WHITE**

**AREA**  
**DYER**

**YEAR**  
**1995**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTH</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>1,680</b>	<b>35</b>	<b>31</b>	<b>4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>213</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>211</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>210</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>209</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>209</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>209</b>	<b>5</b>	<b>4</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>210</b>	<b>13</b>	<b>13</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>209</b>	<b>16</b>	<b>13</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**ALL RACES**

**AREA**  
**DYER**

**YEAR**  
**1996**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>2,018</b>	<b>44</b>	<b>35</b>	<b>8</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>259</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>257</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>255</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>252</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>251</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>250</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>248</b>	<b>17</b>	<b>16</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>246</b>	<b>23</b>	<b>15</b>	<b>7</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**NONWHITE**

**AREA**  
**DYER**

**YEAR**  
**1996**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>332</b>	<b>17</b>	<b>13</b>	<b>4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>43</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>43</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>43</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>42</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>41</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>41</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>40</b>	<b>5</b>	<b>4</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>39</b>	<b>8</b>	<b>5</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**WHITE**

**AREA**  
**DYER**

**YEAR**  
**1996**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>1,686</b>	<b>27</b>	<b>22</b>	<b>4</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>216</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>214</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>212</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>210</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>210</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>209</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>208</b>	<b>12</b>	<b>12</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>207</b>	<b>15</b>	<b>10</b>	<b>4</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**ALL RACES**

**AREA**  
**DYER**

**YEAR**  
**1997**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>2,019</b>	<b>37</b>	<b>32</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>262</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>258</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>256</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>253</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>251</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>249</b>	<b>8</b>	<b>7</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>246</b>	<b>8</b>	<b>6</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>244</b>	<b>18</b>	<b>16</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**NONWHITE**

**AREA**  
**DYER**

**YEAR**  
**1997**

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
<b>10-17</b>	<b>332</b>	<b>8</b>	<b>8</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>43</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>43</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>42</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>41</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>41</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>39</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>39</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**WHITE**

**AREA**  
**DYER**

**YEAR**  
**1997**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>1,687</b>	<b>29</b>	<b>24</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>218</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>215</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>213</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>211</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>210</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>208</b>	<b>6</b>	<b>5</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>207</b>	<b>6</b>	<b>4</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>205</b>	<b>15</b>	<b>13</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**ALL RACES**

**AREA**  
**DYER**

**YEAR**  
**1998**

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
<b>10-17</b>	<b>2,021</b>	<b>44</b>	<b>35</b>	<b>7</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>265</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>261</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>258</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>254</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>251</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>247</b>	<b>6</b>	<b>4</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>244</b>	<b>10</b>	<b>8</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>241</b>	<b>25</b>	<b>20</b>	<b>4</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**NONWHITE**

**AREA**  
**DYER**

**YEAR**  
**1998**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>331</b>	<b>17</b>	<b>12</b>	<b>4</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>45</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>43</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>43</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>42</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>41</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>40</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>39</b>	<b>6</b>	<b>5</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>38</b>	<b>10</b>	<b>6</b>	<b>3</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**WHITE**

**AREA**  
**DYER**

**YEAR**  
**1998**

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
<b>10-17</b>	<b>1,690</b>	<b>27</b>	<b>23</b>	<b>3</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>220</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>218</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>215</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>212</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>210</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>207</b>	<b>6</b>	<b>4</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>205</b>	<b>4</b>	<b>3</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>203</b>	<b>15</b>	<b>14</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**ALL RACES**

**AREA**  
**DYER**

**YEAR**  
**1999**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>2,006</b>	<b>34</b>	<b>28</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>265</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>261</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>257</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>253</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>249</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>245</b>	<b>6</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>239</b>	<b>7</b>	<b>6</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>237</b>	<b>19</b>	<b>14</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**NONWHITE**

**AREA**  
**DYER**

**YEAR**  
**1999**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>331</b>	<b>11</b>	<b>8</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>45</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>43</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>42</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>41</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>40</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>38</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>38</b>	<b>6</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>WHITE</b>

<b>AREA</b>
<b>DYER</b>

<b>YEAR</b>
<b>1999</b>

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>1,675</b>	<b>23</b>	<b>20</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>220</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>217</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>214</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>211</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>208</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>205</b>	<b>4</b>	<b>4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>201</b>	<b>6</b>	<b>5</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>199</b>	<b>13</b>	<b>11</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>ALL RACES</b>

<b>AREA</b>
<b>DYER</b>

<b>5 YEAR AVE.</b>
<b>1995-1999</b>

AGE	POP.	#BIRTHS	PREVIOUS LIVE BIRTHS, NOW LIVING					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>2,015</b>	<b>42</b>	<b>35</b>	<b>7</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>261</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>258</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>256</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>253</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>250</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>248</b>	<b>6</b>	<b>5</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>246</b>	<b>12</b>	<b>10</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>243</b>	<b>22</b>	<b>16</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>NONWHITE</b>

<b>AREA</b>
<b>DYER</b>

<b>5 YEAR AVE.</b>
<b>1995-1999</b>

AGE	POP.	#BIRTHS	PREVIOUS LIVE BIRTHS, NOW LIVING					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>332</b>	<b>14</b>	<b>11</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>43</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>43</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>42</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>41</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>41</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>39</b>	<b>4</b>	<b>3</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>39</b>	<b>7</b>	<b>4</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>WHITE</b>

<b>AREA</b>
<b>DYER</b>

<b>5 YEAR AVE.</b>
<b>1995-1999</b>

AGE	POP.	#BIRTHS	PREVIOUS LIVE BIRTHS, NOW LIVING					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>1,684</b>	<b>28</b>	<b>24</b>	<b>4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>217</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>215</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>213</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>211</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>209</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>208</b>	<b>4</b>	<b>3</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>206</b>	<b>8</b>	<b>7</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>205</b>	<b>15</b>	<b>12</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>ALL RACES</b>

<b>AREA</b>
<b>DYER</b>

<b>YEAR</b>
<b>1995</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>2,012</b>	<b>51</b>	<b>42</b>	<b>9</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>256</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>253</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>252</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>251</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>250</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>250</b>	<b>9</b>	<b>8</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>251</b>	<b>17</b>	<b>16</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>249</b>	<b>23</b>	<b>16</b>	<b>7</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>NONWHITE</b>

<b>AREA</b>
<b>DYER</b>

<b>YEAR</b>
<b>1995</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>332</b>	<b>16</b>	<b>11</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>43</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>42</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>42</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>42</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>41</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>41</b>	<b>4</b>	<b>4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>41</b>	<b>4</b>	<b>3</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>40</b>	<b>7</b>	<b>3</b>	<b>4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>WHITE</b>

<b>AREA</b>
<b>DYER</b>

<b>YEAR</b>
<b>1995</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>1,680</b>	<b>35</b>	<b>31</b>	<b>4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>213</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>211</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>210</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>209</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>209</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>209</b>	<b>5</b>	<b>4</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>210</b>	<b>13</b>	<b>13</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>209</b>	<b>16</b>	<b>13</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>ALL RACES</b>

<b>AREA</b>
<b>DYER</b>

<b>YEAR</b>
<b>1996</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>2,018</b>	<b>44</b>	<b>33</b>	<b>9</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>259</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>257</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>255</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>252</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>251</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>250</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>248</b>	<b>17</b>	<b>16</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>246</b>	<b>23</b>	<b>13</b>	<b>8</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>NONWHITE</b>

<b>AREA</b>
<b>DYER</b>

<b>YEAR</b>
<b>1996</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>332</b>	<b>17</b>	<b>13</b>	<b>4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>43</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>43</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>43</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>42</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>41</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>41</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>40</b>	<b>5</b>	<b>4</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>39</b>	<b>8</b>	<b>5</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>WHITE</b>

<b>AREA</b>
<b>DYER</b>

<b>YEAR</b>
<b>1996</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>1,686</b>	<b>27</b>	<b>20</b>	<b>5</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>216</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>214</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>212</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>210</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>210</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>209</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>208</b>	<b>12</b>	<b>12</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>207</b>	<b>15</b>	<b>8</b>	<b>5</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>ALL RACES</b>

<b>AREA</b>
<b>DYER</b>

<b>YEAR</b>
<b>1997</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>2,019</b>	<b>37</b>	<b>30</b>	<b>7</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>262</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>258</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>256</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>253</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>251</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>249</b>	<b>8</b>	<b>7</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>246</b>	<b>8</b>	<b>6</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>244</b>	<b>18</b>	<b>14</b>	<b>4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>NONWHITE</b>

<b>AREA</b>
<b>DYER</b>

<b>YEAR</b>
<b>1997</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>332</b>	<b>8</b>	<b>8</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>43</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>43</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>42</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>41</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>41</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>39</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>39</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>WHITE</b>

<b>AREA</b>
<b>DYER</b>

<b>YEAR</b>
<b>1997</b>

			<b>PREVIOUS PREGNANCIES</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>1,687</b>	<b>29</b>	<b>22</b>	<b>7</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>218</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>215</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>213</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>211</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>210</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>208</b>	<b>6</b>	<b>5</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>207</b>	<b>6</b>	<b>4</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>205</b>	<b>15</b>	<b>11</b>	<b>4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>ALL RACES</b>

<b>AREA</b>
<b>DYER</b>

<b>YEAR</b>
<b>1998</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>2,021</b>	<b>44</b>	<b>32</b>	<b>8</b>	<b>4</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>265</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>261</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>258</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>254</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>251</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>247</b>	<b>6</b>	<b>4</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>244</b>	<b>10</b>	<b>7</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>241</b>	<b>25</b>	<b>18</b>	<b>4</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>NONWHITE</b>

<b>AREA</b>
<b>DYER</b>

<b>YEAR</b>
<b>1998</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>331</b>	<b>17</b>	<b>11</b>	<b>4</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>45</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>43</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>43</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>42</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>41</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>40</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>39</b>	<b>6</b>	<b>5</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>38</b>	<b>10</b>	<b>5</b>	<b>3</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>WHITE</b>

<b>AREA</b>
<b>DYER</b>

<b>YEAR</b>
<b>1998</b>

<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>PREVIOUS PREGNANCIES</b>					<b>UNK</b>
			<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	
<b>10-17</b>	<b>1,690</b>	<b>27</b>	<b>21</b>	<b>4</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>220</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>218</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>215</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>212</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>210</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>207</b>	<b>6</b>	<b>4</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>205</b>	<b>4</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>203</b>	<b>15</b>	<b>13</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>ALL RACES</b>

<b>AREA</b>
<b>DYER</b>

<b>YEAR</b>
<b>1999</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>2,006</b>	<b>34</b>	<b>26</b>	<b>6</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>265</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>261</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>257</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>253</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>249</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>245</b>	<b>6</b>	<b>5</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>239</b>	<b>7</b>	<b>6</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>237</b>	<b>19</b>	<b>13</b>	<b>5</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>NONWHITE</b>

<b>AREA</b>
<b>DYER</b>

<b>YEAR</b>
<b>1999</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>331</b>	<b>11</b>	<b>8</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>45</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>43</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>42</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>41</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>40</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>38</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>38</b>	<b>6</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>WHITE</b>

<b>AREA</b>
<b>DYER</b>

<b>YEAR</b>
<b>1999</b>

<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>PREVIOUS PREGNANCIES</b>					<b>UNK</b>
			<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	
<b>10-17</b>	<b>1,675</b>	<b>23</b>	<b>18</b>	<b>3</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>220</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>217</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>214</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>211</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>208</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>205</b>	<b>4</b>	<b>3</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>201</b>	<b>6</b>	<b>5</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>199</b>	<b>13</b>	<b>10</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>ALL RACES</b>

<b>AREA</b>
<b>DYER</b>

<b>5 YEAR AVE.</b>
<b>1995-1999</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>2,015</b>	<b>42</b>	<b>33</b>	<b>8</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>261</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>258</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>256</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>253</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>250</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>248</b>	<b>6</b>	<b>5</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>246</b>	<b>12</b>	<b>10</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>243</b>	<b>22</b>	<b>15</b>	<b>6</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>NONWHITE</b>

<b>AREA</b>
<b>DYER</b>

<b>5 YEAR AVE.</b>
<b>1995-1999</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>332</b>	<b>14</b>	<b>10</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>43</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>43</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>42</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>41</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>41</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>39</b>	<b>4</b>	<b>3</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>39</b>	<b>7</b>	<b>4</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>WHITE</b>

<b>AREA</b>
<b>DYER</b>

<b>5 YEAR AVE.</b>
<b>1995-1999</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>1,684</b>	<b>28</b>	<b>22</b>	<b>5</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>217</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>215</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>213</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>211</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>209</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>208</b>	<b>4</b>	<b>3</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>206</b>	<b>8</b>	<b>7</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>205</b>	<b>15</b>	<b>11</b>	<b>3</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF INFANT, NEONATAL, AND POSTNEONATAL DEATHS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

AGE/RACE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
<u>INFANT:</u> ALL RACES	6	9	7	7	5	5	5	4	4	2	-66.7
NONWHITE	3	3	2	1	1	1	2	2	1	0	-100.0
WHITE	3	6	6	6	4	4	3	2	3	2	-33.3
<u>NEONATAL:</u> ALL RACES	4	5	5	5	3	3	3	3	3	2	-50.0
NONWHITE	2	2	2	1	1	1	2	1	1	0	-100.0
WHITE	2	3	3	3	2	2	2	1	2	2	0.0
<u>POSTNEONATAL:</u> ALL RACES	2	4	2	3	2	2	2	1	1	1	-50.0
NONWHITE	1	1	0	0	0	0	0	0	0	0	-100.0
WHITE	1	3	2	3	2	2	2	1	1	1	0.0

**INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES (DEATHS PER 1,000 LIVE BIRTHS),  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

AGE/RACE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
<b><u>INFANT:</u></b> ALL RACES	11.8	15.8	13.6	13.6	10.1	9.5	10.5	7.5	8.1	4.8	-59.3
NONWHITE	29.5	26.3	16.2	12.9	9.9	13.0	20.4	18.6	14.5	0.0	-100.0
WHITE	8.0	13.5	13.0	13.8	10.2	8.6	8.1	5.0	6.6	5.9	-26.3
<b><u>NEONATAL:</u></b> ALL RACES	7.2	9.1	9.3	8.7	6.3	5.7	6.5	5.4	5.4	3.4	-52.8
NONWHITE	18.5	19.7	16.2	12.9	9.9	13.0	17.0	14.9	10.9	0.0	-100.0
WHITE	4.8	6.7	7.7	7.7	5.5	3.9	4.1	3.3	4.1	4.2	-12.5
<b><u>POSTNEONATAL:</u></b> ALL RACES	4.6	6.7	4.2	5.1	3.7	3.8	3.8	2.0	2.8	1.3	-71.7
NONWHITE	11.1	6.6	0.0	0.0	0.0	0.0	3.4	3.7	3.6	0.0	-100.0
WHITE	3.2	6.7	5.4	6.1	4.7	4.7	4.1	1.7	2.5	1.7	-46.9

Note: All rates shown are based on race of mother as denominator

**CRUDE MORTALITY RATES (DEATHS PER 1,000 POPULATION) BY RACE AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**DYER**

**THREE -YEAR AVERAGE CRUDE MORTALITY RATES 1988-1999**

<b>RACE/SEX</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>TOTAL</b>	11.6	11.1	10.6	10.7	11.1	11.6	12.0	12.1	11.8	11.9	2.6
<b>NONWHITE</b>	11.2	11.1	10.8	11.8	11.5	12.0	10.7	11.0	9.8	9.9	-11.6
<b>WHITE</b>	11.7	11.1	10.6	10.5	11.0	11.6	12.1	12.3	12.1	12.2	4.3
<b>SEX:</b>											
<b>FEMALE</b>	10.3	10.0	9.8	9.8	10.4	11.2	11.6	11.4	11.0	11.1	7.8
<b>MALE</b>	13.1	12.3	11.6	11.7	11.9	12.1	12.3	13.0	12.8	12.8	-2.3
<b>RACE-SEX:</b>											
<b>NONWHITE FEMALE</b>	9.4	9.3	8.4	10.0	10.6	10.9	9.5	8.6	8.5	9.1	-3.2
<b>WHITE FEMALE</b>	10.4	10.1	9.9	9.7	10.4	11.2	11.9	11.7	11.4	11.4	9.6
<b>NONWHITE MALE</b>	13.4	13.8	13.8	14.6	13.0	12.8	12.2	14.0	11.4	10.8	-19.4
<b>WHITE MALE</b>	13.1	12.1	11.4	11.4	11.7	11.9	12.3	12.9	13.0	13.1	0.0

**AGE AND RACE SPECIFIC CRUDE MORTALITY RATES PER 1,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	11.6	11.1	10.7	10.7	11.1	11.6	12.0	12.1	11.8	11.9	2.6
<b>UNDER 1</b>	13.8	19.9	16.7	16.5	11.7	10.8	11.3	7.6	8.1	4.7	-65.9
<b>1-4</b>	1.1	1.6	1.2	1.2	0.5	0.2	0.2	0.2	0.6	0.8	-27.3
<b>5-14</b>	0.7	0.5	0.4	0.3	0.2	0.4	0.4	0.4	0.1	0.3	-57.1
<b>15-24</b>	1.3	1.5	1.2	1.1	1.0	0.9	0.8	1.2	1.5	1.9	46.2
<b>25-44</b>	1.5	1.6	1.8	2.1	2.3	2.5	2.7	2.9	2.7	2.6	73.3
<b>45-64</b>	10.5	9.3	8.9	9.3	9.4	9.1	9.2	9.4	9.4	8.9	-15.2
<b>65 AND UP</b>	57.7	54.7	52.8	52.3	55.2	59.2	61.3	61.9	60.1	61.3	6.2

**AGE AND RACE SPECIFIC CRUDE MORTALITY RATES PER 1,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	11.2	11.2	10.9	11.9	11.6	11.9	10.8	11.1	9.8	9.9	-11.6
<b>UNDER 1</b>	31.3	30.8	18.9	14.9	11.0	14.3	21.0	17.1	13.4	0.0	-100.0
<b>1-4</b>	1.1	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	-27.3
<b>5-14</b>	0.4	0.4	0.4	0.0	0.0	0.4	0.4	0.4	0.0	0.4	0.0
<b>15-24</b>	0.0	1.4	2.3	2.3	0.9	0.4	0.4	0.9	0.9	1.8	-
<b>25-44</b>	3.3	3.0	3.5	4.3	6.4	6.6	6.1	5.2	3.7	3.6	9.1
<b>45-64</b>	12.1	13.1	13.3	14.9	12.7	12.7	10.7	11.7	9.9	10.0	-17.4
<b>65 AND UP</b>	60.9	59.9	59.2	67.0	65.7	69.7	64.3	70.0	67.9	71.2	16.9

**AGE AND RACE SPECIFIC CRUDE MORTALITY RATES PER 1,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	11.7	11.1	10.6	10.5	11.0	11.6	12.1	12.3	12.1	12.2	4.3
<b>UNDER 1</b>	9.5	17.2	16.2	16.8	11.9	9.9	8.8	5.2	6.8	5.8	-38.9
<b>1-4</b>	1.1	1.7	1.5	1.4	0.6	0.2	0.2	0.2	0.8	0.8	-27.3
<b>5-14</b>	0.7	0.5	0.4	0.3	0.2	0.4	0.4	0.4	0.2	0.3	-57.1
<b>15-24</b>	1.5	1.5	1.0	0.9	1.0	1.0	0.9	1.2	1.7	1.9	26.7
<b>25-44</b>	1.3	1.5	1.5	1.8	1.8	1.9	2.2	2.6	2.6	2.5	92.3
<b>45-64</b>	10.3	9.0	8.5	8.8	9.1	8.8	9.0	9.1	9.3	8.7	-15.5
<b>65 AND UP</b>	57.3	54.1	52.1	50.6	54.1	58.1	60.9	61.0	59.3	60.4	5.4

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
<b>1-4 YEARS</b>	<b>DYER</b>										
<b>THREE -YEAR AVERAGES 1988-1999</b>											
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	35.1	52.5	34.7	51.2	33.5	16.4	0.0	0.0	15.4	45.5	29.6
CONGENITAL ANOMALIES	35.1	17.5	17.4	17.1	16.7	0.0	0.0	0.0	0.0	0.0	-100.0
STATEWIDE FEWER THAN 10 DEATHS IN EACH REMAINING CAUSE											

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
<b>5-14 YEARS</b>	<b>DYER</b>										
<b>THREE -YEAR AVERAGES 1988-1999</b>											
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	32.8	19.7	13.2	6.5	6.5	19.3	19.1	25.2	12.5	31.0	-5.5
MALIGNANT NEOPLASMS	13.1	13.1	19.7	13.1	6.5	0.0	0.0	0.0	0.0	0.0	-100.0
HOMICIDE	0.0	0.0	0.0	0.0	0.0	6.4	6.4	6.3	0.0	0.0	-
SUICIDE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
STATEWIDE FEWER THAN 10 DEATHS IN EACH REMAINING CAUSE											

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
<b>15-24 YEARS</b>	<b>DYER</b>										
<b>THREE -YEAR AVERAGES 1988-1999</b>											
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	98.6	93.5	67.8	54.7	55.0	48.3	34.7	48.8	84.0	112.9	14.5
HOMICIDE	0.0	0.0	6.8	6.8	6.9	0.0	0.0	0.0	0.0	7.1	-
SUICIDE	26.3	26.7	6.8	13.7	20.6	27.6	20.8	13.9	14.0	7.1	-73.0
MALIGNANT NEOPLASMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
DISEASES OF THE HEART	0.0	6.7	6.8	6.8	0.0	0.0	0.0	7.0	7.0	21.2	-
REMAINING CAUSES HAVE FEWER THAN 10 CASES STATEWIDE.											

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
25-44 YEARS	DYER										
THREE -YEAR AVERAGES 1988-1999											
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	61.1	57.6	38.5	41.9	48.4	61.2	77.3	83.8	83.8	87.3	42.9
MALIGNANT NEOPLASMS	22.5	22.4	25.7	35.4	29.0	25.8	29.0	41.9	35.4	32.3	43.6
DISEASES OF THE HEART	16.1	22.4	22.5	32.2	38.7	35.4	32.2	25.8	25.8	22.6	40.4
HIV / AIDS	3.2	3.2	6.4	3.2	9.7	6.4	9.7	3.2	9.7	6.5	103.1
SUICIDE	0.0	3.2	9.6	29.0	29.0	35.4	25.8	29.0	25.8	25.9	-
HOMICIDE	22.5	19.2	32.1	25.8	25.8	16.1	6.4	12.9	6.4	16.2	-28.0
CEREBROVASCULAR DISEASE	3.2	0.0	0.0	6.4	6.4	9.7	3.2	12.9	9.7	9.7	203.1
CHRONIC LIVER DISEASE & CIRRHOSIS	3.2	6.4	6.4	3.2	6.4	6.4	6.4	0.0	3.2	3.2	0.0
DIABETES MELLITUS	3.2	3.2	6.4	3.2	3.2	3.2	3.2	6.4	6.4	9.7	203.1

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
<b>45-64 YEARS</b>	<b>DYER</b>										
<b>THREE -YEAR AVERAGES 1988-1999</b>											
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
MALIGNANT NEOPLASMS	355.0	336.2	330.9	360.4	332.8	323.6	319.5	307.1	278.5	276.4	-22.1
DISEASES OF THE HEART	251.4	238.8	249.4	290.2	282.6	266.0	233.1	244.0	262.1	260.4	3.6
CEREBROVASCULAR DISEASE	49.3	29.2	28.8	32.8	31.9	39.9	47.5	54.7	49.2	40.1	-18.7
ACCIDENTS AND ADVERSE EFFECTS	49.3	53.6	52.8	28.1	45.6	48.8	60.4	54.7	69.6	60.1	21.9
CHRONIC OBSTRUCTIVE PULMONARY DISEASE	54.2	29.2	24.0	9.4	13.7	13.3	34.5	29.4	36.9	28.0	-48.3
DIABETES MELLITUS	19.7	29.2	33.6	51.5	36.5	31.0	8.6	21.0	24.6	20.0	1.5
CHRONIC LIVER DISEASE & CIRRHOSIS	19.7	14.6	19.2	28.1	27.3	22.2	17.3	16.8	12.3	8.0	-59.4
SUICIDE	4.9	4.9	4.8	4.7	0.0	8.9	8.6	21.0	20.5	28.0	471.4
PNEUMONIA & INFLUENZA	0.0	0.0	0.0	4.7	22.8	26.6	30.2	25.2	20.5	16.0	-

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
<b>65 YEARS +</b>	<b>DYER</b>										
THREE -YEAR AVERAGES 1988-1999											
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
DISEASES OF THE HEART	2,055.1	2,126.8	2,156.3	2,152.9	2,221.2	2,324.1	2,300.1	2,366.6	2,187.1	2,323.5	13.1
MALIGNANT NEOPLASMS	1,056.6	976.7	971.9	1,012.0	1,055.9	1,020.8	1,031.5	1,074.6	1,128.6	1,142.6	8.1
CEREBROVASCULAR DISEASE	412.3	392.0	334.7	361.0	347.7	455.8	525.4	582.1	567.5	568.1	37.8
CHRONIC OBSTRUCTIVE PULMONARY DISEASE	302.8	263.4	231.7	225.6	270.4	346.7	371.6	409.4	389.0	389.4	60.4
PNEUMONIA AND INFLUENZA	257.7	276.3	244.6	225.6	257.5	314.6	365.2	358.2	312.4	223.4	-13.3
DIABETES MELLITUS	70.9	96.4	90.1	103.1	115.9	109.1	96.1	64.0	89.3	134.0	89.0
ACCIDENTS AND ADVERSE EFFECTS	58.0	90.0	115.9	135.4	135.2	141.2	121.7	108.7	102.0	108.5	87.1
ALZHEIMER'S DISEASE	58.0	70.7	57.9	90.2	115.9	122.0	108.9	89.5	70.1	127.7	120.2
ATHEROSCLEROSIS	12.9	12.9	6.4	6.4	0.0	12.8	32.0	38.4	25.5	12.8	-0.8

**AGE-ADJUSTED MORTALITY RATES BY RACE AND SEX, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**DYER**

**THREE -YEAR AVERAGE AGE-ADJUSTED MORTALITY RATES 1988-1999**

RACE/SEX	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE
<b>WHITE:</b>											1988-90 TO 1997-99
MALES	866.5	803.1	757.1	745.9	759.4	750.8	776.7	813.8	847.4	843.8	-2.6
FEMALES	405.0	404.1	429.2	414.7	410.9	390.3	409.8	446.4	431.7	425.6	5.1
<b>NONWHITE:</b>											1985-87 TO 1994-96
MALES	1,354.3	1,096.5	1,210.9	1,129.8	1,124.7	1,145.8	1,216.4	1,332.0	1,090.6	1,032.3	-23.8
FEMALES	604.3	570.3	616.0	461.8	509.9	508.4	612.5	557.5	560.4	651.8	7.9

**YEARS OF POTENTIAL LIFE LOST, BY RACE AND SEX, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**DYER**

**THREE -YEAR AVERAGE YEARS OF POTENTIAL LIFE LOST 1988-1999**

<b>RACE/SEX</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b><u>RACE:</u></b>											
ALL RACES	2,071	2,257	2,089	2,126	1,976	1,987	2,058	2,141	2,211	2,211	6.8
NONWHITE	403	443	413	408	403	431	439	419	321	319	-20.8
WHITE	1,668	1,814	1,677	1,718	1,573	1,556	1,619	1,721	1,890	1,892	13.4
<b><u>SEX:</u></b>											
FEMALE	579	707	619	771	770	810	833	760	781	751	29.7
MALE	1,492	1,550	1,470	1,355	1,206	1,177	1,225	1,381	1,430	1,460	-2.1
<b><u>RACE-SEX:</u></b>											
NONWHITE FEMALE	125	142	105	146	175	188	175	137	120	93	-25.6
WHITE FEMALE	454	565	515	625	596	621	658	623	661	657	44.7
NONWHITE MALE	278	301	308	261	228	243	264	283	201	226	-18.7
WHITE MALE	1,215	1,249	1,162	1,094	978	934	961	1,098	1,229	1,234	1.6

**LEADING CAUSES OF DEATH BASED ON YEARS OF PRODUCTIVE LIFE LOST  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**DYER**

**THREE -YEAR AVERAGE YEARS OF PRODUCTIVE LIFE LOST 1988-1999**

CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	583	582	416	388	386	429	432	467	559	720	23.5
MALIGNANT NEOPLASMS	305	290	337	370	322	278	295	343	332	316	3.6
DISEASES OF THE HEART.	212	253	240	292	280	268	257	266	297	303	42.9
BIRTH TRAUMA*	215	280	215	194	86	108	108	108	129	86	-60.0
HOMICIDE	82	70	138	107	107	68	38	67	30	77	-6.1
SUICIDE	62	73	45	127	137	185	138	147	135	120	93.5
CONGENITAL ANOMALIES	139	155	165	143	161	98	106	83	83	45	-67.6
AIDS	12	12	28	22	45	28	37	13	33	20	66.7
CEREBROVASCULAR DISEASE	45	17	13	32	32	47	37	90	80	73	62.2

\*Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome.

**BREAST CANCER MORTALITY RATES PER 100,000 FEMALES, SPECIFIC AGE GROUPS,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**DYER**

**THREE -YEAR AVERAGE MORTALITY RATES 1988-1999**

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
WOMEN 40+	79.1	70.0	57.2	48.4	47.8	39.2	46.4	53.3	75.0	70.5	-10.9
WOMEN 50+	98.7	86.7	74.8	62.6	61.7	55.2	65.3	69.8	100.4	88.8	-10.0

**NUMBER OF MOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**ALL RACES**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>11</b>	<b>11</b>	<b>9</b>	<b>9</b>	<b>9</b>	<b>9</b>	<b>8</b>	<b>11</b>	<b>12</b>	<b>14</b>	<b>27.3</b>
<b>UNDER 1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>1-4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>5-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>15-24</b>	<b>5</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>-20.0</b>
<b>25-44</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>5</b>	<b>5</b>	<b>6</b>	<b>50.0</b>
<b>45-64</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>-50.0</b>
<b>65 AND UP</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>100.0</b>

**NUMBER OF MOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>-</b>
<b>UNDER 1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>1-4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>5-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>
<b>15-24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>
<b>25-44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>
<b>45-64</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0.0</b>
<b>65 AND UP</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>

**NUMBER OF MOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>11</b>	<b>11</b>	<b>9</b>	<b>8</b>	<b>8</b>	<b>8</b>	<b>8</b>	<b>10</b>	<b>11</b>	<b>14</b>	<b>27.3</b>
<b>UNDER 1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>1-4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>5-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>15-24</b>	<b>5</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>-20.0</b>
<b>25-44</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>3</b>	<b>5</b>	<b>5</b>	<b>6</b>	<b>50.0</b>
<b>45-64</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>-50.0</b>
<b>65 AND UP</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>100.0</b>

**MOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>31.6</b>	<b>30.6</b>	<b>24.9</b>	<b>24.7</b>	<b>25.5</b>	<b>26.2</b>	<b>23.2</b>	<b>29.5</b>	<b>32.9</b>	<b>39.1</b>	<b>23.7</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>76.5</b>	<b>76.0</b>	<b>74.8</b>	<b>73.4</b>	<b>72.0</b>	<b>70.5</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>17.1</b>	<b>16.7</b>	<b>16.4</b>	<b>0.0</b>	<b>0.0</b>	<b>15.4</b>	<b>15.2</b>	<b>-</b>
<b>5-14</b>	<b>6.6</b>	<b>6.6</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>6.2</b>	<b>-6.1</b>
<b>15-24</b>	<b>92.0</b>	<b>80.2</b>	<b>54.2</b>	<b>47.8</b>	<b>48.1</b>	<b>41.4</b>	<b>27.7</b>	<b>41.8</b>	<b>63.0</b>	<b>91.7</b>	<b>-0.3</b>
<b>25-44</b>	<b>35.4</b>	<b>32.0</b>	<b>19.2</b>	<b>19.3</b>	<b>16.1</b>	<b>29.0</b>	<b>32.2</b>	<b>51.6</b>	<b>51.6</b>	<b>61.4</b>	<b>73.4</b>
<b>45-64</b>	<b>24.7</b>	<b>24.4</b>	<b>19.2</b>	<b>4.7</b>	<b>13.7</b>	<b>22.2</b>	<b>30.2</b>	<b>29.4</b>	<b>24.6</b>	<b>16.0</b>	<b>-35.2</b>
<b>65 AND UP</b>	<b>12.9</b>	<b>19.3</b>	<b>45.1</b>	<b>64.5</b>	<b>64.4</b>	<b>38.5</b>	<b>19.2</b>	<b>19.2</b>	<b>25.5</b>	<b>31.9</b>	<b>147.3</b>

**MOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>15.2</b>	<b>15.0</b>	<b>22.2</b>	<b>14.6</b>	<b>21.6</b>	<b>21.3</b>	<b>14.0</b>	<b>-</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>44.3</b>	<b>44.2</b>	<b>-</b>
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>26.8</b>	<b>26.7</b>	<b>26.5</b>	<b>0.0</b>	<b>26.2</b>	<b>26.1</b>	<b>26.0</b>	<b>-</b>
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>48.7</b>	<b>93.5</b>	<b>89.8</b>	<b>43.2</b>	<b>0.0</b>	<b>-</b>
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>64.4</b>	<b>65.7</b>	<b>67.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**MOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>36.0</b>	<b>34.9</b>	<b>28.4</b>	<b>26.1</b>	<b>27.0</b>	<b>26.8</b>	<b>24.5</b>	<b>30.7</b>	<b>34.6</b>	<b>42.8</b>	<b>18.9</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>95.5</b>	<b>95.1</b>	<b>93.5</b>	<b>91.8</b>	<b>90.1</b>	<b>88.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>20.7</b>	<b>20.3</b>	<b>20.0</b>	<b>0.0</b>	<b>0.0</b>	<b>19.1</b>	<b>18.8</b>	<b>-</b>
<b>5-14</b>	<b>7.8</b>	<b>7.8</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>7.5</b>	<b>-3.8</b>
<b>15-24</b>	<b>107.9</b>	<b>94.1</b>	<b>63.7</b>	<b>56.3</b>	<b>56.7</b>	<b>48.9</b>	<b>32.8</b>	<b>49.6</b>	<b>66.5</b>	<b>100.8</b>	<b>-6.6</b>
<b>25-44</b>	<b>40.0</b>	<b>36.3</b>	<b>21.9</b>	<b>18.3</b>	<b>14.7</b>	<b>29.3</b>	<b>36.7</b>	<b>55.2</b>	<b>55.1</b>	<b>66.5</b>	<b>66.3</b>
<b>45-64</b>	<b>27.0</b>	<b>26.6</b>	<b>21.0</b>	<b>5.1</b>	<b>15.0</b>	<b>19.5</b>	<b>23.8</b>	<b>23.2</b>	<b>22.6</b>	<b>17.7</b>	<b>-34.4</b>
<b>65 AND UP</b>	<b>14.4</b>	<b>21.5</b>	<b>50.2</b>	<b>64.5</b>	<b>64.2</b>	<b>35.5</b>	<b>21.2</b>	<b>21.1</b>	<b>28.0</b>	<b>35.0</b>	<b>143.1</b>

**NUMBER OF NONMOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE, RESIDENT DATA, SELECTED  
GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>9</b>	<b>11</b>	<b>10</b>	<b>9</b>	<b>10</b>	<b>12</b>	<b>14</b>	<b>12</b>	<b>13</b>	<b>13</b>	<b>44.4</b>
<b>UNDER 1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>1-4</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.0</b>
<b>5-14</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0.0</b>
<b>15-24</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>-</b>
<b>25-44</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>5</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>0.0</b>
<b>45-64</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>4</b>	<b>4</b>	<b>100.0</b>
<b>65 AND UP</b>	<b>2</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>4</b>	<b>4</b>	<b>100.0</b>

**NUMBER OF NONMOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE, RESIDENT DATA, SELECTED  
GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>100.0</b>
<b>UNDER 1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>1-4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>
<b>5-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>15-24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>25-44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>45-64</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>-</b>
<b>65 AND UP</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>-</b>

**NUMBER OF NONMOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE, RESIDENT DATA, SELECTED  
GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1999-99</b>
<b>ALL AGES</b>	<b>8</b>	<b>10</b>	<b>9</b>	<b>8</b>	<b>8</b>	<b>10</b>	<b>12</b>	<b>11</b>	<b>11</b>	<b>11</b>	<b>37.5</b>
<b>UNDER 1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>1-4</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>
<b>5-14</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0.0</b>
<b>15-24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>-</b>
<b>25-44</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>0.0</b>
<b>45-64</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>50.0</b>
<b>65 AND UP</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>3</b>	<b>3</b>	<b>50.0</b>

**NONMOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>25.9</b>	<b>31.6</b>	<b>29.6</b>	<b>26.7</b>	<b>29.3</b>	<b>33.7</b>	<b>38.1</b>	<b>32.3</b>	<b>34.7</b>	<b>36.4</b>	<b>40.5</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>76.5</b>	<b>76.0</b>	<b>74.8</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>35.1</b>	<b>52.5</b>	<b>34.7</b>	<b>34.1</b>	<b>16.7</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>30.3</b>	<b>-13.7</b>
<b>5-14</b>	<b>26.2</b>	<b>13.1</b>	<b>13.2</b>	<b>6.5</b>	<b>6.5</b>	<b>19.3</b>	<b>19.1</b>	<b>25.2</b>	<b>12.5</b>	<b>24.8</b>	<b>-5.3</b>
<b>15-24</b>	<b>6.6</b>	<b>13.4</b>	<b>13.6</b>	<b>6.8</b>	<b>6.9</b>	<b>6.9</b>	<b>6.9</b>	<b>7.0</b>	<b>21.0</b>	<b>21.2</b>	<b>221.2</b>
<b>25-44</b>	<b>25.7</b>	<b>25.6</b>	<b>19.2</b>	<b>22.5</b>	<b>32.2</b>	<b>32.2</b>	<b>45.1</b>	<b>32.2</b>	<b>32.2</b>	<b>25.9</b>	<b>0.8</b>
<b>45-64</b>	<b>24.7</b>	<b>29.2</b>	<b>33.6</b>	<b>23.4</b>	<b>31.9</b>	<b>26.6</b>	<b>30.2</b>	<b>25.2</b>	<b>45.1</b>	<b>44.1</b>	<b>78.5</b>
<b>65 AND UP</b>	<b>45.1</b>	<b>70.7</b>	<b>70.8</b>	<b>70.9</b>	<b>70.8</b>	<b>102.7</b>	<b>102.5</b>	<b>89.5</b>	<b>76.5</b>	<b>76.6</b>	<b>69.8</b>

**NONMOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>23.4</b>	<b>30.9</b>	<b>23.0</b>	<b>22.8</b>	<b>45.0</b>	<b>44.3</b>	<b>43.7</b>	<b>14.4</b>	<b>35.4</b>	<b>42.1</b>	<b>79.9</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>77.9</b>	<b>-</b>
<b>5-14</b>	<b>41.2</b>	<b>40.8</b>	<b>40.5</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>35.5</b>	<b>-13.8</b>
<b>15-24</b>	<b>0.0</b>	<b>45.1</b>	<b>45.5</b>	<b>45.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>25-44</b>	<b>27.8</b>	<b>27.1</b>	<b>0.0</b>	<b>26.8</b>	<b>106.7</b>	<b>106.0</b>	<b>105.5</b>	<b>26.2</b>	<b>26.1</b>	<b>26.0</b>	<b>-6.5</b>
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>46.7</b>	<b>44.9</b>	<b>86.4</b>	<b>41.7</b>	<b>-</b>
<b>65 AND UP</b>	<b>60.9</b>	<b>61.7</b>	<b>62.9</b>	<b>64.4</b>	<b>131.5</b>	<b>134.0</b>	<b>68.4</b>	<b>0.0</b>	<b>143.0</b>	<b>146.7</b>	<b>140.9</b>

**NONMOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	26.2	31.7	30.6	27.2	27.0	32.2	37.3	34.9	34.6	35.5	35.5
<b>UNDER 1</b>	0.0	95.5	95.1	93.5	0.0	0.0	0.0	0.0	0.0	0.0	-
<b>1-4</b>	42.1	63.0	41.8	41.3	20.3	0.0	0.0	0.0	0.0	18.8	-55.3
<b>5-14</b>	23.4	7.8	7.9	7.8	7.8	23.1	23.0	30.4	15.1	22.5	-3.8
<b>15-24</b>	7.7	7.8	8.0	0.0	8.1	8.2	8.2	8.3	24.9	25.2	227.3
<b>25-44</b>	25.4	25.4	21.9	22.0	22.0	22.0	36.7	33.1	33.1	25.8	1.6
<b>45-64</b>	27.0	32.0	36.7	25.7	35.0	29.3	28.5	23.2	40.7	44.3	64.1
<b>65 AND UP</b>	43.2	71.7	71.7	71.6	64.2	99.4	106.0	98.6	70.0	69.9	61.8

**NUMBER OF VIOLENT DEATHS, BY AGE AND RACE, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>6</b>	<b>6</b>	<b>8</b>	<b>9</b>	<b>9</b>	<b>10</b>	<b>7</b>	<b>9</b>	<b>7</b>	<b>9</b>	<b>50.0</b>
<b>UNDER 1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>1-4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>5-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>15-24</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0.0</b>
<b>25-44</b>	<b>2</b>	<b>2</b>	<b>4</b>	<b>6</b>	<b>6</b>	<b>5</b>	<b>3</b>	<b>4</b>	<b>3</b>	<b>4</b>	<b>100.0</b>
<b>45-64</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>200.0</b>
<b>65 AND UP</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0.0</b>

**NUMBER OF VIOLENT DEATHS, BY AGE AND RACE, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>85-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>3</b>	<b>3</b>	<b>4</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>-33.3</b>
<b>UNDER 1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>1-4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>5-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>15-24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>25-44</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>0.0</b>
<b>45-64</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>65 AND UP</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>

**NUMBER OF VIOLENT DEATHS, BY AGE AND RACE, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>3</b>	<b>3</b>	<b>4</b>	<b>7</b>	<b>7</b>	<b>8</b>	<b>5</b>	<b>7</b>	<b>6</b>	<b>7</b>	<b>133.3</b>
<b>UNDER 1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>1-4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>5-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>15-24</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>-100.0</b>
<b>25-44</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>4</b>	<b>4</b>	<b>5</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>3</b>	<b>-</b>
<b>45-64</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>200.0</b>
<b>65 AND UP</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0.0</b>

**VIOLENT DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	17.2	17.2	22.9	24.7	24.6	27.2	18.6	24.0	18.3	23.6	37.2
<b>UNDER 1</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
<b>1-4</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
<b>5-14</b>	0.0	0.0	0.0	0.0	0.0	6.4	6.4	6.3	0.0	0.0	-
<b>15-24</b>	26.3	26.7	13.6	20.5	27.5	27.6	20.8	13.9	14.0	14.1	-46.4
<b>25-44</b>	22.5	22.4	41.7	54.7	54.8	51.6	32.2	41.9	32.2	42.0	86.7
<b>45-64</b>	14.8	14.6	24.0	18.7	13.7	13.3	8.6	25.2	28.7	36.1	143.9
<b>65 AND UP</b>	25.8	25.7	25.7	12.9	12.9	32.1	25.6	25.6	6.4	12.8	-50.4

**VIOLENT DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>62.3</b>	<b>61.8</b>	<b>84.4</b>	<b>45.6</b>	<b>37.5</b>	<b>29.5</b>	<b>29.1</b>	<b>43.1</b>	<b>21.3</b>	<b>42.1</b>	<b>-32.4</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>38.2</b>	<b>37.5</b>	<b>36.8</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>45.5</b>	<b>45.4</b>	<b>45.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>44.2</b>	<b>-</b>
<b>25-44</b>	<b>194.4</b>	<b>162.7</b>	<b>214.6</b>	<b>107.1</b>	<b>106.7</b>	<b>53.0</b>	<b>52.8</b>	<b>105.0</b>	<b>78.3</b>	<b>130.2</b>	<b>-33.0</b>
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>65 AND UP</b>	<b>60.9</b>	<b>123.5</b>	<b>125.9</b>	<b>64.4</b>	<b>0.0</b>	<b>67.0</b>	<b>68.4</b>	<b>70.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>

**VIOLENT DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>10.9</b>	<b>10.9</b>	<b>14.2</b>	<b>21.8</b>	<b>22.7</b>	<b>26.8</b>	<b>17.0</b>	<b>21.2</b>	<b>17.8</b>	<b>20.9</b>	<b>91.7</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-24</b>	<b>30.8</b>	<b>31.4</b>	<b>8.0</b>	<b>16.1</b>	<b>24.3</b>	<b>32.6</b>	<b>24.6</b>	<b>16.5</b>	<b>16.6</b>	<b>8.4</b>	<b>-72.7</b>
<b>25-44</b>	<b>0.0</b>	<b>3.6</b>	<b>18.2</b>	<b>47.6</b>	<b>47.7</b>	<b>51.4</b>	<b>29.4</b>	<b>33.1</b>	<b>25.7</b>	<b>29.5</b>	<b>-</b>
<b>45-64</b>	<b>16.2</b>	<b>16.0</b>	<b>26.2</b>	<b>20.5</b>	<b>15.0</b>	<b>14.6</b>	<b>9.5</b>	<b>27.8</b>	<b>31.7</b>	<b>39.9</b>	<b>146.3</b>
<b>65 AND UP</b>	<b>21.6</b>	<b>14.3</b>	<b>14.3</b>	<b>7.2</b>	<b>14.3</b>	<b>28.4</b>	<b>21.2</b>	<b>21.1</b>	<b>7.0</b>	<b>14.0</b>	<b>-35.2</b>

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL RACES</b>		<b>DYER</b>										
<b>BOTH SEXES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>31.6</b>	<b>30.6</b>	<b>9.6</b>	<b>7.6</b>	<b>6.6</b>	<b>2.8</b>	<b>0.9</b>	<b>2.8</b>	<b>4.6</b>	<b>8.2</b>	<b>-74.1</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>6.6</b>	<b>6.6</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>15-24</b>	<b>124.9</b>	<b>120.2</b>	<b>6.8</b>	<b>0.0</b>	<b>6.9</b>	<b>6.9</b>	<b>6.9</b>	<b>7.0</b>	<b>14.0</b>	<b>35.3</b>	<b>-71.7</b>	
<b>25-44</b>	<b>35.4</b>	<b>38.4</b>	<b>25.7</b>	<b>25.8</b>	<b>19.3</b>	<b>6.4</b>	<b>0.0</b>	<b>3.2</b>	<b>6.4</b>	<b>9.7</b>	<b>-72.6</b>	
<b>45-64</b>	<b>9.9</b>	<b>4.9</b>	<b>4.8</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>4.2</b>	<b>4.1</b>	<b>4.0</b>	<b>-59.6</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>DYER</b>										
<b>FEMALE</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>242.4</b>	<b>226.1</b>	<b>70.0</b>	<b>69.2</b>	<b>54.6</b>	<b>26.8</b>	<b>0.0</b>	<b>13.0</b>	<b>12.8</b>	<b>12.7</b>	<b>-94.8</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>86.5</b>	<b>85.6</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>15-24</b>	<b>767.3</b>	<b>687.9</b>	<b>86.6</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>25-44</b>	<b>344.7</b>	<b>335.7</b>	<b>188.9</b>	<b>234.0</b>	<b>185.1</b>	<b>91.4</b>	<b>0.0</b>	<b>44.7</b>	<b>44.2</b>	<b>43.8</b>	<b>-87.3</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>DYER</b>										
<b>MALE</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>137.3</b>	<b>153.5</b>	<b>67.9</b>	<b>50.5</b>	<b>33.3</b>	<b>0.0</b>	<b>0.0</b>	<b>32.1</b>	<b>63.4</b>	<b>78.5</b>	<b>-42.8</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>468.6</b>	<b>475.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>94.1</b>	<b>187.1</b>	<b>187.1</b>	<b>-60.1</b>	
<b>25-44</b>	<b>127.5</b>	<b>187.3</b>	<b>186.5</b>	<b>187.9</b>	<b>125.9</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>63.8</b>	<b>128.5</b>	<b>0.8</b>	
<b>45-64</b>	<b>141.8</b>	<b>139.5</b>	<b>135.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>105.6</b>	<b>101.0</b>	<b>97.0</b>	<b>-31.6</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>WHITE</b>		<b>DYER</b>										
<b>FEMALE</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>10.4</b>	<b>10.4</b>	<b>0.0</b>	<b>0.0</b>	<b>2.1</b>	<b>2.0</b>	<b>2.0</b>	<b>0.0</b>	<b>0.0</b>	<b>2.0</b>	<b>-80.8</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>60.9</b>	<b>61.9</b>	<b>0.0</b>	<b>0.0</b>	<b>16.1</b>	<b>16.2</b>	<b>16.4</b>	<b>0.0</b>	<b>0.0</b>	<b>16.8</b>	<b>-72.4</b>	
<b>25-44</b>	<b>7.2</b>	<b>7.2</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>WHITE</b>		<b>DYER</b>										
<b>MALE</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>6.9</b>	<b>4.6</b>	<b>2.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>4.4</b>	<b>-36.2</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>15.6</b>	<b>15.9</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>33.5</b>	<b>114.7</b>	
<b>25-44</b>	<b>7.4</b>	<b>7.4</b>	<b>7.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>45-64</b>	<b>11.2</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL RACES</b>		<b>DYER</b>										
<b>BOTH SEXES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>4.8</b>	<b>7.7</b>	<b>9.6</b>	<b>12.4</b>	<b>17.0</b>	<b>91.8</b>	<b>157.1</b>	<b>216.7</b>	<b>227.6</b>	<b>246.5</b>	<b>5,035.4</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>6.6</b>	<b>6.5</b>	<b>6.5</b>	<b>19.3</b>	<b>44.5</b>	<b>56.7</b>	<b>68.6</b>	<b>74.3</b>	<b>-</b>	
<b>15-24</b>	<b>32.9</b>	<b>33.4</b>	<b>40.7</b>	<b>54.7</b>	<b>89.4</b>	<b>524.4</b>	<b>915.3</b>	<b>1,268.5</b>	<b>1,357.8</b>	<b>1,489.1</b>	<b>4,426.1</b>	
<b>25-44</b>	<b>0.0</b>	<b>6.4</b>	<b>6.4</b>	<b>9.7</b>	<b>9.7</b>	<b>58.0</b>	<b>93.5</b>	<b>141.9</b>	<b>141.8</b>	<b>155.2</b>	<b>-</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>6.4</b>	<b>6.4</b>	<b>6.4</b>	<b>6.4</b>	<b>6.4</b>	<b>6.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>DYER</b>										
<b>FEMALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>0.0</b>	<b>14.1</b>	<b>14.0</b>	<b>69.2</b>	<b>163.7</b>	<b>550.1</b>	<b>793.1</b>	<b>1,041.5</b>	<b>1,141.0</b>	<b>1,203.0</b>	<b>-</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>79.4</b>	<b>155.4</b>	<b>152.0</b>	<b>372.3</b>	<b>512.1</b>	<b>-</b>	
<b>15-24</b>	<b>0.0</b>	<b>86.0</b>	<b>86.6</b>	<b>345.4</b>	<b>860.6</b>	<b>2,903.5</b>	<b>4,506.8</b>	<b>5,748.1</b>	<b>6,391.9</b>	<b>6,448.9</b>	<b>-</b>	
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>46.8</b>	<b>92.5</b>	<b>274.2</b>	<b>226.0</b>	<b>447.0</b>	<b>353.4</b>	<b>481.4</b>	<b>-</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>DYER</b>										
<b>MALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>0.0</b>	<b>34.1</b>	<b>34.0</b>	<b>33.7</b>	<b>16.7</b>	<b>295.8</b>	<b>519.5</b>	<b>818.0</b>	<b>712.7</b>	<b>659.4</b>	<b>-</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1,234.6</b>	<b>2,173.9</b>	<b>3,386.6</b>	<b>2,806.4</b>	<b>2,712.8</b>	<b>-</b>	
<b>25-44</b>	<b>0.0</b>	<b>62.4</b>	<b>62.2</b>	<b>62.6</b>	<b>0.0</b>	<b>252.5</b>	<b>507.0</b>	<b>953.6</b>	<b>956.6</b>	<b>835.5</b>	<b>-</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>159.0</b>	<b>162.9</b>	<b>168.1</b>	<b>172.7</b>	<b>177.0</b>	<b>181.8</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>WHITE</b>		<b>DYER</b>										
<b>FEMALES</b>												
<b>THREE -YEAR AVERAGES 1988-1999</b>												
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>10.4</b>	<b>10.4</b>	<b>14.6</b>	<b>12.5</b>	<b>8.3</b>	<b>69.6</b>	<b>126.0</b>	<b>171.5</b>	<b>180.0</b>	<b>215.1</b>	<b>1,968.3</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>16.0</b>	<b>15.9</b>	<b>15.8</b>	<b>31.3</b>	<b>77.5</b>	<b>92.1</b>	<b>75.9</b>	<b>60.3</b>	<b>-</b>	
<b>15-24</b>	<b>76.1</b>	<b>61.9</b>	<b>78.8</b>	<b>63.7</b>	<b>48.3</b>	<b>421.5</b>	<b>735.9</b>	<b>1,039.6</b>	<b>1,164.5</b>	<b>1,465.6</b>	<b>1,825.9</b>	
<b>25-44</b>	<b>0.0</b>	<b>7.2</b>	<b>7.2</b>	<b>7.2</b>	<b>0.0</b>	<b>43.3</b>	<b>86.7</b>	<b>115.7</b>	<b>108.4</b>	<b>123.3</b>	<b>-</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>WHITE</b>		<b>DYER</b>										
<b>MALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>9.0</b>	<b>31.4</b>	<b>42.3</b>	<b>55.2</b>	<b>57.2</b>	<b>-</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>15.1</b>	<b>15.0</b>	<b>14.9</b>	<b>-</b>	
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>49.2</b>	<b>181.2</b>	<b>248.3</b>	<b>299.1</b>	<b>301.5</b>	<b>-</b>	
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>7.5</b>	<b>22.4</b>	<b>22.4</b>	<b>44.9</b>	<b>52.7</b>	<b>-</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL RACES</b>		<b>DYER</b>										
<b>BOTH SEXES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>238.5</b>	<b>282.2</b>	<b>340.4</b>	<b>317.0</b>	<b>283.6</b>	<b>252.0</b>	<b>235.1</b>	<b>225.9</b>	<b>253.1</b>	<b>283.7</b>	<b>19.0</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>17.6</b>	<b>17.5</b>	<b>17.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>5-14</b>	<b>52.4</b>	<b>26.3</b>	<b>39.5</b>	<b>39.2</b>	<b>45.4</b>	<b>25.7</b>	<b>19.1</b>	<b>12.6</b>	<b>12.5</b>	<b>18.6</b>	<b>-64.5</b>	
<b>15-24</b>	<b>1,091.1</b>	<b>1,302.7</b>	<b>1,600.0</b>	<b>1,496.6</b>	<b>1,402.3</b>	<b>1,297.2</b>	<b>1,248.2</b>	<b>1,136.0</b>	<b>1,385.8</b>	<b>1,538.5</b>	<b>41.0</b>	
<b>25-44</b>	<b>228.2</b>	<b>275.3</b>	<b>324.0</b>	<b>312.3</b>	<b>270.8</b>	<b>222.3</b>	<b>203.0</b>	<b>235.4</b>	<b>235.2</b>	<b>278.1</b>	<b>21.9</b>	
<b>45-64</b>	<b>0.0</b>	<b>4.9</b>	<b>19.2</b>	<b>23.4</b>	<b>18.2</b>	<b>26.6</b>	<b>25.9</b>	<b>25.2</b>	<b>16.4</b>	<b>20.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>19.3</b>	<b>51.4</b>	<b>51.5</b>	<b>38.7</b>	<b>6.4</b>	<b>12.8</b>	<b>6.4</b>	<b>6.4</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>DYER</b>										
<b>FEMALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	1,440.4	1,695.4	2,017.4	1,770.9	1,459.8	1,167.3	1,070.7	911.3	974.4	975.1	-32.3	
<b>UNDER 1</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
<b>1-4</b>	207.9	203.7	198.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0	
<b>5-14</b>	432.5	256.8	338.7	332.2	406.8	238.3	155.4	152.0	74.5	146.3	-66.2	
<b>15-24</b>	6,138.1	7,394.7	9,004.3	8,290.2	7,056.8	5,892.4	5,357.1	4,395.6	5,046.3	5,108.9	-16.8	
<b>25-44</b>	1,083.2	1,295.0	1,510.9	1,216.7	925.5	639.9	678.1	670.5	662.5	612.7	-43.4	
<b>45-64</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
<b>65 AND UP</b>	99.8	302.7	307.7	208.8	0.0	107.8	109.6	111.7	0.0	0.0	-100.0	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>DYER</b>										
<b>MALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>1,612.9</b>	<b>2,030.0</b>	<b>2,479.2</b>	<b>2,256.3</b>	<b>2,116.0</b>	<b>1,988.2</b>	<b>2,094.2</b>	<b>2,181.2</b>	<b>2,153.9</b>	<b>2,245.3</b>	<b>39.2</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>78.7</b>	<b>78.1</b>	<b>154.9</b>	<b>152.7</b>	<b>150.3</b>	<b>73.7</b>	<b>72.5</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>15-24</b>	<b>5,060.9</b>	<b>6,463.9</b>	<b>8,069.2</b>	<b>7,478.4</b>	<b>7,552.6</b>	<b>7,502.4</b>	<b>8,128.5</b>	<b>7,902.2</b>	<b>8,325.5</b>	<b>8,419.1</b>	<b>66.4</b>	
<b>25-44</b>	<b>2,421.9</b>	<b>2,933.8</b>	<b>3,418.3</b>	<b>3,130.9</b>	<b>2,770.8</b>	<b>2,272.7</b>	<b>2,281.4</b>	<b>2,924.3</b>	<b>2,742.3</b>	<b>3,084.8</b>	<b>27.4</b>	
<b>45-64</b>	<b>0.0</b>	<b>139.5</b>	<b>404.9</b>	<b>385.1</b>	<b>243.9</b>	<b>578.0</b>	<b>662.3</b>	<b>633.6</b>	<b>404.0</b>	<b>485.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>156.5</b>	<b>318.0</b>	<b>325.7</b>	<b>168.1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>WHITE</b>		<b>DYER</b>										
<b>FEMALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>79.3</b>	<b>75.1</b>	<b>89.7</b>	<b>101.8</b>	<b>97.0</b>	<b>90.1</b>	<b>65.0</b>	<b>58.5</b>	<b>94.0</b>	<b>141.4</b>	<b>78.3</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>31.9</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>15.2</b>	<b>15.1</b>	<b>-52.7</b>	
<b>15-24</b>	<b>426.0</b>	<b>402.6</b>	<b>472.5</b>	<b>494.0</b>	<b>514.8</b>	<b>502.6</b>	<b>376.1</b>	<b>313.5</b>	<b>549.0</b>	<b>842.3</b>	<b>97.7</b>	
<b>25-44</b>	<b>57.4</b>	<b>71.7</b>	<b>93.5</b>	<b>122.7</b>	<b>101.2</b>	<b>86.7</b>	<b>65.0</b>	<b>72.3</b>	<b>93.9</b>	<b>145.0</b>	<b>152.6</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>11.4</b>	<b>11.3</b>	<b>11.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										
<b>WHITE</b>		<b>DYER</b>										
<b>MALES</b>												
<b>THREE -YEAR AVERAGES 1988-1999</b>												
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>	
<b>ALL AGES</b>	238.5	282.2	340.4	317.0	283.6	252.0	235.1	225.9	253.1	283.7	19.0	
<b>UNDER 1</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
<b>1-4</b>	17.6	17.5	17.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0	
<b>5-14</b>	52.4	26.3	39.5	39.2	45.4	25.7	19.1	12.6	12.5	18.6	-64.5	
<b>15-24</b>	1,091.1	1,302.7	1,600.0	1,496.6	1,402.3	1,297.2	1,248.2	1,136.0	1,385.8	1,538.5	41.0	
<b>25-44</b>	228.2	275.3	324.0	312.3	270.8	222.3	203.0	235.4	235.2	278.1	21.9	
<b>45-64</b>	0.0	4.9	19.2	23.4	18.2	26.6	25.9	25.2	16.4	20.0	-	
<b>65 AND UP</b>	19.3	51.4	51.5	38.7	6.4	12.8	6.4	6.4	0.0	0.0	-100.0	

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,  
TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL RACES</b>		<b>DYER</b>										
<b>BOTH SEXES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>9.6</b>	<b>10.5</b>	<b>13.4</b>	<b>9.5</b>	<b>10.4</b>	<b>10.3</b>	<b>9.3</b>	<b>6.5</b>	<b>2.7</b>	<b>2.7</b>	<b>-71.9</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>17.6</b>	<b>17.5</b>	<b>17.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>5-14</b>	<b>6.6</b>	<b>6.6</b>	<b>6.6</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>25-44</b>	<b>9.6</b>	<b>9.6</b>	<b>9.6</b>	<b>3.2</b>	<b>9.7</b>	<b>9.7</b>	<b>9.7</b>	<b>3.2</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>45-64</b>	<b>4.9</b>	<b>9.7</b>	<b>9.6</b>	<b>14.0</b>	<b>4.6</b>	<b>8.9</b>	<b>8.6</b>	<b>12.6</b>	<b>8.2</b>	<b>8.0</b>	<b>63.3</b>	
<b>65 AND UP</b>	<b>25.8</b>	<b>25.7</b>	<b>45.1</b>	<b>38.7</b>	<b>45.1</b>	<b>38.5</b>	<b>32.0</b>	<b>19.2</b>	<b>6.4</b>	<b>6.4</b>	<b>-75.2</b>	

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,  
TENNESSEE**

**RACE/SEX**  
**NONWHITE**  
**FEMALES**

**AREA**  
**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,  
TENNESSEE**

**RACE/SEX**  
**NONWHITE**  
**MALES**

**AREA**  
**DYER**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>17.0</b>	<b>33.7</b>	<b>33.3</b>	<b>16.4</b>	<b>0.0</b>	<b>16.0</b>	<b>15.8</b>	<b>15.7</b>	<b>-</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>62.2</b>	<b>62.6</b>	<b>63.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>105.6</b>	<b>101.0</b>	<b>97.0</b>	<b>-</b>
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>168.1</b>	<b>172.7</b>	<b>177.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,  
TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										
<b>WHITE</b>		<b>DYER</b>										
<b>FEMALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>	
<b>ALL AGES</b>	<b>10.4</b>	<b>12.5</b>	<b>12.5</b>	<b>6.2</b>	<b>2.1</b>	<b>6.1</b>	<b>6.1</b>	<b>6.1</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>25-44</b>	<b>21.5</b>	<b>21.5</b>	<b>14.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>45-64</b>	<b>0.0</b>	<b>10.3</b>	<b>10.2</b>	<b>10.0</b>	<b>0.0</b>	<b>9.5</b>	<b>9.3</b>	<b>9.1</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>23.1</b>	<b>22.9</b>	<b>34.3</b>	<b>22.8</b>	<b>11.3</b>	<b>22.5</b>	<b>22.4</b>	<b>22.2</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,  
TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>WHITE</b>		<b>DYER</b>										
<b>MALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>11.5</b>	<b>11.5</b>	<b>16.1</b>	<b>11.4</b>	<b>18.2</b>	<b>15.8</b>	<b>15.7</b>	<b>6.7</b>	<b>4.4</b>	<b>4.4</b>	<b>-61.7</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>41.7</b>	<b>41.6</b>	<b>41.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>5-14</b>	<b>15.2</b>	<b>15.3</b>	<b>15.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>14.9</b>	<b>22.4</b>	<b>22.4</b>	<b>7.5</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>45-64</b>	<b>11.2</b>	<b>11.0</b>	<b>10.8</b>	<b>21.1</b>	<b>10.3</b>	<b>10.0</b>	<b>9.8</b>	<b>9.5</b>	<b>9.3</b>	<b>9.1</b>	<b>-18.8</b>	
<b>65 AND UP</b>	<b>38.3</b>	<b>38.3</b>	<b>77.0</b>	<b>57.9</b>	<b>96.4</b>	<b>57.7</b>	<b>57.6</b>	<b>19.2</b>	<b>19.1</b>	<b>19.2</b>	<b>-49.9</b>	

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL RACES</b>		<b>DYER</b>										
<b>BOTH SEXES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>4.8</b>	<b>4.8</b>	<b>1.9</b>	<b>1.9</b>	<b>1.9</b>	<b>0.9</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>74.8</b>	<b>73.4</b>	<b>72.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>13.1</b>	<b>13.1</b>	<b>13.2</b>	<b>6.5</b>	<b>6.5</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>15-24</b>	<b>19.7</b>	<b>20.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>									<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>DYER</b>									
<b>FEMALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>									
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>									<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>DYER</b>									
<b>MALES</b>											
<b>THREE -YEAR AVERAGES 1988-1999</b>											
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										
<b>WHITE</b>		<b>DYER</b>										
<b>FEMALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>	
<b>ALL AGES</b>	<b>2.1</b>	<b>2.1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>15.2</b>	<b>15.5</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>WHITE</b>		<b>DYER</b>										
<b>MALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>9.2</b>	<b>9.2</b>	<b>4.6</b>	<b>4.6</b>	<b>4.5</b>	<b>2.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>195.7</b>	<b>190.8</b>	<b>186.2</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>30.5</b>	<b>30.6</b>	<b>30.8</b>	<b>15.4</b>	<b>15.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>15-24</b>	<b>31.2</b>	<b>31.8</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.