

**AVERAGE NUMBER OF FEMALES BY AGE GROUP, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>6,939</b>	<b>6,966</b>	<b>6,988</b>	<b>6,998</b>	<b>6,994</b>	<b>6,991</b>	<b>6,986</b>	<b>7,017</b>	<b>7,081</b>	<b>7,141</b>	<b>2.9</b>
<b>10-14</b>	<b>943</b>	<b>948</b>	<b>951</b>	<b>954</b>	<b>955</b>	<b>955</b>	<b>956</b>	<b>961</b>	<b>971</b>	<b>981</b>	<b>4.0</b>
<b>15-17</b>	<b>613</b>	<b>609</b>	<b>609</b>	<b>612</b>	<b>614</b>	<b>615</b>	<b>617</b>	<b>621</b>	<b>629</b>	<b>636</b>	<b>3.8</b>
<b>18-19</b>	<b>401</b>	<b>397</b>	<b>396</b>	<b>397</b>	<b>397</b>	<b>398</b>	<b>398</b>	<b>400</b>	<b>405</b>	<b>409</b>	<b>2.0</b>
<b>20-24</b>	<b>897</b>	<b>889</b>	<b>884</b>	<b>881</b>	<b>877</b>	<b>873</b>	<b>869</b>	<b>870</b>	<b>874</b>	<b>877</b>	<b>-2.2</b>
<b>25-29</b>	<b>1,043</b>	<b>1,039</b>	<b>1,027</b>	<b>1,006</b>	<b>983</b>	<b>961</b>	<b>938</b>	<b>921</b>	<b>908</b>	<b>893</b>	<b>-14.4</b>
<b>30-34</b>	<b>1,095</b>	<b>1,105</b>	<b>1,108</b>	<b>1,103</b>	<b>1,096</b>	<b>1,089</b>	<b>1,081</b>	<b>1,078</b>	<b>1,081</b>	<b>1,084</b>	<b>-1.0</b>
<b>35-39</b>	<b>1,003</b>	<b>1,014</b>	<b>1,028</b>	<b>1,042</b>	<b>1,054</b>	<b>1,066</b>	<b>1,078</b>	<b>1,095</b>	<b>1,117</b>	<b>1,139</b>	<b>13.6</b>
<b>40-44</b>	<b>942</b>	<b>963</b>	<b>983</b>	<b>1,000</b>	<b>1,016</b>	<b>1,031</b>	<b>1,047</b>	<b>1,068</b>	<b>1,094</b>	<b>1,119</b>	<b>18.8</b>

**AVERAGE NUMBER OF FEMALES BY AGE GROUP, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>722</b>	<b>720</b>	<b>716</b>	<b>708</b>	<b>700</b>	<b>693</b>	<b>686</b>	<b>683</b>	<b>681</b>	<b>679</b>	<b>-6.0</b>
<b>10-14</b>	<b>109</b>	<b>107</b>	<b>107</b>	<b>109</b>	<b>110</b>	<b>111</b>	<b>113</b>	<b>114</b>	<b>117</b>	<b>119</b>	<b>9.2</b>
<b>15-17</b>	<b>70</b>	<b>69</b>	<b>68</b>	<b>68</b>	<b>67</b>	<b>66</b>	<b>65</b>	<b>64</b>	<b>64</b>	<b>64</b>	<b>-8.6</b>
<b>18-19</b>	<b>45</b>	<b>44</b>	<b>43</b>	<b>42</b>	<b>41</b>	<b>40</b>	<b>38</b>	<b>38</b>	<b>37</b>	<b>37</b>	<b>-17.8</b>
<b>20-24</b>	<b>94</b>	<b>91</b>	<b>88</b>	<b>84</b>	<b>81</b>	<b>78</b>	<b>75</b>	<b>73</b>	<b>70</b>	<b>67</b>	<b>-28.7</b>
<b>25-29</b>	<b>105</b>	<b>104</b>	<b>102</b>	<b>98</b>	<b>95</b>	<b>92</b>	<b>89</b>	<b>87</b>	<b>84</b>	<b>81</b>	<b>-22.9</b>
<b>30-34</b>	<b>118</b>	<b>120</b>	<b>120</b>	<b>117</b>	<b>114</b>	<b>110</b>	<b>107</b>	<b>104</b>	<b>102</b>	<b>100</b>	<b>-15.3</b>
<b>35-39</b>	<b>92</b>	<b>93</b>	<b>94</b>	<b>92</b>	<b>91</b>	<b>90</b>	<b>89</b>	<b>88</b>	<b>88</b>	<b>87</b>	<b>-5.4</b>
<b>40-44</b>	<b>87</b>	<b>89</b>	<b>93</b>	<b>96</b>	<b>100</b>	<b>104</b>	<b>108</b>	<b>112</b>	<b>117</b>	<b>121</b>	<b>39.1</b>

**AVERAGE NUMBER OF FEMALES BY AGE GROUP, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>6,216</b>	<b>6,246</b>	<b>6,272</b>	<b>6,289</b>	<b>6,294</b>	<b>6,297</b>	<b>6,299</b>	<b>6,334</b>	<b>6,400</b>	<b>6,462</b>	<b>4.0</b>
<b>10-14</b>	<b>834</b>	<b>840</b>	<b>844</b>	<b>845</b>	<b>844</b>	<b>844</b>	<b>843</b>	<b>847</b>	<b>854</b>	<b>862</b>	<b>3.4</b>
<b>15-17</b>	<b>542</b>	<b>540</b>	<b>541</b>	<b>544</b>	<b>547</b>	<b>549</b>	<b>552</b>	<b>557</b>	<b>565</b>	<b>572</b>	<b>5.5</b>
<b>18-19</b>	<b>355</b>	<b>353</b>	<b>353</b>	<b>355</b>	<b>356</b>	<b>358</b>	<b>359</b>	<b>362</b>	<b>367</b>	<b>372</b>	<b>4.8</b>
<b>20-24</b>	<b>803</b>	<b>798</b>	<b>796</b>	<b>797</b>	<b>796</b>	<b>795</b>	<b>793</b>	<b>796</b>	<b>803</b>	<b>809</b>	<b>0.7</b>
<b>25-29</b>	<b>938</b>	<b>935</b>	<b>925</b>	<b>907</b>	<b>888</b>	<b>868</b>	<b>849</b>	<b>834</b>	<b>823</b>	<b>812</b>	<b>-13.4</b>
<b>30-34</b>	<b>976</b>	<b>985</b>	<b>988</b>	<b>986</b>	<b>982</b>	<b>978</b>	<b>974</b>	<b>974</b>	<b>979</b>	<b>984</b>	<b>0.8</b>
<b>35-39</b>	<b>910</b>	<b>921</b>	<b>934</b>	<b>949</b>	<b>963</b>	<b>976</b>	<b>989</b>	<b>1,006</b>	<b>1,029</b>	<b>1,051</b>	<b>15.5</b>
<b>40-44</b>	<b>855</b>	<b>873</b>	<b>890</b>	<b>904</b>	<b>916</b>	<b>927</b>	<b>939</b>	<b>956</b>	<b>977</b>	<b>998</b>	<b>16.7</b>

**AVERAGE ANNUAL NUMBER OF RESIDENT BIRTHS, ACCORDING TO MOTHER'S AGE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>395</b>	<b>390</b>	<b>381</b>	<b>358</b>	<b>345</b>	<b>342</b>	<b>344</b>	<b>355</b>	<b>349</b>	<b>363</b>	<b>-8.1</b>
<b>10-14</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-100.0</b>
<b>15-17</b>	<b>30</b>	<b>28</b>	<b>24</b>	<b>19</b>	<b>19</b>	<b>21</b>	<b>21</b>	<b>23</b>	<b>20</b>	<b>20</b>	<b>-33.3</b>
<b>18-19</b>	<b>47</b>	<b>56</b>	<b>50</b>	<b>49</b>	<b>42</b>	<b>40</b>	<b>37</b>	<b>34</b>	<b>38</b>	<b>37</b>	<b>-21.3</b>
<b>20-24</b>	<b>137</b>	<b>132</b>	<b>130</b>	<b>123</b>	<b>118</b>	<b>111</b>	<b>112</b>	<b>116</b>	<b>111</b>	<b>112</b>	<b>-18.2</b>
<b>25-29</b>	<b>107</b>	<b>103</b>	<b>102</b>	<b>97</b>	<b>91</b>	<b>93</b>	<b>91</b>	<b>98</b>	<b>98</b>	<b>104</b>	<b>-2.8</b>
<b>30-34</b>	<b>52</b>	<b>50</b>	<b>50</b>	<b>49</b>	<b>53</b>	<b>56</b>	<b>57</b>	<b>59</b>	<b>56</b>	<b>58</b>	<b>11.5</b>
<b>35-39</b>	<b>16</b>	<b>16</b>	<b>20</b>	<b>17</b>	<b>18</b>	<b>16</b>	<b>21</b>	<b>20</b>	<b>22</b>	<b>27</b>	<b>68.8</b>
<b>40-44</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>-33.3</b>

**AVERAGE ANNUAL NUMBER OF RESIDENT BIRTHS, ACCORDING TO MOTHER'S AGE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>48</b>	<b>48</b>	<b>41</b>	<b>35</b>	<b>33</b>	<b>32</b>	<b>30</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>-47.9</b>
<b>10-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>15-17</b>	<b>7</b>	<b>5</b>	<b>4</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>-71.4</b>
<b>18-19</b>	<b>9</b>	<b>10</b>	<b>7</b>	<b>7</b>	<b>6</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>4</b>	<b>4</b>	<b>-55.6</b>
<b>20-24</b>	<b>18</b>	<b>19</b>	<b>16</b>	<b>15</b>	<b>15</b>	<b>15</b>	<b>11</b>	<b>8</b>	<b>5</b>	<b>6</b>	<b>-66.7</b>
<b>25-29</b>	<b>8</b>	<b>7</b>	<b>6</b>	<b>5</b>	<b>4</b>	<b>6</b>	<b>7</b>	<b>6</b>	<b>8</b>	<b>7</b>	<b>-12.5</b>
<b>30-34</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>3</b>	<b>3</b>	<b>0.0</b>
<b>35-39</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>-</b>
<b>40-44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>

**AVERAGE ANNUAL NUMBER OF RESIDENT BIRTHS, ACCORDING TO MOTHER'S AGE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>302</b>	<b>309</b>	<b>327</b>	<b>347</b>	<b>342</b>	<b>340</b>	<b>323</b>	<b>312</b>	<b>310</b>	<b>314</b>	<b>4.0</b>
<b>10-14</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0.0</b>
<b>15-17</b>	<b>17</b>	<b>17</b>	<b>19</b>	<b>23</b>	<b>23</b>	<b>20</b>	<b>17</b>	<b>17</b>	<b>20</b>	<b>19</b>	<b>11.8</b>
<b>18-19</b>	<b>30</b>	<b>29</b>	<b>34</b>	<b>38</b>	<b>46</b>	<b>43</b>	<b>42</b>	<b>36</b>	<b>35</b>	<b>34</b>	<b>13.3</b>
<b>20-24</b>	<b>116</b>	<b>118</b>	<b>119</b>	<b>119</b>	<b>113</b>	<b>114</b>	<b>108</b>	<b>103</b>	<b>96</b>	<b>101</b>	<b>-12.9</b>
<b>25-29</b>	<b>90</b>	<b>89</b>	<b>91</b>	<b>98</b>	<b>96</b>	<b>96</b>	<b>92</b>	<b>86</b>	<b>87</b>	<b>84</b>	<b>-6.7</b>
<b>30-34</b>	<b>36</b>	<b>41</b>	<b>48</b>	<b>49</b>	<b>47</b>	<b>47</b>	<b>48</b>	<b>51</b>	<b>53</b>	<b>55</b>	<b>52.8</b>
<b>35-39</b>	<b>10</b>	<b>12</b>	<b>12</b>	<b>15</b>	<b>15</b>	<b>18</b>	<b>16</b>	<b>16</b>	<b>16</b>	<b>20</b>	<b>100.0</b>
<b>40-44</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>0.0</b>

**NUMBER OF LIVE BIRTHS PER 1,000 FEMALES, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>56.9</b>	<b>56.0</b>	<b>54.5</b>	<b>51.2</b>	<b>49.3</b>	<b>48.9</b>	<b>49.2</b>	<b>50.6</b>	<b>49.3</b>	<b>50.8</b>	<b>-10.7</b>
<b>10-14</b>	<b>1.1</b>	<b>1.1</b>	<b>0.0</b>	<b>0.0</b>	<b>1.0</b>	<b>1.0</b>	<b>1.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>15-17</b>	<b>48.9</b>	<b>46.0</b>	<b>39.4</b>	<b>31.0</b>	<b>30.9</b>	<b>34.1</b>	<b>34.0</b>	<b>37.0</b>	<b>31.8</b>	<b>31.4</b>	<b>-35.8</b>
<b>18-19</b>	<b>117.2</b>	<b>141.1</b>	<b>126.3</b>	<b>123.4</b>	<b>105.8</b>	<b>100.5</b>	<b>93.0</b>	<b>85.0</b>	<b>93.8</b>	<b>90.5</b>	<b>-22.8</b>
<b>20-24</b>	<b>152.7</b>	<b>148.5</b>	<b>147.1</b>	<b>139.6</b>	<b>134.5</b>	<b>127.1</b>	<b>128.9</b>	<b>133.3</b>	<b>127.0</b>	<b>127.7</b>	<b>-16.4</b>
<b>25-29</b>	<b>102.6</b>	<b>99.1</b>	<b>99.3</b>	<b>96.4</b>	<b>92.6</b>	<b>96.8</b>	<b>97.0</b>	<b>106.4</b>	<b>107.9</b>	<b>116.5</b>	<b>13.5</b>
<b>30-34</b>	<b>47.5</b>	<b>45.2</b>	<b>45.1</b>	<b>44.4</b>	<b>48.4</b>	<b>51.4</b>	<b>52.7</b>	<b>54.7</b>	<b>51.8</b>	<b>53.5</b>	<b>12.6</b>
<b>35-39</b>	<b>16.0</b>	<b>15.8</b>	<b>19.5</b>	<b>16.3</b>	<b>17.1</b>	<b>15.0</b>	<b>19.5</b>	<b>18.3</b>	<b>19.7</b>	<b>23.7</b>	<b>48.1</b>
<b>40-44</b>	<b>3.2</b>	<b>2.1</b>	<b>2.0</b>	<b>1.0</b>	<b>2.0</b>	<b>1.0</b>	<b>1.0</b>	<b>0.9</b>	<b>1.8</b>	<b>1.8</b>	<b>-43.8</b>

**NUMBER OF LIVE BIRTHS PER 1,000 FEMALES, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>66.5</b>	<b>66.7</b>	<b>57.3</b>	<b>49.4</b>	<b>47.1</b>	<b>46.2</b>	<b>43.7</b>	<b>36.6</b>	<b>36.7</b>	<b>36.8</b>	<b>-44.7</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>9.1</b>	<b>9.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-17</b>	<b>100.0</b>	<b>72.5</b>	<b>58.8</b>	<b>29.4</b>	<b>29.9</b>	<b>30.3</b>	<b>46.2</b>	<b>46.9</b>	<b>31.3</b>	<b>31.3</b>	<b>-68.7</b>
<b>18-19</b>	<b>200.0</b>	<b>227.3</b>	<b>162.8</b>	<b>166.7</b>	<b>146.3</b>	<b>100.0</b>	<b>78.9</b>	<b>52.6</b>	<b>108.1</b>	<b>108.1</b>	<b>-46.0</b>
<b>20-24</b>	<b>191.5</b>	<b>208.8</b>	<b>181.8</b>	<b>178.6</b>	<b>185.2</b>	<b>192.3</b>	<b>146.7</b>	<b>109.6</b>	<b>71.4</b>	<b>89.6</b>	<b>-53.2</b>
<b>25-29</b>	<b>76.2</b>	<b>67.3</b>	<b>58.8</b>	<b>51.0</b>	<b>42.1</b>	<b>65.2</b>	<b>78.7</b>	<b>69.0</b>	<b>95.2</b>	<b>86.4</b>	<b>13.4</b>
<b>30-34</b>	<b>25.4</b>	<b>25.0</b>	<b>25.0</b>	<b>17.1</b>	<b>17.5</b>	<b>18.2</b>	<b>28.0</b>	<b>38.5</b>	<b>29.4</b>	<b>30.0</b>	<b>18.1</b>
<b>35-39</b>	<b>0.0</b>	<b>0.0</b>	<b>21.3</b>	<b>21.7</b>	<b>22.0</b>	<b>0.0</b>	<b>11.2</b>	<b>11.4</b>	<b>11.4</b>	<b>11.5</b>	<b>-</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**NUMBER OF LIVE BIRTHS PER 1,000 FEMALES, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>55.7</b>	<b>54.8</b>	<b>54.2</b>	<b>51.2</b>	<b>49.4</b>	<b>49.2</b>	<b>49.8</b>	<b>52.1</b>	<b>50.6</b>	<b>52.3</b>	<b>-6.1</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-17</b>	<b>42.4</b>	<b>40.7</b>	<b>37.0</b>	<b>29.4</b>	<b>31.1</b>	<b>34.6</b>	<b>32.6</b>	<b>35.9</b>	<b>31.9</b>	<b>31.5</b>	<b>-25.7</b>
<b>18-19</b>	<b>107.0</b>	<b>127.5</b>	<b>119.0</b>	<b>118.3</b>	<b>101.1</b>	<b>97.8</b>	<b>91.9</b>	<b>88.4</b>	<b>92.6</b>	<b>88.7</b>	<b>-17.1</b>
<b>20-24</b>	<b>148.2</b>	<b>141.6</b>	<b>143.2</b>	<b>134.3</b>	<b>129.4</b>	<b>120.8</b>	<b>126.1</b>	<b>135.7</b>	<b>130.8</b>	<b>131.0</b>	<b>-11.6</b>
<b>25-29</b>	<b>104.5</b>	<b>102.7</b>	<b>103.8</b>	<b>100.3</b>	<b>96.8</b>	<b>100.2</b>	<b>98.9</b>	<b>110.3</b>	<b>109.4</b>	<b>119.5</b>	<b>14.4</b>
<b>30-34</b>	<b>50.2</b>	<b>47.7</b>	<b>47.6</b>	<b>47.7</b>	<b>51.9</b>	<b>54.2</b>	<b>55.4</b>	<b>56.5</b>	<b>54.1</b>	<b>54.9</b>	<b>9.4</b>
<b>35-39</b>	<b>16.5</b>	<b>16.3</b>	<b>19.3</b>	<b>15.8</b>	<b>15.6</b>	<b>16.4</b>	<b>20.2</b>	<b>18.9</b>	<b>20.4</b>	<b>24.7</b>	<b>49.7</b>
<b>40-44</b>	<b>3.5</b>	<b>2.3</b>	<b>1.1</b>	<b>1.1</b>	<b>2.2</b>	<b>1.1</b>	<b>1.1</b>	<b>1.0</b>	<b>2.0</b>	<b>2.0</b>	<b>-42.9</b>

**PERCENT OF LIVE BIRTHS OCCURRING TO UNWED MOTHERS AGES 10-44,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**LINCOLN**

**THREE - YEAR AVERAGES 1988 - 1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>22.0</b>	<b>23.3</b>	<b>23.1</b>	<b>22.9</b>	<b>24.3</b>	<b>23.4</b>	<b>24.1</b>	<b>24.2</b>	<b>27.2</b>	<b>27.5</b>	<b>25.0</b>
<b>10-14</b>	<b>100.0</b>	<b>100.0</b>	<b>-</b>	<b>-</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>15-17</b>	<b>53.3</b>	<b>50.0</b>	<b>45.8</b>	<b>52.6</b>	<b>57.9</b>	<b>61.9</b>	<b>66.7</b>	<b>69.6</b>	<b>80.0</b>	<b>85.0</b>	<b>59.5</b>
<b>18-19</b>	<b>44.7</b>	<b>42.9</b>	<b>42.0</b>	<b>42.9</b>	<b>45.2</b>	<b>45.0</b>	<b>45.9</b>	<b>50.0</b>	<b>55.3</b>	<b>59.5</b>	<b>33.1</b>
<b>20-24</b>	<b>22.6</b>	<b>25.0</b>	<b>26.2</b>	<b>26.8</b>	<b>28.8</b>	<b>26.1</b>	<b>26.8</b>	<b>25.9</b>	<b>27.0</b>	<b>28.6</b>	<b>26.5</b>
<b>25-29</b>	<b>9.3</b>	<b>11.7</b>	<b>12.7</b>	<b>11.3</b>	<b>11.0</b>	<b>10.8</b>	<b>11.0</b>	<b>12.2</b>	<b>17.3</b>	<b>18.3</b>	<b>96.8</b>
<b>30-34</b>	<b>7.7</b>	<b>8.0</b>	<b>8.0</b>	<b>6.1</b>	<b>7.5</b>	<b>8.9</b>	<b>10.5</b>	<b>10.2</b>	<b>10.7</b>	<b>8.6</b>	<b>11.7</b>
<b>35-39</b>	<b>6.3</b>	<b>6.3</b>	<b>10.0</b>	<b>11.8</b>	<b>16.7</b>	<b>12.5</b>	<b>9.5</b>	<b>5.0</b>	<b>9.1</b>	<b>11.1</b>	<b>76.2</b>
<b>40-44</b>	<b>33.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>

**PERCENT OF LIVE BIRTHS OCCURRING TO UNWED MOTHERS AGES 10-44,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NON-WHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	72.9	72.9	73.2	74.3	75.8	75.0	70.0	64.0	68.0	76.0	4.3
<b>10-14</b>	-	-	-	-	100.0	100.0	-	-	-	-	-
<b>15-17</b>	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	0.0
<b>18-19</b>	88.9	90.0	100.0	85.7	83.3	100.0	100.0	100.0	100.0	100.0	12.5
<b>20-24</b>	66.7	68.4	75.0	80.0	80.0	80.0	72.7	75.0	80.0	83.3	24.9
<b>25-29</b>	50.0	57.1	66.7	60.0	50.0	50.0	57.1	50.0	50.0	57.1	14.2
<b>30-34</b>	66.7	33.3	33.3	0.0	0.0	0.0	0.0	25.0	33.3	33.3	-50.1
<b>35-39</b>	-	-	50.0	50.0	50.0	-	0.0	0.0	0.0	0.0	-
<b>40-44</b>	-	-	-	-	-	-	-	-	-	-	-

**PERCENT OF LIVE BIRTHS OCCURRING TO UNWED MOTHERS AGES 10-44,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>15.0</b>	<b>16.4</b>	<b>16.8</b>	<b>17.4</b>	<b>19.0</b>	<b>18.1</b>	<b>19.7</b>	<b>21.2</b>	<b>23.8</b>	<b>24.0</b>	<b>60.0</b>
<b>10-14</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>15-17</b>	<b>39.1</b>	<b>36.4</b>	<b>35.0</b>	<b>43.8</b>	<b>52.9</b>	<b>57.9</b>	<b>61.1</b>	<b>65.0</b>	<b>77.8</b>	<b>77.8</b>	<b>99.0</b>
<b>18-19</b>	<b>34.2</b>	<b>31.1</b>	<b>33.3</b>	<b>33.3</b>	<b>36.1</b>	<b>37.1</b>	<b>39.4</b>	<b>46.9</b>	<b>50.0</b>	<b>51.5</b>	<b>50.6</b>
<b>20-24</b>	<b>16.0</b>	<b>17.7</b>	<b>19.3</b>	<b>19.6</b>	<b>20.4</b>	<b>16.7</b>	<b>21.0</b>	<b>21.3</b>	<b>24.8</b>	<b>24.5</b>	<b>53.1</b>
<b>25-29</b>	<b>6.1</b>	<b>8.3</b>	<b>9.4</b>	<b>8.8</b>	<b>8.1</b>	<b>8.0</b>	<b>7.1</b>	<b>9.8</b>	<b>13.3</b>	<b>14.4</b>	<b>136.1</b>
<b>30-34</b>	<b>4.1</b>	<b>4.3</b>	<b>6.4</b>	<b>4.3</b>	<b>7.8</b>	<b>7.5</b>	<b>11.1</b>	<b>9.1</b>	<b>9.4</b>	<b>5.6</b>	<b>36.6</b>
<b>35-39</b>	<b>6.7</b>	<b>0.0</b>	<b>5.6</b>	<b>6.7</b>	<b>13.3</b>	<b>12.5</b>	<b>10.0</b>	<b>5.3</b>	<b>4.8</b>	<b>11.5</b>	<b>71.6</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**NUMBER OF OTHER TERMINATION'S ACCORDING TO WOMAN'S AGE AND PLACE OF RESIDENCE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**ALL RACES**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>50</b>	<b>52</b>	<b>55</b>	<b>61</b>	<b>59</b>	<b>53</b>	<b>48</b>	<b>41</b>	<b>45</b>	<b>48</b>	<b>-4.0</b>
<b>10-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>15-17</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>6</b>	<b>6</b>	<b>7</b>	<b>7</b>	<b>7</b>	<b>6</b>	<b>20.0</b>
<b>18-19</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>10</b>	<b>10</b>	<b>8</b>	<b>5</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>16.7</b>
<b>20-24</b>	<b>19</b>	<b>19</b>	<b>20</b>	<b>20</b>	<b>22</b>	<b>17</b>	<b>16</b>	<b>10</b>	<b>9</b>	<b>13</b>	<b>-31.6</b>
<b>25-29</b>	<b>13</b>	<b>13</b>	<b>12</b>	<b>10</b>	<b>7</b>	<b>6</b>	<b>8</b>	<b>10</b>	<b>11</b>	<b>9</b>	<b>-30.8</b>
<b>30-34</b>	<b>4</b>	<b>2</b>	<b>3</b>	<b>5</b>	<b>9</b>	<b>8</b>	<b>6</b>	<b>4</b>	<b>6</b>	<b>6</b>	<b>50.0</b>
<b>35-39</b>	<b>1</b>	<b>3</b>	<b>4</b>	<b>4</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>4</b>	<b>300.0</b>
<b>40-44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>-</b>

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S ACCORDING TO WOMAN'S AGE AND PLACE OF RESIDENCE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	7	11	12	11	10	9	8	7	7	8	14.3
<b>10-14</b>	0	0	0	0	0	0	0	0	0	0	-
<b>15-17</b>	0	1	1	1	0	0	0	0	1	2	-
<b>18-19</b>	0	1	2	1	1	1	1	0	1	1	-
<b>20-24</b>	3	4	5	4	3	1	1	1	0	0	-100.0
<b>25-29</b>	1	2	2	3	3	3	3	3	3	2	100.0
<b>30-34</b>	0	1	1	0	1	1	2	1	1	1	-
<b>35-39</b>	0	0	0	0	0	0	0	0	0	0	-
<b>40-44</b>	0	0	0	0	0	0	0	0	0	0	-

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S ACCORDING TO WOMAN'S AGE AND PLACE OF RESIDENCE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>42</b>	<b>40</b>	<b>41</b>	<b>49</b>	<b>47</b>	<b>42</b>	<b>38</b>	<b>33</b>	<b>37</b>	<b>40</b>	<b>-4.8</b>
<b>10-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>15-17</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>7</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>4</b>	<b>-20.0</b>
<b>18-19</b>	<b>6</b>	<b>5</b>	<b>6</b>	<b>9</b>	<b>8</b>	<b>7</b>	<b>4</b>	<b>4</b>	<b>5</b>	<b>5</b>	<b>-16.7</b>
<b>20-24</b>	<b>15</b>	<b>14</b>	<b>14</b>	<b>15</b>	<b>17</b>	<b>15</b>	<b>14</b>	<b>8</b>	<b>9</b>	<b>12</b>	<b>-20.0</b>
<b>25-29</b>	<b>11</b>	<b>11</b>	<b>9</b>	<b>7</b>	<b>4</b>	<b>3</b>	<b>5</b>	<b>6</b>	<b>8</b>	<b>7</b>	<b>-36.4</b>
<b>30-34</b>	<b>3</b>	<b>1</b>	<b>2</b>	<b>5</b>	<b>7</b>	<b>7</b>	<b>4</b>	<b>3</b>	<b>5</b>	<b>5</b>	<b>66.7</b>
<b>35-39</b>	<b>0</b>	<b>3</b>	<b>3</b>	<b>4</b>	<b>2</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>-</b>
<b>40-44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S PER 1,000 LIVE BIRTHS, ACCORDING TO WOMAN'S AGE  
AND PLACE OF RESIDENCE, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>39.1</b>	<b>85.9</b>	<b>116.2</b>	<b>127.3</b>	<b>133.2</b>	<b>146.1</b>	<b>172.3</b>	<b>171.8</b>	<b>154.8</b>	<b>140.2</b>	<b>259.0</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1,500.0</b>	<b>750.0</b>	<b>600.0</b>	<b>250.0</b>	<b>-</b>
<b>15-17</b>	<b>26.3</b>	<b>129.9</b>	<b>172.8</b>	<b>188.9</b>	<b>214.3</b>	<b>287.7</b>	<b>431.0</b>	<b>344.8</b>	<b>307.7</b>	<b>323.1</b>	<b>1,127.7</b>
<b>18-19</b>	<b>94.3</b>	<b>155.3</b>	<b>168.0</b>	<b>139.9</b>	<b>125.0</b>	<b>158.9</b>	<b>217.7</b>	<b>238.1</b>	<b>208.3</b>	<b>151.8</b>	<b>60.9</b>
<b>20-24</b>	<b>25.7</b>	<b>62.8</b>	<b>109.8</b>	<b>142.9</b>	<b>146.1</b>	<b>156.0</b>	<b>165.3</b>	<b>185.9</b>	<b>159.2</b>	<b>142.4</b>	<b>454.1</b>
<b>25-29</b>	<b>34.5</b>	<b>78.5</b>	<b>116.3</b>	<b>121.5</b>	<b>131.8</b>	<b>120.1</b>	<b>109.6</b>	<b>80.6</b>	<b>67.6</b>	<b>91.2</b>	<b>164.6</b>
<b>30-34</b>	<b>34.8</b>	<b>93.8</b>	<b>72.4</b>	<b>76.4</b>	<b>39.5</b>	<b>66.7</b>	<b>114.1</b>	<b>168.8</b>	<b>154.8</b>	<b>115.6</b>	<b>232.4</b>
<b>35-39</b>	<b>117.6</b>	<b>105.3</b>	<b>105.3</b>	<b>62.5</b>	<b>229.2</b>	<b>193.5</b>	<b>264.2</b>	<b>148.1</b>	<b>200.0</b>	<b>140.6</b>	<b>19.5</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>90.9</b>	<b>125.0</b>	<b>333.3</b>	<b>250.0</b>	<b>333.3</b>	<b>600.0</b>	<b>800.0</b>	<b>-</b>

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S PER 1,000 LIVE BIRTHS, ACCORDING TO WOMAN'S AGE  
AND PLACE OF RESIDENCE, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>145.8</b>	<b>229.2</b>	<b>292.7</b>	<b>314.3</b>	<b>303.0</b>	<b>281.3</b>	<b>266.7</b>	<b>280.0</b>	<b>280.0</b>	<b>320.0</b>	<b>119.5</b>
<b>10-14</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>15-17</b>	<b>0.0</b>	<b>200.0</b>	<b>250.0</b>	<b>500.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>500.0</b>	<b>1,000.0</b>	<b>-</b>
<b>18-19</b>	<b>0.0</b>	<b>100.0</b>	<b>285.7</b>	<b>142.9</b>	<b>166.7</b>	<b>250.0</b>	<b>333.3</b>	<b>0.0</b>	<b>250.0</b>	<b>250.0</b>	<b>-</b>
<b>20-24</b>	<b>166.7</b>	<b>210.5</b>	<b>312.5</b>	<b>266.7</b>	<b>200.0</b>	<b>66.7</b>	<b>90.9</b>	<b>125.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>25-29</b>	<b>125.0</b>	<b>285.7</b>	<b>333.3</b>	<b>600.0</b>	<b>750.0</b>	<b>500.0</b>	<b>428.6</b>	<b>500.0</b>	<b>375.0</b>	<b>285.7</b>	<b>128.6</b>
<b>30-34</b>	<b>0.0</b>	<b>333.3</b>	<b>333.3</b>	<b>0.0</b>	<b>500.0</b>	<b>500.0</b>	<b>666.7</b>	<b>250.0</b>	<b>333.3</b>	<b>333.3</b>	<b>-</b>
<b>35-39</b>	<b>-</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>40-44</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>

Note: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S PER 1,000 LIVE BIRTHS, ACCORDING TO WOMAN'S AGE  
AND PLACE OF RESIDENCE, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-96</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>37.5</b>	<b>90.7</b>	<b>119.4</b>	<b>122.1</b>	<b>116.8</b>	<b>121.6</b>	<b>151.9</b>	<b>152.9</b>	<b>136.6</b>	<b>123.1</b>	<b>228.5</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>2,000.0</b>	<b>1,000.0</b>	<b>0.0</b>	<b>-</b>
<b>15-17</b>	<b>39.2</b>	<b>196.1</b>	<b>245.6</b>	<b>217.4</b>	<b>220.6</b>	<b>283.3</b>	<b>440.0</b>	<b>352.9</b>	<b>305.1</b>	<b>357.1</b>	<b>810.7</b>
<b>18-19</b>	<b>88.9</b>	<b>174.4</b>	<b>205.9</b>	<b>156.5</b>	<b>116.8</b>	<b>140.6</b>	<b>214.3</b>	<b>240.7</b>	<b>198.1</b>	<b>138.6</b>	<b>55.9</b>
<b>20-24</b>	<b>28.7</b>	<b>67.8</b>	<b>106.1</b>	<b>131.3</b>	<b>126.8</b>	<b>125.7</b>	<b>142.4</b>	<b>171.0</b>	<b>159.7</b>	<b>139.1</b>	<b>385.4</b>
<b>25-29</b>	<b>33.5</b>	<b>82.1</b>	<b>117.2</b>	<b>118.6</b>	<b>114.6</b>	<b>97.2</b>	<b>76.4</b>	<b>46.3</b>	<b>34.4</b>	<b>63.5</b>	<b>89.8</b>
<b>30-34</b>	<b>18.3</b>	<b>81.3</b>	<b>62.1</b>	<b>68.0</b>	<b>21.3</b>	<b>49.6</b>	<b>104.9</b>	<b>150.3</b>	<b>131.3</b>	<b>85.4</b>	<b>365.2</b>
<b>35-39</b>	<b>100.0</b>	<b>85.7</b>	<b>83.3</b>	<b>43.5</b>	<b>217.4</b>	<b>181.8</b>	<b>276.6</b>	<b>148.9</b>	<b>187.5</b>	<b>133.3</b>	<b>33.3</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>200.0</b>	<b>250.0</b>	<b>333.3</b>	<b>200.0</b>	<b>400.0</b>	<b>-</b>

NOTE: Other termination's include reported fetal deaths and induced abortions

**PERCENT OF OTHER TERMINATION'S TO UNWED FEMALES AGES 10-44, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>70.0</b>	<b>71.2</b>	<b>72.7</b>	<b>75.4</b>	<b>76.3</b>	<b>77.4</b>	<b>79.2</b>	<b>80.5</b>	<b>71.1</b>	<b>72.9</b>	<b>4.1</b>
<b>10-14</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>15-17</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>0.0</b>
<b>18-19</b>	<b>100.0</b>	<b>85.7</b>	<b>87.5</b>	<b>90.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>80.0</b>	<b>83.3</b>	<b>100.0</b>	<b>0.0</b>
<b>20-24</b>	<b>68.4</b>	<b>68.4</b>	<b>70.0</b>	<b>70.0</b>	<b>72.7</b>	<b>76.5</b>	<b>81.3</b>	<b>100.0</b>	<b>88.9</b>	<b>76.9</b>	<b>12.4</b>
<b>25-29</b>	<b>53.8</b>	<b>53.8</b>	<b>58.3</b>	<b>60.0</b>	<b>71.4</b>	<b>83.3</b>	<b>62.5</b>	<b>60.0</b>	<b>54.5</b>	<b>55.6</b>	<b>3.3</b>
<b>30-34</b>	<b>50.0</b>	<b>50.0</b>	<b>33.3</b>	<b>40.0</b>	<b>55.6</b>	<b>62.5</b>	<b>83.3</b>	<b>75.0</b>	<b>50.0</b>	<b>50.0</b>	<b>0.0</b>
<b>35-39</b>	<b>0.0</b>	<b>66.7</b>	<b>75.0</b>	<b>75.0</b>	<b>50.0</b>	<b>33.3</b>	<b>33.3</b>	<b>33.3</b>	<b>0.0</b>	<b>25.0</b>	<b>-</b>
<b>40-44</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>-</b>	<b>-</b>

NOTE: Other termination's include reported fetal deaths and induced abortions

**PERCENT OF OTHER TERMINATION'S TO UNWED FEMALES AGES 10-44, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>85.7</b>	<b>81.8</b>	<b>83.3</b>	<b>81.8</b>	<b>80.0</b>	<b>77.8</b>	<b>75.0</b>	<b>85.7</b>	<b>85.7</b>	<b>87.5</b>	<b>2.1</b>
<b>10-14</b>	-	-	-	-	-	-	-	-	-	-	-
<b>15-17</b>	-	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	-	-	-	-	<b>100.0</b>	<b>100.0</b>	-
<b>18-19</b>	-	<b>100.0</b>	<b>50.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>0.0</b>	-	<b>100.0</b>	<b>100.0</b>	-
<b>20-24</b>	<b>100.0</b>	<b>75.0</b>	<b>80.0</b>	<b>75.0</b>	<b>66.7</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	-	-	-
<b>25-29</b>	<b>100.0</b>	<b>50.0</b>	<b>100.0</b>	<b>66.7</b>	<b>66.7</b>	<b>66.7</b>	<b>66.7</b>	<b>66.7</b>	<b>66.7</b>	<b>100.0</b>	<b>0.0</b>
<b>30-34</b>	-	<b>0.0</b>	<b>0.0</b>	-	<b>100.0</b>	<b>100.0</b>	<b>50.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	-
<b>35-39</b>	-	-	-	-	-	-	-	-	-	-	-
<b>40-44</b>	-	-	-	-	-	-	-	-	-	-	-

NOTE: Other termination's include reported fetal deaths and induced abortions

**PERCENT OF OTHER TERMINATION'S TO UNWED FEMALES AGES 10-44, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>69.0</b>	<b>67.5</b>	<b>70.7</b>	<b>71.4</b>	<b>76.6</b>	<b>78.6</b>	<b>81.6</b>	<b>78.8</b>	<b>67.6</b>	<b>67.5</b>	<b>-2.2</b>
<b>10-14</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>15-17</b>	<b>80.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>25.0</b>
<b>18-19</b>	<b>83.3</b>	<b>80.0</b>	<b>83.3</b>	<b>88.9</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>80.0</b>	<b>100.0</b>	<b>20.0</b>
<b>20-24</b>	<b>66.7</b>	<b>64.3</b>	<b>64.3</b>	<b>60.0</b>	<b>70.6</b>	<b>80.0</b>	<b>85.7</b>	<b>100.0</b>	<b>77.8</b>	<b>83.3</b>	<b>24.9</b>
<b>25-29</b>	<b>54.5</b>	<b>45.5</b>	<b>55.6</b>	<b>57.1</b>	<b>50.0</b>	<b>66.7</b>	<b>60.0</b>	<b>66.7</b>	<b>50.0</b>	<b>42.9</b>	<b>-21.3</b>
<b>30-34</b>	<b>66.7</b>	<b>0.0</b>	<b>50.0</b>	<b>40.0</b>	<b>57.1</b>	<b>57.1</b>	<b>75.0</b>	<b>66.7</b>	<b>40.0</b>	<b>40.0</b>	<b>-40.0</b>
<b>35-39</b>	<b>-</b>	<b>66.7</b>	<b>66.7</b>	<b>50.0</b>	<b>0.0</b>	<b>33.3</b>	<b>50.0</b>	<b>0.0</b>	<b>0.0</b>	<b>25.0</b>	<b>-</b>
<b>40-44</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF PREGNANCIES ACCORDING TO WOMAN'S AGE, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**ALL RACES**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>445</b>	<b>442</b>	<b>436</b>	<b>419</b>	<b>404</b>	<b>395</b>	<b>393</b>	<b>397</b>	<b>394</b>	<b>412</b>	<b>-7.4</b>
<b>10-14</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0.0</b>
<b>15-17</b>	<b>35</b>	<b>34</b>	<b>31</b>	<b>27</b>	<b>26</b>	<b>28</b>	<b>28</b>	<b>31</b>	<b>28</b>	<b>27</b>	<b>-22.9</b>
<b>18-19</b>	<b>54</b>	<b>63</b>	<b>58</b>	<b>59</b>	<b>52</b>	<b>48</b>	<b>43</b>	<b>40</b>	<b>44</b>	<b>44</b>	<b>-18.5</b>
<b>20-24</b>	<b>157</b>	<b>151</b>	<b>150</b>	<b>143</b>	<b>140</b>	<b>128</b>	<b>128</b>	<b>126</b>	<b>120</b>	<b>125</b>	<b>-20.4</b>
<b>25-29</b>	<b>120</b>	<b>117</b>	<b>115</b>	<b>108</b>	<b>98</b>	<b>100</b>	<b>99</b>	<b>108</b>	<b>109</b>	<b>113</b>	<b>-5.8</b>
<b>30-34</b>	<b>56</b>	<b>52</b>	<b>53</b>	<b>55</b>	<b>62</b>	<b>64</b>	<b>64</b>	<b>63</b>	<b>63</b>	<b>65</b>	<b>16.1</b>
<b>35-39</b>	<b>17</b>	<b>19</b>	<b>24</b>	<b>22</b>	<b>20</b>	<b>20</b>	<b>24</b>	<b>23</b>	<b>26</b>	<b>32</b>	<b>88.2</b>
<b>40-44</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>2</b>	<b>3</b>	<b>2</b>	<b>-50.0</b>

**NUMBER OF PREGNANCIES ACCORDING TO WOMAN'S AGE, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-97</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>56</b>	<b>59</b>	<b>53</b>	<b>46</b>	<b>44</b>	<b>41</b>	<b>39</b>	<b>33</b>	<b>33</b>	<b>33</b>	<b>-41.1</b>
<b>10-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>-</b>
<b>15-17</b>	<b>7</b>	<b>6</b>	<b>5</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>4</b>	<b>4</b>	<b>-42.9</b>
<b>18-19</b>	<b>10</b>	<b>12</b>	<b>9</b>	<b>8</b>	<b>7</b>	<b>6</b>	<b>4</b>	<b>2</b>	<b>5</b>	<b>5</b>	<b>-50.0</b>
<b>20-24</b>	<b>22</b>	<b>24</b>	<b>21</b>	<b>19</b>	<b>18</b>	<b>16</b>	<b>13</b>	<b>10</b>	<b>6</b>	<b>6</b>	<b>-72.7</b>
<b>25-29</b>	<b>10</b>	<b>9</b>	<b>9</b>	<b>8</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>10</b>	<b>11</b>	<b>9</b>	<b>-10.0</b>
<b>30-34</b>	<b>3</b>	<b>4</b>	<b>4</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>66.7</b>
<b>35-39</b>	<b>1</b>	<b>1</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0.0</b>
<b>40-44</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-100.0</b>

**NUMBER OF PREGNANCIES ACCORDING TO WOMAN'S AGE, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>389</b>	<b>382</b>	<b>381</b>	<b>371</b>	<b>359</b>	<b>352</b>	<b>352</b>	<b>363</b>	<b>361</b>	<b>378</b>	<b>-2.8</b>
<b>10-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>15-17</b>	<b>28</b>	<b>27</b>	<b>25</b>	<b>24</b>	<b>23</b>	<b>25</b>	<b>25</b>	<b>27</b>	<b>24</b>	<b>22</b>	<b>-21.4</b>
<b>18-19</b>	<b>44</b>	<b>51</b>	<b>48</b>	<b>51</b>	<b>44</b>	<b>42</b>	<b>38</b>	<b>37</b>	<b>39</b>	<b>39</b>	<b>-11.4</b>
<b>20-24</b>	<b>135</b>	<b>127</b>	<b>128</b>	<b>123</b>	<b>121</b>	<b>111</b>	<b>114</b>	<b>116</b>	<b>114</b>	<b>118</b>	<b>-12.6</b>
<b>25-29</b>	<b>110</b>	<b>107</b>	<b>105</b>	<b>98</b>	<b>90</b>	<b>90</b>	<b>89</b>	<b>98</b>	<b>98</b>	<b>104</b>	<b>-5.5</b>
<b>30-34</b>	<b>52</b>	<b>48</b>	<b>49</b>	<b>52</b>	<b>58</b>	<b>60</b>	<b>59</b>	<b>58</b>	<b>58</b>	<b>60</b>	<b>15.4</b>
<b>35-39</b>	<b>16</b>	<b>18</b>	<b>21</b>	<b>20</b>	<b>18</b>	<b>19</b>	<b>22</b>	<b>22</b>	<b>24</b>	<b>31</b>	<b>93.8</b>
<b>40-44</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>2</b>	<b>-33.3</b>

**NUMBER OF PREGNANCIES PER 1,000 WOMEN, BY AGE GROUP, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**ALL RACES**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>64.1</b>	<b>63.5</b>	<b>62.4</b>	<b>59.9</b>	<b>57.8</b>	<b>56.5</b>	<b>56.3</b>	<b>56.6</b>	<b>55.6</b>	<b>57.7</b>	<b>-10.0</b>
<b>10-14</b>	<b>1.1</b>	<b>1.1</b>	<b>0.0</b>	<b>1.0</b>	<b>2.1</b>	<b>2.1</b>	<b>1.0</b>	<b>1.0</b>	<b>0.0</b>	<b>1.0</b>	<b>-9.1</b>
<b>15-17</b>	<b>57.1</b>	<b>55.8</b>	<b>50.9</b>	<b>44.1</b>	<b>42.3</b>	<b>45.5</b>	<b>45.4</b>	<b>49.9</b>	<b>44.5</b>	<b>42.5</b>	<b>-25.6</b>
<b>18-19</b>	<b>134.7</b>	<b>158.7</b>	<b>146.5</b>	<b>148.6</b>	<b>131.0</b>	<b>120.6</b>	<b>108.0</b>	<b>100.0</b>	<b>108.6</b>	<b>107.6</b>	<b>-20.1</b>
<b>20-24</b>	<b>175.0</b>	<b>169.9</b>	<b>169.7</b>	<b>162.3</b>	<b>159.6</b>	<b>146.6</b>	<b>147.3</b>	<b>144.8</b>	<b>137.3</b>	<b>142.5</b>	<b>-18.6</b>
<b>25-29</b>	<b>115.1</b>	<b>112.6</b>	<b>112.0</b>	<b>107.4</b>	<b>99.7</b>	<b>104.1</b>	<b>105.5</b>	<b>117.3</b>	<b>120.0</b>	<b>126.5</b>	<b>9.9</b>
<b>30-34</b>	<b>51.1</b>	<b>47.1</b>	<b>47.8</b>	<b>49.9</b>	<b>56.6</b>	<b>58.8</b>	<b>59.2</b>	<b>58.4</b>	<b>58.3</b>	<b>60.0</b>	<b>17.4</b>
<b>35-39</b>	<b>16.9</b>	<b>18.7</b>	<b>23.3</b>	<b>21.1</b>	<b>19.0</b>	<b>18.8</b>	<b>22.3</b>	<b>21.0</b>	<b>23.3</b>	<b>28.1</b>	<b>66.3</b>
<b>40-44</b>	<b>4.2</b>	<b>3.1</b>	<b>2.0</b>	<b>1.0</b>	<b>2.0</b>	<b>1.9</b>	<b>2.9</b>	<b>1.9</b>	<b>2.7</b>	<b>1.8</b>	<b>-57.1</b>

**NUMBER OF PREGNANCIES PER 1,000 WOMEN, BY AGE GROUP, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>77.6</b>	<b>81.9</b>	<b>74.0</b>	<b>65.0</b>	<b>62.9</b>	<b>59.2</b>	<b>56.9</b>	<b>48.3</b>	<b>48.5</b>	<b>48.6</b>	<b>-37.4</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>9.2</b>	<b>9.1</b>	<b>9.0</b>	<b>8.8</b>	<b>0.0</b>	<b>0.0</b>	<b>8.4</b>	<b>-</b>
<b>15-17</b>	<b>100.0</b>	<b>87.0</b>	<b>73.5</b>	<b>44.1</b>	<b>44.8</b>	<b>30.3</b>	<b>46.2</b>	<b>46.9</b>	<b>62.5</b>	<b>62.5</b>	<b>-37.5</b>
<b>18-19</b>	<b>222.2</b>	<b>272.7</b>	<b>209.3</b>	<b>190.5</b>	<b>170.7</b>	<b>150.0</b>	<b>105.3</b>	<b>52.6</b>	<b>135.1</b>	<b>135.1</b>	<b>-39.2</b>
<b>20-24</b>	<b>234.0</b>	<b>263.7</b>	<b>238.6</b>	<b>226.2</b>	<b>222.2</b>	<b>205.1</b>	<b>173.3</b>	<b>137.0</b>	<b>85.7</b>	<b>89.6</b>	<b>-61.7</b>
<b>25-29</b>	<b>95.2</b>	<b>86.5</b>	<b>88.2</b>	<b>81.6</b>	<b>84.2</b>	<b>97.8</b>	<b>112.4</b>	<b>114.9</b>	<b>131.0</b>	<b>111.1</b>	<b>16.7</b>
<b>30-34</b>	<b>25.4</b>	<b>33.3</b>	<b>33.3</b>	<b>17.1</b>	<b>26.3</b>	<b>36.4</b>	<b>46.7</b>	<b>48.1</b>	<b>49.0</b>	<b>50.0</b>	<b>96.9</b>
<b>35-39</b>	<b>10.9</b>	<b>10.8</b>	<b>31.9</b>	<b>21.7</b>	<b>22.0</b>	<b>11.1</b>	<b>11.2</b>	<b>11.4</b>	<b>11.4</b>	<b>11.5</b>	<b>5.5</b>
<b>40-44</b>	<b>11.5</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>

**NUMBER OF PREGNANCIES PER 1,000 WOMEN, BY AGE GROUP, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-97</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>62.6</b>	<b>61.2</b>	<b>60.7</b>	<b>59.0</b>	<b>57.0</b>	<b>55.9</b>	<b>55.9</b>	<b>57.3</b>	<b>56.4</b>	<b>58.5</b>	<b>-6.5</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.2</b>	<b>1.2</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-17</b>	<b>51.7</b>	<b>50.0</b>	<b>46.2</b>	<b>44.1</b>	<b>42.0</b>	<b>45.5</b>	<b>45.3</b>	<b>48.5</b>	<b>42.5</b>	<b>38.5</b>	<b>-25.5</b>
<b>18-19</b>	<b>123.9</b>	<b>144.5</b>	<b>136.0</b>	<b>143.7</b>	<b>123.6</b>	<b>117.3</b>	<b>105.8</b>	<b>102.2</b>	<b>106.3</b>	<b>104.8</b>	<b>-15.4</b>
<b>20-24</b>	<b>168.1</b>	<b>159.1</b>	<b>160.8</b>	<b>154.3</b>	<b>152.0</b>	<b>139.6</b>	<b>143.8</b>	<b>145.7</b>	<b>142.0</b>	<b>145.9</b>	<b>-13.2</b>
<b>25-29</b>	<b>117.3</b>	<b>114.4</b>	<b>113.5</b>	<b>108.0</b>	<b>101.4</b>	<b>103.7</b>	<b>104.8</b>	<b>117.5</b>	<b>119.1</b>	<b>128.1</b>	<b>9.2</b>
<b>30-34</b>	<b>53.3</b>	<b>48.7</b>	<b>49.6</b>	<b>52.7</b>	<b>59.1</b>	<b>61.3</b>	<b>60.6</b>	<b>59.5</b>	<b>59.2</b>	<b>61.0</b>	<b>14.4</b>
<b>35-39</b>	<b>17.6</b>	<b>19.5</b>	<b>22.5</b>	<b>21.1</b>	<b>18.7</b>	<b>19.5</b>	<b>22.2</b>	<b>21.9</b>	<b>23.3</b>	<b>29.5</b>	<b>67.6</b>
<b>40-44</b>	<b>3.5</b>	<b>2.3</b>	<b>2.2</b>	<b>1.1</b>	<b>2.2</b>	<b>2.2</b>	<b>2.1</b>	<b>2.1</b>	<b>3.1</b>	<b>2.0</b>	<b>-42.9</b>

**PERCENT OF PREGNANCIES OCCURRING TO UNWED WOMEN AGES 10-44,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>27.6</b>	<b>29.0</b>	<b>29.4</b>	<b>30.5</b>	<b>32.2</b>	<b>30.6</b>	<b>30.8</b>	<b>30.2</b>	<b>32.2</b>	<b>32.8</b>	<b>18.8</b>
<b>10-14</b>	<b>100.0</b>	<b>100.0</b>	<b>-</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>-</b>	<b>100.0</b>	<b>0.0</b>
<b>15-17</b>	<b>60.0</b>	<b>58.8</b>	<b>58.1</b>	<b>66.7</b>	<b>69.2</b>	<b>71.4</b>	<b>75.0</b>	<b>77.4</b>	<b>85.7</b>	<b>85.2</b>	<b>42.0</b>
<b>18-19</b>	<b>50.0</b>	<b>47.6</b>	<b>48.3</b>	<b>52.5</b>	<b>55.8</b>	<b>54.2</b>	<b>51.2</b>	<b>55.0</b>	<b>61.4</b>	<b>65.9</b>	<b>31.8</b>
<b>20-24</b>	<b>28.7</b>	<b>30.5</b>	<b>32.0</b>	<b>33.6</b>	<b>35.7</b>	<b>32.8</b>	<b>33.6</b>	<b>31.7</b>	<b>31.7</b>	<b>33.6</b>	<b>17.1</b>
<b>25-29</b>	<b>15.0</b>	<b>17.1</b>	<b>17.4</b>	<b>16.7</b>	<b>15.3</b>	<b>15.0</b>	<b>16.2</b>	<b>17.6</b>	<b>21.1</b>	<b>21.2</b>	<b>41.3</b>
<b>30-34</b>	<b>12.5</b>	<b>9.6</b>	<b>9.4</b>	<b>9.1</b>	<b>16.1</b>	<b>15.6</b>	<b>17.2</b>	<b>15.9</b>	<b>14.3</b>	<b>12.3</b>	<b>-1.6</b>
<b>35-39</b>	<b>5.9</b>	<b>15.8</b>	<b>25.0</b>	<b>22.7</b>	<b>20.0</b>	<b>15.0</b>	<b>16.7</b>	<b>8.7</b>	<b>7.7</b>	<b>12.5</b>	<b>111.9</b>
<b>40-44</b>	<b>25.0</b>	<b>33.3</b>	<b>50.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>33.3</b>	<b>50.0</b>	<b>100.0</b>

**PERCENT OF PREGNANCIES OCCURRING TO UNWED WOMEN AGES 10-44,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>73.2</b>	<b>74.6</b>	<b>77.4</b>	<b>78.3</b>	<b>77.3</b>	<b>75.6</b>	<b>69.2</b>	<b>66.7</b>	<b>72.7</b>	<b>78.8</b>	<b>7.7</b>
<b>10-14</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>-</b>	<b>-</b>	<b>100.0</b>	<b>-</b>
<b>15-17</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>66.7</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>0.0</b>
<b>18-19</b>	<b>90.0</b>	<b>91.7</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>83.3</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>11.1</b>
<b>20-24</b>	<b>68.2</b>	<b>66.7</b>	<b>76.2</b>	<b>78.9</b>	<b>83.3</b>	<b>81.3</b>	<b>76.9</b>	<b>70.0</b>	<b>83.3</b>	<b>100.0</b>	<b>46.6</b>
<b>25-29</b>	<b>50.0</b>	<b>55.6</b>	<b>66.7</b>	<b>75.0</b>	<b>62.5</b>	<b>66.7</b>	<b>60.0</b>	<b>50.0</b>	<b>63.6</b>	<b>66.7</b>	<b>33.4</b>
<b>30-34</b>	<b>66.7</b>	<b>50.0</b>	<b>25.0</b>	<b>0.0</b>	<b>33.3</b>	<b>50.0</b>	<b>40.0</b>	<b>40.0</b>	<b>40.0</b>	<b>40.0</b>	<b>-40.0</b>
<b>35-39</b>	<b>0.0</b>	<b>0.0</b>	<b>66.7</b>	<b>50.0</b>	<b>50.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>40-44</b>	<b>0.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>

**PERCENT OF PREGNANCIES OCCURRING TO UNWED WOMEN AGES 10-44,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>20.8</b>	<b>21.7</b>	<b>22.6</b>	<b>24.5</b>	<b>26.5</b>	<b>25.3</b>	<b>26.4</b>	<b>26.7</b>	<b>28.5</b>	<b>28.6</b>	<b>37.5</b>
<b>10-14</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>100.0</b>	<b>100.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>15-17</b>	<b>46.4</b>	<b>48.1</b>	<b>52.0</b>	<b>62.5</b>	<b>65.2</b>	<b>68.0</b>	<b>72.0</b>	<b>74.1</b>	<b>83.3</b>	<b>86.4</b>	<b>86.2</b>
<b>18-19</b>	<b>40.9</b>	<b>37.3</b>	<b>39.6</b>	<b>45.1</b>	<b>50.0</b>	<b>47.6</b>	<b>47.4</b>	<b>54.1</b>	<b>56.4</b>	<b>59.0</b>	<b>44.3</b>
<b>20-24</b>	<b>21.5</b>	<b>22.8</b>	<b>24.2</b>	<b>25.2</b>	<b>28.1</b>	<b>25.2</b>	<b>28.9</b>	<b>27.6</b>	<b>28.9</b>	<b>30.5</b>	<b>41.9</b>
<b>25-29</b>	<b>11.8</b>	<b>13.1</b>	<b>13.3</b>	<b>12.2</b>	<b>11.1</b>	<b>10.0</b>	<b>11.2</b>	<b>13.3</b>	<b>16.3</b>	<b>17.3</b>	<b>46.6</b>
<b>30-34</b>	<b>7.7</b>	<b>6.3</b>	<b>8.2</b>	<b>9.6</b>	<b>13.8</b>	<b>13.3</b>	<b>15.3</b>	<b>13.8</b>	<b>12.1</b>	<b>8.3</b>	<b>7.8</b>
<b>35-39</b>	<b>6.3</b>	<b>16.7</b>	<b>19.0</b>	<b>20.0</b>	<b>16.7</b>	<b>15.8</b>	<b>13.6</b>	<b>9.1</b>	<b>8.3</b>	<b>12.9</b>	<b>104.8</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>33.3</b>	<b>50.0</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY AGE OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>8.1</b>	<b>8.0</b>	<b>8.6</b>	<b>10.3</b>	<b>10.2</b>	<b>8.3</b>	<b>7.3</b>	<b>6.8</b>	<b>8.1</b>	<b>8.6</b>	<b>6.2</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>50.0</b>	<b>50.0</b>	<b>25.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>0.0</b>	<b>-</b>
<b>15-17</b>	<b>13.3</b>	<b>10.7</b>	<b>6.8</b>	<b>5.2</b>	<b>3.4</b>	<b>4.6</b>	<b>4.6</b>	<b>5.6</b>	<b>8.2</b>	<b>8.1</b>	<b>-39.1</b>
<b>18-19</b>	<b>9.1</b>	<b>8.9</b>	<b>10.6</b>	<b>11.6</b>	<b>15.1</b>	<b>15.0</b>	<b>14.3</b>	<b>12.5</b>	<b>8.7</b>	<b>13.3</b>	<b>46.2</b>
<b>20-24</b>	<b>8.2</b>	<b>7.3</b>	<b>7.2</b>	<b>11.1</b>	<b>11.0</b>	<b>8.7</b>	<b>7.7</b>	<b>7.7</b>	<b>8.7</b>	<b>7.1</b>	<b>-13.4</b>
<b>25-29</b>	<b>7.8</b>	<b>9.0</b>	<b>9.1</b>	<b>8.9</b>	<b>8.4</b>	<b>6.8</b>	<b>4.7</b>	<b>4.7</b>	<b>6.4</b>	<b>9.0</b>	<b>15.4</b>
<b>30-34</b>	<b>5.7</b>	<b>6.6</b>	<b>9.3</b>	<b>12.1</b>	<b>10.6</b>	<b>6.5</b>	<b>5.8</b>	<b>5.6</b>	<b>9.4</b>	<b>8.0</b>	<b>40.4</b>
<b>35-39</b>	<b>4.2</b>	<b>6.3</b>	<b>9.7</b>	<b>9.4</b>	<b>7.4</b>	<b>8.0</b>	<b>9.4</b>	<b>8.2</b>	<b>7.5</b>	<b>8.4</b>	<b>100.0</b>
<b>40-44</b>	<b>9.1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>16.7</b>	<b>20.0</b>	<b>20.0</b>	<b>0.0</b>	<b>14.3</b>	<b>14.3</b>	<b>57.1</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY AGE OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>8.1</b>	<b>8.0</b>	<b>8.6</b>	<b>10.3</b>	<b>10.2</b>	<b>8.3</b>	<b>7.3</b>	<b>6.8</b>	<b>8.1</b>	<b>8.6</b>	<b>6.2</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>50.0</b>	<b>50.0</b>	<b>25.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>0.0</b>	<b>-</b>
<b>15-17</b>	<b>13.3</b>	<b>10.7</b>	<b>6.8</b>	<b>5.2</b>	<b>3.4</b>	<b>4.6</b>	<b>4.6</b>	<b>5.6</b>	<b>8.2</b>	<b>8.1</b>	<b>-39.1</b>
<b>18-19</b>	<b>9.1</b>	<b>8.9</b>	<b>10.6</b>	<b>11.6</b>	<b>15.1</b>	<b>15.0</b>	<b>14.3</b>	<b>12.5</b>	<b>8.7</b>	<b>13.3</b>	<b>46.2</b>
<b>20-24</b>	<b>8.2</b>	<b>7.3</b>	<b>7.2</b>	<b>11.1</b>	<b>11.0</b>	<b>8.7</b>	<b>7.7</b>	<b>7.7</b>	<b>8.7</b>	<b>7.1</b>	<b>-13.4</b>
<b>25-29</b>	<b>7.8</b>	<b>9.0</b>	<b>9.1</b>	<b>8.9</b>	<b>8.4</b>	<b>6.8</b>	<b>4.7</b>	<b>4.7</b>	<b>6.4</b>	<b>9.0</b>	<b>15.4</b>
<b>30-34</b>	<b>5.7</b>	<b>6.6</b>	<b>9.3</b>	<b>12.1</b>	<b>10.6</b>	<b>6.5</b>	<b>5.8</b>	<b>5.6</b>	<b>9.4</b>	<b>8.0</b>	<b>40.4</b>
<b>35-39</b>	<b>4.2</b>	<b>6.3</b>	<b>9.7</b>	<b>9.4</b>	<b>7.4</b>	<b>8.0</b>	<b>9.4</b>	<b>8.2</b>	<b>7.5</b>	<b>8.4</b>	<b>100.0</b>
<b>40-44</b>	<b>9.1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>16.7</b>	<b>20.0</b>	<b>20.0</b>	<b>0.0</b>	<b>14.3</b>	<b>14.3</b>	<b>57.1</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY AGE OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>7.3</b>	<b>7.3</b>	<b>7.5</b>	<b>9.1</b>	<b>9.3</b>	<b>7.8</b>	<b>7.0</b>	<b>6.6</b>	<b>8.3</b>	<b>8.6</b>	<b>17.8</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>15-17</b>	<b>10.1</b>	<b>5.9</b>	<b>5.0</b>	<b>4.0</b>	<b>3.9</b>	<b>3.4</b>	<b>1.8</b>	<b>3.2</b>	<b>7.4</b>	<b>7.3</b>	<b>-27.7</b>
<b>18-19</b>	<b>10.4</b>	<b>8.8</b>	<b>7.8</b>	<b>7.9</b>	<b>12.0</b>	<b>13.2</b>	<b>11.9</b>	<b>10.2</b>	<b>8.8</b>	<b>14.0</b>	<b>34.6</b>
<b>20-24</b>	<b>6.7</b>	<b>6.2</b>	<b>6.1</b>	<b>9.9</b>	<b>10.0</b>	<b>8.0</b>	<b>7.6</b>	<b>7.4</b>	<b>8.5</b>	<b>7.2</b>	<b>7.5</b>
<b>25-29</b>	<b>7.5</b>	<b>8.7</b>	<b>8.3</b>	<b>8.4</b>	<b>8.1</b>	<b>6.9</b>	<b>5.2</b>	<b>5.1</b>	<b>7.0</b>	<b>8.9</b>	<b>18.7</b>
<b>30-34</b>	<b>6.1</b>	<b>7.1</b>	<b>9.9</b>	<b>12.6</b>	<b>11.1</b>	<b>6.9</b>	<b>6.1</b>	<b>6.0</b>	<b>10.1</b>	<b>7.3</b>	<b>19.7</b>
<b>35-39</b>	<b>4.3</b>	<b>6.5</b>	<b>7.3</b>	<b>6.4</b>	<b>4.3</b>	<b>8.3</b>	<b>10.0</b>	<b>8.6</b>	<b>7.9</b>	<b>8.8</b>	<b>104.7</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>16.7</b>	<b>20.0</b>	<b>20.0</b>	<b>0.0</b>	<b>14.3</b>	<b>14.3</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>EDUCATION</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL LEVELS</b>	8.1	8.0	8.6	10.3	10.2	8.3	7.2	6.8	8.1	8.6	6.2
<b>0-8 YEARS</b>	8.8	7.8	11.7	12.0	11.1	5.6	5.9	5.6	2.7	9.8	11.4
<b>9-11 YEARS</b>	10.2	9.5	8.7	10.3	10.9	9.3	8.2	7.4	8.7	10.4	2.0
<b>12 YEARS</b>	6.6	6.6	8.2	10.7	11.2	8.7	7.9	6.8	8.8	8.2	24.2
<b>13-15 YEARS</b>	9.0	11.2	10.7	11.9	8.9	7.2	5.6	6.2	9.0	9.6	6.7
<b>16 YEARS</b>	5.5	4.9	3.8	3.9	3.7	3.2	3.9	5.1	4.3	2.3	-58.2
<b>17 OR MORE</b>	10.3	9.1	9.1	0.0	4.8	15.0	16.0	14.7	7.0	11.1	7.8

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>EDUCATION</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL LEVELS</b>	13.7	13.2	17.9	21.7	18.8	12.4	9.8	10.4	5.3	9.3	-32.1
<b>0-8 YEARS</b>	12.5	12.5	33.3	33.3	28.6	14.3	0.0	0.0	-	0.0	-100.0
<b>9-11 YEARS</b>	12.3	11.5	7.9	13.8	15.0	16.7	15.8	19.0	11.8	9.5	-22.8
<b>12 YEARS</b>	14.3	13.6	22.1	24.6	21.9	14.0	10.9	9.1	2.6	10.3	-28.0
<b>13-15 YEARS</b>	17.6	18.8	23.1	25.0	0.0	0.0	5.9	6.7	7.1	10.0	-43.2
<b>16 YEARS</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
<b>17 OR MORE</b>	-	-	-	-	-	-	0.0	0.0	0.0	-	-

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>EDUCATION</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL LEVELS</b>	7.3	7.3	7.5	9.1	9.3	7.8	7.0	6.6	8.3	8.6	17.8
<b>0-8 YEARS</b>	8.3	7.1	10.5	9.1	7.9	3.4	6.7	5.7	2.7	10.3	24.1
<b>9-11 YEARS</b>	9.8	9.1	8.8	9.9	10.5	8.4	7.3	6.0	8.4	10.5	7.1
<b>12 YEARS</b>	5.5	5.5	6.2	8.8	9.6	8.1	7.6	6.6	9.4	8.0	45.5
<b>13-15 YEARS</b>	8.2	10.4	9.6	11.2	9.4	7.7	5.6	6.2	9.1	9.6	17.1
<b>16 YEARS</b>	5.6	5.0	3.8	4.0	3.8	3.4	4.1	5.4	4.5	2.4	-57.1
<b>17 OR MORE</b>	10.3	9.1	9.1	0.0	4.8	15.0	16.7	15.2	7.1	11.1	7.8

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY AGE OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**ALL RACES**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>1.2</b>	<b>1.3</b>	<b>1.5</b>	<b>2.1</b>	<b>1.9</b>	<b>1.2</b>	<b>0.4</b>	<b>0.6</b>	<b>1.1</b>	<b>1.9</b>	<b>58.3</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>50.0</b>	<b>50.0</b>	<b>25.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>0.0</b>	<b>-</b>
<b>15-17</b>	<b>4.4</b>	<b>2.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>18-19</b>	<b>0.7</b>	<b>0.6</b>	<b>0.7</b>	<b>1.4</b>	<b>1.6</b>	<b>1.7</b>	<b>0.9</b>	<b>1.0</b>	<b>0.9</b>	<b>4.4</b>	<b>528.6</b>
<b>20-24</b>	<b>1.5</b>	<b>1.5</b>	<b>0.8</b>	<b>1.6</b>	<b>2.0</b>	<b>1.5</b>	<b>0.6</b>	<b>0.3</b>	<b>0.6</b>	<b>0.9</b>	<b>-40.0</b>
<b>25-29</b>	<b>0.9</b>	<b>1.3</b>	<b>1.6</b>	<b>1.7</b>	<b>1.1</b>	<b>0.7</b>	<b>0.0</b>	<b>1.0</b>	<b>2.0</b>	<b>2.6</b>	<b>188.9</b>
<b>30-34</b>	<b>0.0</b>	<b>0.0</b>	<b>2.0</b>	<b>3.4</b>	<b>3.1</b>	<b>1.8</b>	<b>0.6</b>	<b>0.6</b>	<b>0.0</b>	<b>0.6</b>	<b>-</b>
<b>35-39</b>	<b>0.0</b>	<b>4.2</b>	<b>6.5</b>	<b>7.5</b>	<b>3.7</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>4.5</b>	<b>4.8</b>	<b>-</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY AGE OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>2.7</b>	<b>2.8</b>	<b>4.9</b>	<b>6.6</b>	<b>5.9</b>	<b>2.1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.3</b>	<b>-51.9</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>100.0</b>	<b>50.0</b>	<b>33.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>0.0</b>	<b>-</b>
<b>15-17</b>	<b>9.5</b>	<b>12.5</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>18-19</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>4.8</b>	<b>5.6</b>	<b>7.1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>20-24</b>	<b>1.8</b>	<b>1.7</b>	<b>4.1</b>	<b>4.3</b>	<b>4.4</b>	<b>2.2</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>25-29</b>	<b>3.8</b>	<b>4.3</b>	<b>5.0</b>	<b>5.9</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>4.8</b>	<b>26.3</b>
<b>30-34</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>35-39</b>	<b>0.0</b>	<b>0.0</b>	<b>28.6</b>	<b>33.3</b>	<b>28.6</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY AGE OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>1.0</b>	<b>1.1</b>	<b>1.1</b>	<b>1.7</b>	<b>1.5</b>	<b>1.1</b>	<b>0.4</b>	<b>0.6</b>	<b>1.2</b>	<b>2.0</b>	<b>100.0</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>15-17</b>	<b>2.9</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>18-19</b>	<b>0.9</b>	<b>0.7</b>	<b>0.8</b>	<b>0.8</b>	<b>0.9</b>	<b>0.9</b>	<b>1.0</b>	<b>1.0</b>	<b>1.0</b>	<b>5.0</b>	<b>455.6</b>
<b>20-24</b>	<b>1.4</b>	<b>1.5</b>	<b>0.3</b>	<b>1.2</b>	<b>1.6</b>	<b>1.4</b>	<b>0.7</b>	<b>0.3</b>	<b>0.6</b>	<b>0.9</b>	<b>-35.7</b>
<b>25-29</b>	<b>0.7</b>	<b>1.0</b>	<b>1.4</b>	<b>1.5</b>	<b>1.2</b>	<b>0.8</b>	<b>0.0</b>	<b>1.1</b>	<b>2.2</b>	<b>2.4</b>	<b>242.9</b>
<b>30-34</b>	<b>0.0</b>	<b>0.0</b>	<b>2.1</b>	<b>3.5</b>	<b>3.3</b>	<b>1.9</b>	<b>0.6</b>	<b>0.6</b>	<b>0.0</b>	<b>0.6</b>	<b>-</b>
<b>35-39</b>	<b>0.0</b>	<b>4.3</b>	<b>3.6</b>	<b>4.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>4.8</b>	<b>5.0</b>	<b>-</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>EDUCATION</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL LEVELS</b>	<b>1.2</b>	<b>1.3</b>	<b>1.5</b>	<b>2.1</b>	<b>1.9</b>	<b>1.2</b>	<b>0.4</b>	<b>0.6</b>	<b>1.1</b>	<b>1.9</b>	<b>58.3</b>
<b>0-8 YEARS</b>	<b>1.5</b>	<b>0.0</b>	<b>3.3</b>	<b>6.0</b>	<b>6.7</b>	<b>2.8</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>7.3</b>	<b>386.7</b>
<b>9-11 YEARS</b>	<b>1.9</b>	<b>1.6</b>	<b>0.7</b>	<b>1.5</b>	<b>1.7</b>	<b>1.4</b>	<b>0.5</b>	<b>1.0</b>	<b>1.0</b>	<b>1.7</b>	<b>-10.5</b>
<b>12 YEARS</b>	<b>0.6</b>	<b>0.8</b>	<b>1.3</b>	<b>2.1</b>	<b>2.2</b>	<b>1.2</b>	<b>0.4</b>	<b>0.2</b>	<b>1.3</b>	<b>1.7</b>	<b>183.3</b>
<b>13-15 YEARS</b>	<b>1.5</b>	<b>2.2</b>	<b>2.4</b>	<b>2.0</b>	<b>0.6</b>	<b>0.6</b>	<b>0.5</b>	<b>0.5</b>	<b>1.0</b>	<b>2.0</b>	<b>33.3</b>
<b>16 YEARS</b>	<b>1.4</b>	<b>2.4</b>	<b>2.5</b>	<b>2.6</b>	<b>1.2</b>	<b>1.1</b>	<b>0.0</b>	<b>1.0</b>	<b>1.1</b>	<b>1.1</b>	<b>-21.4</b>
<b>17 OR MORE</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>2.9</b>	<b>2.3</b>	<b>1.9</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>EDUCATION</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL LEVELS</b>	<b>2.7</b>	<b>2.8</b>	<b>4.9</b>	<b>6.6</b>	<b>5.9</b>	<b>2.1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.3</b>	<b>-51.9</b>
<b>0-8 YEARS</b>	<b>0.0</b>	<b>0.0</b>	<b>33.3</b>	<b>33.3</b>	<b>28.6</b>	<b>14.3</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>0.0</b>	<b>-</b>
<b>9-11 YEARS</b>	<b>3.5</b>	<b>3.8</b>	<b>0.0</b>	<b>3.4</b>	<b>5.0</b>	<b>4.2</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>12 YEARS</b>	<b>0.0</b>	<b>1.5</b>	<b>5.9</b>	<b>6.6</b>	<b>4.7</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>2.6</b>	<b>-</b>
<b>13-15 YEARS</b>	<b>11.8</b>	<b>6.3</b>	<b>7.7</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>16 YEARS</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>17 OR MORE</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**LINCOLN**

**THREE -YEAR AVERAGES 1985-1996**

<b>EDUCATION</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL LEVELS</b>	<b>1.0</b>	<b>1.1</b>	<b>1.1</b>	<b>1.7</b>	<b>1.5</b>	<b>1.1</b>	<b>0.4</b>	<b>0.6</b>	<b>1.2</b>	<b>2.0</b>	<b>100.0</b>
<b>0-8 YEARS</b>	<b>1.7</b>	<b>0.0</b>	<b>1.8</b>	<b>2.3</b>	<b>2.6</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>7.7</b>	<b>352.9</b>
<b>9-11 YEARS</b>	<b>1.6</b>	<b>1.1</b>	<b>0.8</b>	<b>1.3</b>	<b>1.4</b>	<b>1.1</b>	<b>0.6</b>	<b>1.1</b>	<b>1.0</b>	<b>1.9</b>	<b>18.8</b>
<b>12 YEARS</b>	<b>0.7</b>	<b>0.7</b>	<b>0.7</b>	<b>1.5</b>	<b>1.8</b>	<b>1.4</b>	<b>0.5</b>	<b>0.2</b>	<b>1.4</b>	<b>1.6</b>	<b>128.6</b>
<b>13-15 YEARS</b>	<b>0.5</b>	<b>1.8</b>	<b>1.9</b>	<b>2.1</b>	<b>0.7</b>	<b>0.6</b>	<b>0.6</b>	<b>0.5</b>	<b>1.1</b>	<b>2.1</b>	<b>320.0</b>
<b>16 YEARS</b>	<b>1.4</b>	<b>2.5</b>	<b>2.6</b>	<b>2.7</b>	<b>1.3</b>	<b>1.1</b>	<b>0.0</b>	<b>1.1</b>	<b>1.1</b>	<b>1.2</b>	<b>-14.3</b>
<b>17 OR MORE</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>3.0</b>	<b>2.4</b>	<b>1.9</b>	<b>-</b>

**PERCENT OF MOTHERS WITH SELECTED RISK FACTORS  
RESIDENT DATA, TENNESSEE**

**RACE GROUP**

**ALL RACES**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>EDUCATION LT 9 YEARS</b>	5.7	5.5	5.2	4.7	4.3	3.5	3.3	3.4	3.5	3.8	-33.3
<b>EDUCATION 9-11 YEARS</b>	26.4	27.1	25.1	24.4	22.1	20.8	18.9	19.1	19.8	21.2	-19.7
<b>PARITY 4+</b>	1.8	1.8	2.0	2.1	1.8	1.7	1.9	2.5	3.2	2.7	50.0
<b>PREVIOUS TERMINATION</b>	15.4	16.1	14.0	15.6	14.8	15.5	15.5	14.6	15.2	15.4	0.0
<b>PREV. LIVE BTH NOW DEAD</b>	1.8	1.8	1.3	1.9	1.6	1.9	1.4	1.1	1.4	1.7	-5.6
<b>PREV. LIVE BTH W/IN LAST 24 MO</b>	12.9	14.4	13.0	12.8	11.7	10.4	9.9	9.9	11.2	12.2	-5.4
<b>ONE OR MORE FACTORS</b>	49.5	51.8	48.0	47.4	44.1	42.5	40.6	41.0	43.2	45.4	-8.3

**PERCENT OF MOTHERS WITH SELECTED RISK FACTORS  
RESIDENT DATA, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>EDUCATION LT 9 YEARS</b>	5.5	5.6	2.4	5.7	6.9	7.2	4.3	1.3	0.0	2.7	-50.9
<b>EDUCATION 9- 11 YEARS</b>	39.0	36.1	30.9	27.4	19.8	24.7	20.7	27.3	22.4	28.0	-28.2
<b>PARITY 4+</b>	3.4	3.5	4.1	3.8	4.0	4.1	2.2	1.3	1.3	1.3	-61.8
<b>PREVIOUS TERMINATION</b>	13.7	11.1	8.9	6.6	8.9	12.4	16.3	15.6	19.7	17.3	26.3
<b>PREV. LIVE BTH NOW DEAD</b>	2.1	0.7	0.0	0.0	0.0	1.0	1.1	1.3	1.3	2.7	28.6
<b>PREV. LIVE BTH W/IN LAST 24 MO.</b>	24.7	24.3	22.8	16.0	16.8	15.5	12.0	6.5	6.6	8.0	-67.6
<b>ONE OR MORE FACTORS</b>	63.0	60.4	56.1	48.1	45.5	46.4	43.5	41.6	46.1	52.0	-17.5

**PERCENT OF MOTHERS WITH SELECTED RISK FACTORS  
RESIDENT DATA, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>EDUCATION LT 9 YEARS</b>	5.8	5.5	5.6	4.5	4.1	3.1	3.2	3.5	3.8	3.8	-34.5
<b>EDUCATION 9-11 YEARS</b>	24.6	25.8	24.4	24.1	22.3	20.4	18.8	18.5	19.7	20.7	-15.9
<b>PARITY 4+</b>	1.5	1.6	1.8	2.0	1.6	1.4	1.9	2.6	3.4	2.8	86.7
<b>PREVIOUS TERMINATION</b>	15.7	16.8	14.6	16.6	15.5	15.9	15.5	14.5	14.8	15.3	-2.5
<b>PREV. LIVE BTH NOW DEAD</b>	1.7	1.9	1.5	2.1	1.8	2.0	1.4	1.1	1.4	1.7	0.0
<b>PREV. LIVE BTH W/IN LAST 24 MO.</b>	11.3	13.0	11.9	12.4	11.1	9.9	9.7	10.2	11.5	12.5	10.6
<b>ONE OR MORE FACTORS</b>	47.6	50.6	47.1	47.3	44.0	42.1	40.4	41.0	43.0	44.9	-5.7

**PERCENT OF LIVE BIRTHS BY GESTATIONAL AGE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>WEEKS</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>LT 36 WKS</b>	<b>8.8</b>	<b>8.1</b>	<b>7.1</b>	<b>6.7</b>	<b>7.6</b>	<b>5.7</b>	<b>5.4</b>	<b>5.1</b>	<b>6.5</b>	<b>8.0</b>	<b>-9.1</b>
<b>LT 22</b>	<b>0.4</b>	<b>0.5</b>	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>0.1</b>	<b>0.1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>22-27</b>	<b>0.8</b>	<b>0.8</b>	<b>1.0</b>	<b>1.2</b>	<b>0.9</b>	<b>0.3</b>	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	<b>0.4</b>	<b>-50.0</b>
<b>28-31</b>	<b>1.3</b>	<b>1.3</b>	<b>1.1</b>	<b>1.6</b>	<b>1.3</b>	<b>1.1</b>	<b>0.8</b>	<b>1.2</b>	<b>1.5</b>	<b>1.9</b>	<b>46.2</b>
<b>32-35</b>	<b>6.3</b>	<b>5.6</b>	<b>4.5</b>	<b>3.5</b>	<b>5.0</b>	<b>4.3</b>	<b>4.4</b>	<b>3.7</b>	<b>4.8</b>	<b>5.7</b>	<b>-9.5</b>
<b>36-39</b>	<b>38.3</b>	<b>40.1</b>	<b>40.2</b>	<b>41.2</b>	<b>40.3</b>	<b>40.0</b>	<b>40.3</b>	<b>42.0</b>	<b>45.1</b>	<b>45.9</b>	<b>19.8</b>
<b>40-42</b>	<b>43.6</b>	<b>42.3</b>	<b>43.8</b>	<b>42.5</b>	<b>41.1</b>	<b>41.7</b>	<b>41.6</b>	<b>42.5</b>	<b>39.1</b>	<b>37.2</b>	<b>-14.7</b>
<b>43-46</b>	<b>6.5</b>	<b>6.7</b>	<b>6.4</b>	<b>6.4</b>	<b>5.8</b>	<b>6</b>	<b>6.6</b>	<b>5.9</b>	<b>5.2</b>	<b>4.3</b>	<b>-33.8</b>
<b>47 +</b>	<b>0.9</b>	<b>1.1</b>	<b>0.9</b>	<b>0.7</b>	<b>0.8</b>	<b>1.4</b>	<b>1.6</b>	<b>1.6</b>	<b>1.1</b>	<b>1.2</b>	<b>33.3</b>

**PERCENT OF LIVE BIRTHS BY GESTATIONAL AGE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>WEEKS</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>LT 36 WKS</b>	15.1	16.0	15.4	15.1	14.9	8.2	8.7	7.8	9.2	14.7	-2.6
<b>LT 22</b>	1.4	2.1	2.4	1.9	1.0	0.0	0.0	0.0	0.0	0.0	-100.0
<b>22-27</b>	3.4	4.2	4.1	4.7	3.0	0.0	0.0	0.0	0.0	2.7	-20.6
<b>28-31</b>	3.4	3.5	2.4	2.8	2.0	2.1	1.1	1.3	0.0	0.0	-100.0
<b>32-35</b>	6.8	6.3	6.5	5.7	8.9	6.2	7.6	6.5	9.2	12.0	76.5
<b>36-39</b>	43.8	42.4	43.9	43.4	45.5	42.3	32.6	36.4	43.4	44.0	0.5
<b>40-42</b>	28.1	28.5	31.7	31.1	28.7	33.0	40.2	39.0	34.2	30.7	9.3
<b>43-46</b>	7.5	8.3	6.5	6.6	4	4.1	7.6	6.5	5.3	1.3	-82.7
<b>47 +</b>	1.4	1.4	0	0	1	1	1.1	1.3	1.3	1.3	-7.1

**PERCENT OF LIVE BIRTHS BY GESTATIONAL AGE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>WEEKS</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>LT 36 WKS</b>	7.9	7.0	6.1	5.8	6.8	5.5	5.1	4.8	6.3	7.5	-5.1
<b>LT 22</b>	0.3	0.3	0.2	0.2	0.3	0.1	0.1	0.0	0.0	0.0	-100.0
<b>22-27</b>	0.4	0.3	0.6	0.8	0.6	0.3	0.1	0.1	0.2	0.2	-50.0
<b>28-31</b>	1.0	1.0	1.0	1.4	1.3	1.0	0.7	1.2	1.6	2.1	110.0
<b>32-35</b>	6.3	5.5	4.3	3.3	4.6	4.1	4.1	3.5	4.4	5.2	-17.5
<b>36-39</b>	37.5	39.8	39.7	40.9	39.7	39.8	41.1	42.4	45.3	46.0	22.7
<b>40-42</b>	45.8	44.2	45.3	43.7	42.5	42.6	41.7	42.8	39.5	37.6	-17.9
<b>43-46</b>	6.3	6.5	6.4	6.4	6	6.2	6.5	5.9	5.2	4.5	-28.6
<b>47 +</b>	0.9	1.1	1	0.7	0.7	1.4	1.7	1.6	1.1	1.2	33.3

**PERCENT OF LIVE BIRTHS WITH LATE OR NO PRENATAL CARE, ACCORDING TO MOM'S AGE AND RACE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**LINCOLN**

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL RACES ALL AGES	29.8	29.6	31.1	28.8	27.1	24.1	21.9	20.0	16.8	15.3	-48.7
10-17	67.9	65.8	66.7	51.6	46.0	40.0	38.3	35.5	34.3	34.8	-48.7
18-19	43.4	56.3	52.8	44.8	36.9	35.8	37.4	37.3	33.3	30.4	-30.0
NONWHITE: ALL AGES	52.1	48.4	51.1	53.4	57.6	50.4	42.5	33.7	34.0	30.4	-41.7
10-17	75.0	59.3	57.7	47.8	50.0	35.7	30.0	40.0	77.8	63.6	-15.2
18-19	56.3	76.5	60.9	60.7	58.1	69.6	66.7	55.6	42.9	45.5	-19.2
WHITE: ALL AGES	26.9	27.1	28.3	25.3	22.8	21.0	19.6	18.6	15.0	13.8	-48.7
10-17	64.2	69.2	70.7	52.9	44.9	41.0	40.0	34.6	27.9	29.3	-54.4
18-19	41.1	52.3	51.0	40.9	32.1	29.7	32.5	34.3	32.1	28.7	-30.2

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER	AREA										PERCENT CHANGE 1988-90 TO 1997-99
	LINCOLN										
	THREE -YEAR AVERAGES 1988-1999										
RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	
ONE OR MORE RISK FACTORS		54.7	53.4	52.4	50.3	50.1	51.5	55.6	60.6	63.4	15.9
SMOKING		0.6	0.5	0.6	0.5	0.4	0.4	0.5	0.6	0.8	33.3
C-SECTION		29.5	27.5	25.3	24.4	22.9	22.2	21.6	22.4	24.1	-18.3
WT GAIN < 15#		9.0	10.8	11.7	11.3	11.5	12.2	12.6	13.5	13.3	47.8
ANEMIA		1.7	1.6	1.1	1.0	0.7	0.8	1.1	1.6	1.9	11.8
DIABETES		2.0	2.1	2.5	2.7	3.4	2.7	2.4	3.0	3.7	85.0
HYPERTENSION		5.4	4.5	3.8	3.3	3.2	2.6	3.5	3.4	4.8	-11.1
LABOR/DELIVERY COMPLICATIONS		33.6	31.6	32.0	31.9	31.7	34.2	38.1	44.1	46.1	37.2
ALCOHOL OR DRUG USE		3.1	3.0	2.4	1.9	1.3	1.2	0.9	1.6	2.4	-22.6

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>MOTHER</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>LINCOLN</b>										
<b>10-44</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ONE OR MORE RISK FACTORS</b>		<b>64.5</b>	<b>70.6</b>	<b>72.5</b>	<b>69.5</b>	<b>65.9</b>	<b>60.5</b>	<b>64.0</b>	<b>70.7</b>	<b>73.3</b>	<b>13.6</b>	
<b>SMOKING</b>		<b>0.7</b>	<b>1.7</b>	<b>2.0</b>	<b>1.1</b>	<b>0.0</b>	<b>0.0</b>	<b>1.3</b>	<b>2.7</b>	<b>2.7</b>	<b>285.7</b>	
<b>C-SECTION</b>		<b>31.9</b>	<b>31.1</b>	<b>29.4</b>	<b>20.0</b>	<b>17.6</b>	<b>16.3</b>	<b>24.0</b>	<b>25.3</b>	<b>22.7</b>	<b>-28.8</b>	
<b>WT GAIN &lt; 15#</b>		<b>20.6</b>	<b>26.9</b>	<b>31.4</b>	<b>29.5</b>	<b>25.3</b>	<b>18.6</b>	<b>14.7</b>	<b>17.3</b>	<b>17.3</b>	<b>-16.0</b>	
<b>ANEMIA</b>		<b>3.5</b>	<b>5.9</b>	<b>2.9</b>	<b>3.2</b>	<b>0.0</b>	<b>2.3</b>	<b>2.7</b>	<b>8.0</b>	<b>8.0</b>	<b>128.6</b>	
<b>DIABETES</b>		<b>3.5</b>	<b>3.4</b>	<b>5.9</b>	<b>7.4</b>	<b>7.7</b>	<b>3.5</b>	<b>1.3</b>	<b>1.3</b>	<b>2.7</b>	<b>-22.9</b>	
<b>HYPERTENSION</b>		<b>3.5</b>	<b>3.4</b>	<b>4.9</b>	<b>4.2</b>	<b>3.3</b>	<b>0.0</b>	<b>1.3</b>	<b>1.3</b>	<b>2.7</b>	<b>-22.9</b>	
<b>LABOR/DELIVERY COMPLICATIONS</b>		<b>37.6</b>	<b>41.2</b>	<b>49.0</b>	<b>49.5</b>	<b>49.5</b>	<b>44.2</b>	<b>46.7</b>	<b>49.3</b>	<b>50.7</b>	<b>34.8</b>	
<b>ALCOHOL OR DRUG USE</b>		<b>5.7</b>	<b>6.7</b>	<b>2.9</b>	<b>3.2</b>	<b>2.2</b>	<b>2.3</b>	<b>1.3</b>	<b>2.7</b>	<b>5.3</b>	<b>-7.0</b>	

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER	AREA										PERCENT CHANGE 1988-90 TO 1997-99
	WHITE	LINCOLN									
10-44	THREE -YEAR AVERAGES 1988-1999										
RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	
ONE OR MORE RISK FACTORS		53.2	51.3	50.3	48.6	48.7	50.8	54.9	59.9	62.7	17.9
SMOKING		0.6	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.7	16.7
C-SECTION		29.1	27.0	24.8	25.0	23.4	22.8	21.3	22.2	24.2	-16.8
WT GAIN < 15#		7.3	8.8	9.7	9.4	10.1	11.6	12.4	13.3	13.0	78.1
ANEMIA		1.5	1.1	0.9	0.7	0.8	0.6	1.0	1.1	1.5	0.0
DIABETES		1.8	2.0	2.2	2.2	3.0	2.7	2.5	3.1	3.7	105.6
HYPERTENSION		5.6	4.6	3.7	3.2	3.2	2.9	3.6	3.6	4.9	-12.5
LABOR/DELIVERY COMPLICATIONS		33.0	30.4	30.2	30.3	30.0	33.3	37.4	43.7	45.7	38.5
ALCOHOL OR DRUG USE		2.7	2.5	2.4	1.8	1.2	1.1	0.9	1.5	2.2	-18.5

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER	AREA										PERCENT CHANGE 1988-90 TO 1997-99
	LINCOLN										
	THREE -YEAR AVERAGES 1988-1999										
RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	
ONE OR MORE RISK FACTORS		50.6	52.0	51.7	45.2	44.3	47.8	52.1	63.9	56.3	11.3
SMOKING		2.3	1.3	0.0	0.0	0.0	0.0	1.4	1.6	3.1	34.8
C-SECTION		21.8	20.0	16.7	11.3	11.4	10.1	13.7	16.4	17.2	-21.1
WT GAIN < 15#		6.9	8.0	6.7	3.2	4.3	8.7	9.6	11.5	7.8	13.0
ANEMIA		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	-
DIABETES		4.6	2.7	1.7	1.6	0.0	0.0	0.0	1.6	1.6	-65.2
HYPERTENSION		4.6	5.3	3.3	3.2	1.4	1.4	0.0	0.0	0.0	-100.0
LABOR/DELIVERY COMPLICATIONS		41.4	40.0	40.0	35.5	34.3	34.8	39.7	49.2	45.3	9.4
ALCOHOL OR DRUG USE		1.1	1.3	3.3	3.2	4.3	2.9	2.7	4.9	6.3	472.7

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>MOTHER</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>LINCOLN</b>										
<b>AGE: 10-17</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ONE OR MORE RISK FACTORS</b>		<b>61.1</b>	<b>50.0</b>	<b>40.0</b>	<b>40.0</b>	<b>55.6</b>	<b>63.6</b>	<b>60.0</b>	<b>71.4</b>	<b>44.4</b>	<b>-27.3</b>	
<b>SMOKING</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>10.0</b>	<b>14.3</b>	<b>11.1</b>	<b>-</b>	
<b>C-SECTION</b>		<b>27.8</b>	<b>28.6</b>	<b>20.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>10.0</b>	<b>28.6</b>	<b>22.2</b>	<b>-20.1</b>	
<b>WT GAIN &lt; 15#</b>		<b>16.7</b>	<b>14.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>18.2</b>	<b>20.0</b>	<b>42.9</b>	<b>11.1</b>	<b>-33.5</b>	
<b>ANEMIA</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>11.1</b>	<b>-</b>	
<b>DIABETES</b>		<b>11.1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>HYPERTENSION</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>LABOR/DELIVERY COMPLICATIONS</b>		<b>50.0</b>	<b>42.9</b>	<b>40.0</b>	<b>40.0</b>	<b>55.6</b>	<b>45.5</b>	<b>40.0</b>	<b>42.9</b>	<b>33.3</b>	<b>-33.4</b>	
<b>ALCOHOL OR DRUG USE</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>11.1</b>	<b>-</b>	

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**MOTHER**

**AREA**

**WHITE**

**LINCOLN**

**AGE: 10-17**

**THREE -YEAR AVERAGES 1988-1999**

<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ONE OR MORE RISK FACTORS</b>		<b>47.8</b>	<b>52.5</b>	<b>54.0</b>	<b>46.2</b>	<b>42.6</b>	<b>44.8</b>	<b>50.8</b>	<b>63.0</b>	<b>58.2</b>	<b>21.8</b>
<b>SMOKING</b>		<b>2.9</b>	<b>1.6</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.8</b>	<b>-37.9</b>
<b>C-SECTION</b>		<b>20.3</b>	<b>18.0</b>	<b>16.0</b>	<b>13.5</b>	<b>13.1</b>	<b>12.1</b>	<b>14.3</b>	<b>14.8</b>	<b>16.4</b>	<b>-19.2</b>
<b>WT GAIN &lt; 15#</b>		<b>4.3</b>	<b>6.6</b>	<b>8.0</b>	<b>3.8</b>	<b>4.9</b>	<b>6.9</b>	<b>7.9</b>	<b>7.4</b>	<b>7.3</b>	<b>69.8</b>
<b>ANEMIA</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>DIABETES</b>		<b>2.9</b>	<b>3.3</b>	<b>2.0</b>	<b>1.9</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.9</b>	<b>1.8</b>	<b>-37.9</b>
<b>HYPERTENSION</b>		<b>5.8</b>	<b>6.6</b>	<b>4.0</b>	<b>3.8</b>	<b>1.6</b>	<b>1.7</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>LABOR/DELIVERY COMPLICATIONS</b>		<b>39.1</b>	<b>39.3</b>	<b>40.0</b>	<b>34.6</b>	<b>31.1</b>	<b>32.8</b>	<b>39.7</b>	<b>50.0</b>	<b>47.3</b>	<b>21.0</b>
<b>ALCOHOL OR DRUG USE</b>		<b>1.4</b>	<b>1.6</b>	<b>4.0</b>	<b>3.8</b>	<b>4.9</b>	<b>3.4</b>	<b>3.2</b>	<b>5.6</b>	<b>5.5</b>	<b>292.9</b>

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>MOTHER</b>	<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
	<b>LINCOLN</b>										
	<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	
<b>ONE OR MORE RISK FACTORS</b>		<b>49.4</b>	<b>51.0</b>	<b>51.7</b>	<b>51.6</b>	<b>51.7</b>	<b>50.0</b>	<b>53.8</b>	<b>54.8</b>	<b>61.9</b>	<b>25.3</b>
<b>SMOKING</b>		<b>0.6</b>	<b>0.7</b>	<b>0.7</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.0</b>	<b>0.9</b>	<b>2.7</b>	<b>350.0</b>
<b>C-SECTION</b>		<b>26.2</b>	<b>23.8</b>	<b>20.4</b>	<b>18.3</b>	<b>16.7</b>	<b>18.8</b>	<b>17.3</b>	<b>16.5</b>	<b>15.0</b>	<b>-42.7</b>
<b>WT GAIN &lt; 15#</b>		<b>8.9</b>	<b>13.2</b>	<b>16.3</b>	<b>15.9</b>	<b>13.3</b>	<b>7.1</b>	<b>8.7</b>	<b>10.4</b>	<b>12.4</b>	<b>39.3</b>
<b>ANEMIA</b>		<b>3.0</b>	<b>3.3</b>	<b>2.0</b>	<b>1.6</b>	<b>0.8</b>	<b>0.9</b>	<b>1.0</b>	<b>2.6</b>	<b>2.7</b>	<b>-10.0</b>
<b>DIABETES</b>		<b>1.2</b>	<b>2.0</b>	<b>4.1</b>	<b>3.2</b>	<b>2.5</b>	<b>1.8</b>	<b>1.9</b>	<b>2.6</b>	<b>1.8</b>	<b>50.0</b>
<b>HYPERTENSION</b>		<b>4.8</b>	<b>4.0</b>	<b>4.1</b>	<b>2.4</b>	<b>4.2</b>	<b>4.5</b>	<b>6.7</b>	<b>3.5</b>	<b>8.0</b>	<b>66.7</b>
<b>LABOR/DELIVERY COMPLICATIONS</b>		<b>34.5</b>	<b>33.8</b>	<b>34.7</b>	<b>36.5</b>	<b>40.0</b>	<b>42.0</b>	<b>49.0</b>	<b>46.1</b>	<b>48.7</b>	<b>41.2</b>
<b>ALCOHOL OR DRUG USE</b>		<b>0.6</b>	<b>0.7</b>	<b>0.7</b>	<b>0.8</b>	<b>0.8</b>	<b>0.9</b>	<b>1.0</b>	<b>1.7</b>	<b>2.7</b>	<b>350.0</b>

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**MOTHER**

**AREA**

**NONWHITE**  
**AGE: 18-19**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ONE OR MORE RISK FACTORS</b>		<b>58.1</b>	<b>73.9</b>	<b>76.2</b>	<b>83.3</b>	<b>85.7</b>	<b>72.7</b>	<b>66.7</b>	<b>61.5</b>	<b>61.5</b>	<b>5.9</b>
<b>SMOKING</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>C-SECTION</b>		<b>22.6</b>	<b>21.7</b>	<b>28.6</b>	<b>27.8</b>	<b>28.6</b>	<b>36.4</b>	<b>50.0</b>	<b>15.4</b>	<b>7.7</b>	<b>-65.9</b>
<b>WT GAIN &lt; 15#</b>		<b>22.6</b>	<b>30.4</b>	<b>42.9</b>	<b>44.4</b>	<b>57.1</b>	<b>27.3</b>	<b>16.7</b>	<b>7.7</b>	<b>15.4</b>	<b>-31.9</b>
<b>ANEMIA</b>		<b>3.2</b>	<b>4.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>7.7</b>	<b>7.7</b>	<b>140.6</b>
<b>DIABETES</b>		<b>3.2</b>	<b>4.3</b>	<b>9.5</b>	<b>5.6</b>	<b>7.1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>HYPERTENSION</b>		<b>3.2</b>	<b>4.3</b>	<b>4.8</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>LABOR/DELIVERY COMPLICATIONS</b>		<b>35.5</b>	<b>43.5</b>	<b>47.6</b>	<b>61.1</b>	<b>64.3</b>	<b>63.6</b>	<b>66.7</b>	<b>53.8</b>	<b>46.2</b>	<b>30.1</b>
<b>ALCOHOL OR DRUG USE</b>		<b>3.2</b>	<b>4.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>7.7</b>	<b>7.7</b>	<b>140.6</b>

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>MOTHER</b>		<b>AREA</b>									<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>WHITE</b>		<b>LINCOLN</b>									
<b>AGE: 18-19</b>											
<b>THREE -YEAR AVERAGES 1988-1999</b>											
<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	
<b>ONE OR MORE RISK FACTORS</b>		<b>47.4</b>	<b>46.9</b>	<b>47.6</b>	<b>46.3</b>	<b>47.2</b>	<b>47.5</b>	<b>53.1</b>	<b>53.9</b>	<b>62.0</b>	<b>30.8</b>
<b>SMOKING</b>		<b>0.7</b>	<b>0.8</b>	<b>0.8</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.0</b>	<b>1.0</b>	<b>3.0</b>	<b>328.6</b>
<b>C-SECTION</b>		<b>27.0</b>	<b>24.2</b>	<b>19.0</b>	<b>16.7</b>	<b>15.1</b>	<b>16.8</b>	<b>15.3</b>	<b>16.7</b>	<b>16.0</b>	<b>-40.7</b>
<b>WT GAIN &lt; 15#</b>		<b>5.8</b>	<b>10.2</b>	<b>11.9</b>	<b>11.1</b>	<b>7.5</b>	<b>5.0</b>	<b>8.2</b>	<b>10.8</b>	<b>12.0</b>	<b>106.9</b>
<b>ANEMIA</b>		<b>2.9</b>	<b>3.1</b>	<b>2.4</b>	<b>1.9</b>	<b>0.9</b>	<b>1.0</b>	<b>1.0</b>	<b>2.0</b>	<b>2.0</b>	<b>-31.0</b>
<b>DIABETES</b>		<b>0.7</b>	<b>1.6</b>	<b>3.2</b>	<b>2.8</b>	<b>1.9</b>	<b>2.0</b>	<b>2.0</b>	<b>2.9</b>	<b>2.0</b>	<b>185.7</b>
<b>HYPERTENSION</b>		<b>5.1</b>	<b>3.9</b>	<b>4.0</b>	<b>2.8</b>	<b>4.7</b>	<b>5.0</b>	<b>7.1</b>	<b>3.9</b>	<b>9.0</b>	<b>76.5</b>
<b>LABOR/DELIVERY COMPLICATIONS</b>		<b>34.3</b>	<b>32.0</b>	<b>32.5</b>	<b>32.4</b>	<b>36.8</b>	<b>39.6</b>	<b>48.0</b>	<b>45.1</b>	<b>49.0</b>	<b>42.9</b>
<b>ALCOHOL OR DRUG USE</b>		<b>0.0</b>	<b>0.0</b>	<b>0.8</b>	<b>0.9</b>	<b>0.9</b>	<b>1.0</b>	<b>1.0</b>	<b>1.0</b>	<b>2.0</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS WITH HIGH PARITY, ACCORDING TO MOM'S AGE AND RACE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**LINCOLN**

THREE -YEAR AVERAGES 1988-1999

RACE/AGE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
<b>ALL RACES</b>											
UNDER 30	0.5	0.9	0.8	0.7	0.5	0.6	0.9	0.9	0.9	0.8	60.0
30 AND UP	10.8	8.0	7.0	6.5	7.7	7.8	7.3	5.4	4.4	5.7	-47.2
<b>NONWHITE:</b>											
UNDER 30	0.0	0.9	0.8	0.8	0.8	0.9	2.1	2.3	3.4	2.5	#DIV/0!
30 AND UP	16.7	0.0	10.0	28.6	28.6	23.5	16.7	14.3	10.0	0.0	-100.0
<b>WHITE:</b>											
UNDER 30	0.5	0.9	0.8	0.7	0.5	0.6	0.8	0.7	0.6	0.6	20.0
30 AND UP	10.3	8.4	6.9	5.0	6.2	6.5	6.7	4.8	4.2	6.1	-40.8

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**ALL RACES**

**AREA**  
**LINCOLN**

**YEAR**  
**1995**

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTH	0	1	2	3	4+	UNK
<b>10-17</b>	<b>1,574</b>	<b>29</b>	<b>29</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>193</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>190</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>188</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>191</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>195</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>202</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>207</b>	<b>14</b>	<b>14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>208</b>	<b>12</b>	<b>12</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**NONWHITE**

**AREA**  
**LINCOLN**

**YEAR**  
**1995**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTH</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>178</b>	<b>4</b>	<b>4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>23</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>22</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>22</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>22</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>22</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>22</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>21</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**WHITE**

**AREA**  
**LINCOLN**

**YEAR**  
**1995**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTH</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>1,396</b>	<b>25</b>	<b>25</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>169</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>167</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>166</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>169</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>173</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>180</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>185</b>	<b>11</b>	<b>11</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>187</b>	<b>12</b>	<b>12</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**ALL RACES**

**AREA**  
**LINCOLN**

**YEAR**  
**1996**

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
<b>10-17</b>	<b>1,577</b>	<b>21</b>	<b>19</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>193</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>190</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>189</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>190</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>195</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>202</b>	<b>4</b>	<b>4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>209</b>	<b>5</b>	<b>4</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>209</b>	<b>12</b>	<b>11</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**NONWHITE**

**AREA**  
**LINCOLN**

**YEAR**  
**1996**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>179</b>	<b>5</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>23</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>23</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>22</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>22</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>22</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>22</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>21</b>	<b>5</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**WHITE**

**AREA**  
**LINCOLN**

**YEAR**  
**1996**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>1,398</b>	<b>16</b>	<b>14</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>169</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>167</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>166</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>168</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>173</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>180</b>	<b>4</b>	<b>4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>187</b>	<b>5</b>	<b>4</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>188</b>	<b>7</b>	<b>6</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**ALL RACES**

**AREA**  
**LINCOLN**

**YEAR**  
**1997**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>1,599</b>	<b>23</b>	<b>22</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>196</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>193</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>191</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>194</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>197</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>205</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>211</b>	<b>7</b>	<b>7</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>212</b>	<b>13</b>	<b>12</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**NONWHITE**

**AREA**  
**LINCOLN**

**YEAR**  
**1997**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>181</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>25</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>23</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>23</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>22</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>22</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>21</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>21</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**WHITE**

**AREA**  
**LINCOLN**

**YEAR**  
**1997**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>1,418</b>	<b>22</b>	<b>21</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>171</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>169</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>168</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>171</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>175</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>183</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>190</b>	<b>6</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>191</b>	<b>13</b>	<b>12</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**ALL RACES**

**AREA**  
**LINCOLN**

**YEAR**  
**1998**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>1,628</b>	<b>17</b>	<b>15</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>200</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>195</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>195</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>196</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>201</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>209</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>216</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>216</b>	<b>12</b>	<b>10</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**NONWHITE**

**AREA**  
**LINCOLN**

**YEAR**  
**1998**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>185</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>26</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>23</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>23</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>22</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>22</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>21</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**WHITE**

**AREA**  
**LINCOLN**

**YEAR**  
**1998**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>1,443</b>	<b>16</b>	<b>14</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>174</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>171</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>171</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>173</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>178</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>187</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>194</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>195</b>	<b>12</b>	<b>10</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**ALL RACES**

**AREA**  
**LINCOLN**

**YEAR**  
**1999**

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
<b>10-17</b>	<b>1,627</b>	<b>24</b>	<b>24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>200</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>195</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>194</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>196</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>201</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>209</b>	<b>6</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>216</b>	<b>6</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>216</b>	<b>10</b>	<b>10</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**NONWHITE**

**AREA**  
**LINCOLN**

**YEAR**  
**1999**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>184</b>	<b>7</b>	<b>7</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>26</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>25</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>24</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>23</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>23</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>22</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>21</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>20</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>WHITE</b>

<b>AREA</b>
<b>LINCOLN</b>

<b>YEAR</b>
<b>1999</b>

AGE	POP.	#BIRTHS	PREVIOUS LIVE BIRTHS, NOW LIVING					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>1,443</b>	<b>17</b>	<b>17</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>174</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>170</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>170</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>173</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>178</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>187</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>195</b>	<b>6</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>196</b>	<b>8</b>	<b>8</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>ALL RACES</b>

<b>AREA</b>
<b>LINCOLN</b>

<b>5 YEAR AVE.</b>
<b>1995-1999</b>

AGE	POP.	#BIRTHS	PREVIOUS LIVE BIRTHS, NOW LIVING					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>1,601</b>	<b>23</b>	<b>22</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>196</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>193</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>191</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>193</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>198</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>205</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>212</b>	<b>7</b>	<b>7</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>212</b>	<b>12</b>	<b>11</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>NONWHITE</b>

<b>AREA</b>
<b>LINCOLN</b>

<b>5 YEAR AVE.</b>
<b>1995-1999</b>

AGE	POP.	#BIRTHS	PREVIOUS LIVE BIRTHS, NOW LIVING					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>181</b>	<b>4</b>	<b>4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>25</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>23</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>23</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>22</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>22</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>22</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>21</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>WHITE</b>

<b>AREA</b>
<b>LINCOLN</b>

<b>5 YEAR AVE.</b>
<b>1995-1999</b>

AGE	POP.	#BIRTHS	PREVIOUS LIVE BIRTHS, NOW LIVING					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>1,420</b>	<b>19</b>	<b>18</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>171</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>169</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>168</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>171</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>175</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>183</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>190</b>	<b>6</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>191</b>	<b>10</b>	<b>10</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>ALL RACES</b>

<b>AREA</b>
<b>LINCOLN</b>

<b>YEAR</b>
<b>1995</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>1,574</b>	<b>29</b>	<b>28</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>193</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>190</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>188</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>191</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>195</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>202</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>207</b>	<b>14</b>	<b>14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>208</b>	<b>12</b>	<b>11</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>NONWHITE</b>

<b>AREA</b>
<b>LINCOLN</b>

<b>YEAR</b>
<b>1995</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>178</b>	<b>4</b>	<b>4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>23</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>22</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>22</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>22</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>22</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>22</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>21</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>WHITE</b>

<b>AREA</b>
<b>LINCOLN</b>

<b>YEAR</b>
<b>1995</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>1,396</b>	<b>25</b>	<b>24</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>169</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>167</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>166</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>169</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>173</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>180</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>185</b>	<b>11</b>	<b>11</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>187</b>	<b>12</b>	<b>11</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>ALL RACES</b>

<b>AREA</b>
<b>LINCOLN</b>

<b>YEAR</b>
<b>1996</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>1,577</b>	<b>21</b>	<b>18</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>193</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>190</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>189</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>190</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>195</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>202</b>	<b>4</b>	<b>4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>209</b>	<b>5</b>	<b>4</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>209</b>	<b>12</b>	<b>10</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>NONWHITE</b>

<b>AREA</b>
<b>LINCOLN</b>

<b>YEAR</b>
<b>1996</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>179</b>	<b>5</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>23</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>23</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>22</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>22</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>22</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>22</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>21</b>	<b>5</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>WHITE</b>

<b>AREA</b>
<b>LINCOLN</b>

<b>YEAR</b>
<b>1996</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>1,398</b>	<b>16</b>	<b>13</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>169</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>167</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>166</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>168</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>173</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>180</b>	<b>4</b>	<b>4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>187</b>	<b>5</b>	<b>4</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>188</b>	<b>7</b>	<b>5</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>ALL RACES</b>

<b>AREA</b>
<b>LINCOLN</b>

<b>YEAR</b>
<b>1997</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>1,599</b>	<b>23</b>	<b>22</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>196</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>193</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>191</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>194</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>197</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>205</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>211</b>	<b>7</b>	<b>7</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>212</b>	<b>13</b>	<b>12</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>NONWHITE</b>

<b>AREA</b>
<b>LINCOLN</b>

<b>YEAR</b>
<b>1997</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>181</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>25</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>23</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>23</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>22</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>22</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>21</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>21</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>WHITE</b>

<b>AREA</b>
<b>LINCOLN</b>

<b>YEAR</b>
<b>1997</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>1,418</b>	<b>22</b>	<b>21</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>171</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>169</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>168</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>171</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>175</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>183</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>190</b>	<b>6</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>191</b>	<b>13</b>	<b>12</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>ALL RACES</b>

<b>AREA</b>
<b>LINCOLN</b>

<b>YEAR</b>
<b>1998</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>1,628</b>	<b>17</b>	<b>14</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>200</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>195</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>195</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>196</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>201</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>209</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>216</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>216</b>	<b>12</b>	<b>9</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>NONWHITE</b>

<b>AREA</b>
<b>LINCOLN</b>

<b>YEAR</b>
<b>1998</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>185</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>26</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>23</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>23</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>22</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>22</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>21</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>WHITE</b>

<b>AREA</b>
<b>LINCOLN</b>

<b>YEAR</b>
<b>1998</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>1,443</b>	<b>16</b>	<b>13</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>174</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>171</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>171</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>173</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>178</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>187</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>194</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>195</b>	<b>12</b>	<b>9</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>ALL RACES</b>

<b>AREA</b>
<b>LINCOLN</b>

<b>YEAR</b>
<b>1999</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>1,627</b>	<b>24</b>	<b>24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>200</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>195</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>194</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>196</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>201</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>209</b>	<b>6</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>216</b>	<b>6</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>216</b>	<b>10</b>	<b>10</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>NONWHITE</b>

<b>AREA</b>
<b>LINCOLN</b>

<b>YEAR</b>
<b>1999</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>184</b>	<b>7</b>	<b>7</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>26</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>25</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>24</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>23</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>23</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>22</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>21</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>20</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>WHITE</b>

<b>AREA</b>
<b>LINCOLN</b>

<b>YEAR</b>
<b>1999</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>1,443</b>	<b>17</b>	<b>17</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>174</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>170</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>170</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>173</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>178</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>187</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>195</b>	<b>6</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>196</b>	<b>8</b>	<b>8</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>		<b>AREA</b>		<b>5 YEAR AVE.</b>				
<b>ALL RACES</b>		<b>LINCOLN</b>		<b>1995-1999</b>				
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>PREVIOUS PREGNANCIES</b>					
			<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>1,601</b>	<b>23</b>	<b>21</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>196</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>193</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>191</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>193</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>198</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>205</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>212</b>	<b>7</b>	<b>7</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>212</b>	<b>12</b>	<b>10</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>NONWHITE</b>

<b>AREA</b>
<b>LINCOLN</b>

<b>5 YEAR AVE.</b>
<b>1995-1999</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>181</b>	<b>4</b>	<b>4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>25</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>23</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>23</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>22</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>22</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>22</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>21</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>		<b>AREA</b>		<b>5 YEAR AVE.</b>				
<b>WHITE</b>		<b>LINCOLN</b>		<b>1995-1999</b>				
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>PREVIOUS PREGNANCIES</b>					<b>UNK</b>
			<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	
<b>10-17</b>	<b>1,420</b>	<b>19</b>	<b>18</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>171</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>169</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>168</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>171</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>175</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>183</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>190</b>	<b>6</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>191</b>	<b>10</b>	<b>9</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF INFANT, NEONATAL, AND POSTNEONATAL DEATHS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

AGE/RACE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
<u>INFANT:</u> ALL RACES	3	4	5	5	4	2	1	2	3	3	0.0
NONWHITE	1	1	1	1	0	0	0	0	0	1	0.0
WHITE	2	3	4	4	3	2	1	1	2	2	0.0
<u>NEONATAL:</u> ALL RACES	2	2	3	3	2	1	0	1	2	2	0.0
NONWHITE	0	0	1	0	0	0	0	0	0	0	-
WHITE	2	2	2	3	2	1	0	1	2	2	0.0
<u>POSTNEONATAL:</u> ALL RACES	1	2	2	2	1	1	1	1	1	1	0.0
NONWHITE	1	1	1	0	0	0	0	0	0	0	-100.0
WHITE	0	1	2	2	1	1	1	1	1	1	-

**INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES (DEATHS PER 1,000 LIVE BIRTHS),  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

AGE/RACE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
<b><u>INFANT:</u></b>											
<b>ALL RACES</b>	7.6	10.2	13.1	14.0	10.6	4.9	3.9	4.7	7.6	8.3	9.2
NONWHITE	20.5	20.8	32.5	18.9	9.9	0.0	0.0	13.0	13.2	26.7	30.2
WHITE	5.8	8.8	10.8	13.4	10.7	5.4	4.2	4.0	7.2	6.9	19.0
<b><u>NEONATAL:</u></b>											
<b>ALL RACES</b>	5.1	5.1	7.0	8.4	6.7	1.9	1.0	1.9	4.8	5.5	7.8
NONWHITE	6.8	6.9	16.3	9.4	9.9	0.0	0.0	0.0	0.0	13.3	95.6
WHITE	4.8	4.9	5.9	8.3	6.4	2.1	1.1	2.0	5.1	4.9	2.1
<b><u>POSTNEONATAL:</u></b>											
<b>ALL RACES</b>	2.6	4.9	6.2	5.4	3.8	3.1	2.9	2.8	2.9	2.9	11.5
NONWHITE	13.7	13.9	16.3	9.4	0.0	0.0	0.0	13.0	13.2	13.3	-2.9
WHITE	1.0	3.9	4.9	5.2	4.3	3.2	3.2	2.0	2.1	2.0	100.0

Note: All rates shown are based on race of mother as denominator

**CRUDE MORTALITY RATES (DEATHS PER 1,000 POPULATION) BY RACE AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**LINCOLN**

**THREE -YEAR AVERAGE CRUDE MORTALITY RATES 1988-1999**

<b>RACE/SEX</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>TOTAL</b>	11.3	11.4	11.4	11.8	12.2	12.2	11.6	11.8	11.9	12.3	8.8
<b>NONWHITE</b>	14.8	14.4	13.3	14.2	14.3	14.9	11.8	12.2	12.3	12.7	-14.2
<b>WHITE</b>	10.9	11.1	11.2	11.5	12.0	11.9	11.5	11.8	11.9	12.3	12.8
<b>SEX:</b>											
<b>FEMALE</b>	10.0	10.3	10.3	10.9	11.4	11.5	11.3	11.2	11.3	11.2	12.0
<b>MALE</b>	12.7	12.5	12.6	12.8	13.0	12.9	11.8	12.5	12.6	13.5	6.3
<b>RACE-SEX:</b>											
<b>NONWHITE FEMALE</b>	14.2	13.5	12.1	12.9	13.1	13.2	9.6	9.6	10.4	10.4	-26.8
<b>WHITE FEMALE</b>	9.5	9.9	10.1	10.6	11.3	11.4	11.5	11.3	11.3	11.3	18.9
<b>NONWHITE MALE</b>	15.4	15.5	14.7	15.7	15.9	17.0	14.5	14.5	14.6	15.6	1.3
<b>WHITE MALE</b>	12.4	12.2	12.4	12.5	12.7	12.6	11.6	12.2	12.5	13.3	7.3

**AGE AND RACE SPECIFIC CRUDE MORTALITY RATES PER 1,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	11.3	11.4	11.4	11.8	12.2	12.2	11.6	11.8	11.9	12.3	8.8
<b>UNDER 1</b>	8.4	11.2	13.9	13.7	10.0	4.5	3.6	4.4	6.9	7.7	-8.3
<b>1-4</b>	0.9	0.0	0.0	0.2	0.2	0.2	0.0	0.4	0.6	0.6	-33.3
<b>5-14</b>	0.4	0.4	0.1	0.2	0.2	0.2	0.2	0.4	0.4	0.3	-25.0
<b>15-24</b>	1.0	1.0	1.1	1.2	1.1	0.9	0.7	0.8	1.1	1.0	0.0
<b>25-44</b>	1.8	1.9	1.7	1.7	1.8	2.0	1.7	2.3	2.2	2.7	50.0
<b>45-64</b>	8.8	8.9	9.3	9.9	9.8	9.3	8.5	8.9	9.1	9.1	3.4
<b>65 AND UP</b>	55.4	55.7	55.5	56.9	59.8	60.9	58.9	58.3	58.8	60.6	9.4

**AGE AND RACE SPECIFIC CRUDE MORTALITY RATES PER 1,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	14.9	14.4	13.4	14.2	14.5	14.7	11.9	12.1	12.3	12.6	-15.4
<b>UNDER 1</b>	20.3	20.4	27.4	14.1	7.2	0.0	0.0	7.6	7.8	15.7	-22.7
<b>1-4</b>	1.8	0.0	0.0	1.8	1.8	1.8	0.0	0.0	0.0	0.0	-100.0
<b>5-14</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.7	-
<b>15-24</b>	0.8	0.9	0.9	0.9	0.9	0.9	1.0	1.0	2.0	1.0	25.0
<b>25-44</b>	4.1	4.0	1.8	0.9	2.7	2.8	3.3	2.8	3.8	3.8	-7.3
<b>45-64</b>	14.2	11.3	10.6	14.4	16.0	16.8	13.9	16.2	16.9	16.8	18.3
<b>65 AND UP</b>	84.9	86.7	85.1	90.7	89.1	92.8	74.6	73.4	72.0	76.6	-9.8

**AGE AND RACE SPECIFIC CRUDE MORTALITY RATES PER 1,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>10.9</b>	<b>11.1</b>	<b>11.2</b>	<b>11.5</b>	<b>12.0</b>	<b>11.9</b>	<b>11.5</b>	<b>11.8</b>	<b>11.9</b>	<b>12.3</b>	<b>12.8</b>
<b>UNDER 1</b>	<b>6.5</b>	<b>9.7</b>	<b>11.8</b>	<b>13.7</b>	<b>10.4</b>	<b>5.1</b>	<b>4.0</b>	<b>4.0</b>	<b>6.8</b>	<b>6.7</b>	<b>3.1</b>
<b>1-4</b>	<b>0.8</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.5</b>	<b>0.7</b>	<b>0.7</b>	<b>-12.5</b>
<b>5-14</b>	<b>0.5</b>	<b>0.5</b>	<b>0.1</b>	<b>0.2</b>	<b>0.3</b>	<b>0.3</b>	<b>0.3</b>	<b>0.4</b>	<b>0.4</b>	<b>0.3</b>	<b>-40.0</b>
<b>15-24</b>	<b>1.1</b>	<b>1.0</b>	<b>1.2</b>	<b>1.3</b>	<b>1.1</b>	<b>0.9</b>	<b>0.7</b>	<b>0.8</b>	<b>1.1</b>	<b>1.1</b>	<b>0.0</b>
<b>25-44</b>	<b>1.6</b>	<b>1.6</b>	<b>1.7</b>	<b>1.8</b>	<b>1.8</b>	<b>1.9</b>	<b>1.6</b>	<b>2.3</b>	<b>2.1</b>	<b>2.6</b>	<b>62.5</b>
<b>45-64</b>	<b>8.4</b>	<b>8.7</b>	<b>9.2</b>	<b>9.6</b>	<b>9.3</b>	<b>8.8</b>	<b>8.1</b>	<b>8.4</b>	<b>8.6</b>	<b>8.6</b>	<b>2.4</b>
<b>65 AND UP</b>	<b>53.0</b>	<b>53.3</b>	<b>53.3</b>	<b>54.4</b>	<b>57.7</b>	<b>58.6</b>	<b>57.9</b>	<b>57.3</b>	<b>57.9</b>	<b>59.6</b>	<b>12.5</b>

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
<b>1-4 YEARS</b>	<b>LINCOLN</b>										
	THREE -YEAR AVERAGES 1988-1999										
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	45.1	0.0	0.0	21.8	21.6	21.4	0.0	0.0	20.6	20.2	-55.2
CONGENITAL ANOMALIES	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
STATEWIDE FEWER THAN 10 DEATHS IN EACH REMAINING CAUSE											

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
<b>5-14 YEARS</b>	<b>LINCOLN</b>										
THREE -YEAR AVERAGES 1988-1999											
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	42.2	41.9	0.0	8.2	16.4	16.3	8.1	16.0	23.7	23.3	-44.8
MALIGNANT NEOPLASMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
HOMICIDE	0.0	0.0	0.0	0.0	0.0	0.0	8.1	8.0	7.9	0.0	-
SUICIDE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
STATEWIDE FEWER THAN 10 DEATHS IN EACH REMAINING CAUSE											

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
15-24 YEARS	LINCOLN										
THREE -YEAR AVERAGES 1988-1999											
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	69.1	52.4	79.1	79.1	79.3	61.9	53.2	44.2	43.9	52.3	-24.3
HOMICIDE	0.0	0.0	0.0	8.8	8.8	8.8	8.9	8.8	35.1	26.2	-
SUICIDE	17.3	17.5	8.8	17.6	17.6	17.7	0.0	8.8	8.8	8.7	-49.7
MALIGNANT NEOPLASMS	0.0	0.0	0.0	0.0	0.0	0.0	8.9	17.7	17.6	8.7	-
DISEASES OF THE HEART	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
REMAINING CAUSES HAVE FEWER THAN 10 CASES STATEWIDE.											

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
25-44 YEARS	LINCOLN										
THREE -YEAR AVERAGES 1988-1999											
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	41.6	45.3	36.9	40.9	28.7	20.5	24.7	61.6	81.4	89.0	113.9
MALIGNANT NEOPLASMS	25.0	24.7	28.7	24.6	32.8	37.0	28.8	24.6	8.1	20.2	-19.2
DISEASES OF THE HEART	54.1	45.3	32.8	32.8	41.0	45.2	32.9	45.1	48.9	60.7	12.2
HIV / AIDS	4.2	8.2	4.1	4.1	0.0	8.2	12.4	12.3	4.1	4.0	-4.8
SUICIDE	12.5	16.5	20.5	20.5	20.5	20.5	16.5	16.4	20.4	28.3	126.4
HOMICIDE	0.0	8.2	12.3	20.5	20.5	16.4	12.4	8.2	12.2	12.1	-
CEREBROVASCULAR DISEASE	8.3	8.2	4.1	0.0	0.0	4.1	8.2	12.3	8.1	4.0	-51.8
CHRONIC LIVER DISEASE & CIRRHOSIS	8.3	8.2	4.1	4.1	8.2	16.4	12.4	8.2	0.0	4.0	-51.8
DIABETES MELLITUS	4.2	4.1	4.1	0.0	0.0	0.0	0.0	12.3	12.2	12.1	188.1

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
<b>45-64 YEARS</b>	<b>LINCOLN</b>										
	<b>THREE -YEAR AVERAGES 1988-1999</b>										
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
MALIGNANT NEOPLASMS	338.5	308.3	326.8	322.9	309.2	264.0	235.4	268.2	268.2	243.6	-28.0
DISEASES OF THE HEART	316.3	352.3	397.6	387.5	362.5	322.0	303.5	324.9	354.3	347.9	10.0
CEREBROVASCULAR DISEASE	33.3	27.5	21.8	32.3	21.3	42.2	31.4	41.3	30.4	44.7	34.2
ACCIDENTS AND ADVERSE EFFECTS	49.9	33.0	21.8	53.8	64.0	79.2	62.8	61.9	55.7	59.6	19.4
CHRONIC OBSTRUCTIVE PULMONARY DISEASE	33.3	27.5	27.2	16.1	37.3	26.4	31.4	10.3	25.3	34.8	4.5
DIABETES MELLITUS	11.1	11.0	10.9	10.8	10.7	10.6	20.9	10.3	15.2	5.0	-55.0
CHRONIC LIVER DISEASE & CIRRHOSIS	0.0	5.5	5.4	10.8	10.7	31.7	26.2	51.6	30.4	34.8	-
SUICIDE	11.1	22.0	27.2	26.9	10.7	15.8	15.7	25.8	30.4	24.9	124.3
PNEUMONIA & INFLUENZA	16.6	0.0	0.0	10.8	10.7	15.8	10.5	10.3	15.2	9.9	-40.4

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
<b>65 YEARS +</b>	<b>LINCOLN</b>										
THREE -YEAR AVERAGES 1988-1999											
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
DISEASES OF THE HEART	2,412.3	2,490.4	2,457.8	2,475.9	2,500.2	2,606.4	2,654.4	2,559.6	2,401.5	2,150.0	-10.9
MALIGNANT NEOPLASMS	1,101.5	1,072.8	1,194.6	1,215.2	1,261.5	1,231.0	1,125.6	1,128.4	1,200.8	1,316.8	19.5
CEREBROVASCULAR DISEASE	519.7	513.4	517.4	531.6	615.5	645.9	623.7	605.8	562.9	624.9	20.2
CHRONIC OBSTRUCTIVE PULMONARY DISEASE	209.4	229.9	182.6	197.5	205.2	250.8	228.2	189.3	172.6	223.2	62.8
PNEUMONIA AND INFLUENZA	178.4	153.3	144.6	129.1	159.6	197.6	251.0	249.9	240.2	230.6	29.3
DIABETES MELLITUS	100.8	99.6	98.9	98.7	106.4	91.2	91.3	121.2	135.1	119.0	18.1
ACCIDENTS AND ADVERSE EFFECTS	62.1	69.0	53.3	106.3	121.6	136.8	106.5	98.4	120.1	111.6	79.7
ALZHEIMER'S DISEASE	31.0	38.3	30.4	53.2	76.0	91.2	91.3	90.9	75.0	96.7	211.9
ATHEROSCLEROSIS	38.8	61.3	60.9	60.8	38.0	30.4	15.2	15.1	7.5	7.4	-80.9

**AGE-ADJUSTED MORTALITY RATES BY RACE AND SEX, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**LINCOLN**

**THREE -YEAR AVERAGE AGE-ADJUSTED MORTALITY RATES 1988-1999**

RACE/SEX	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE
<b>WHITE:</b>											1988-90 TO 1997-99
MALES	753.7	747.1	750.7	759.1	751.3	747.1	690.8	742.8	764.0	808.7	7.3
FEMALES	404.7	372.8	390.4	380.7	386.2	394.4	420.4	394.1	402.3	396.8	-2.0
<b>NONWHITE:</b>											1985-87 TO 1994-96
MALES	1,000.1	895.1	944.5	1,018.3	970.2	935.7	1,040.6	1,278.6	1,361.7	1,385.7	38.6
FEMALES	618.5	643.1	739.7	918.5	840.5	694.2	731.3	535.7	650.2	683.0	10.4

**YEARS OF POTENTIAL LIFE LOST, BY RACE AND SEX, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**LINCOLN**

**THREE -YEAR AVERAGE YEARS OF POTENTIAL LIFE LOST 1988-1999**

<b>RACE/SEX</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b><u>RACE:</u></b>											
ALL RACES	1,381	1,411	1,381	1,488	1,417	1,300	1,119	1,409	1,532	1,629	18.0
NONWHITE	247	216	184	164	186	162	130	160	183	196	-20.6
WHITE	1,134	1,195	1,197	1,325	1,232	1,138	989	1,249	1,349	1,433	26.4
<b><u>SEX:</u></b>											
FEMALE	538	531	534	536	541	430	358	441	499	541	0.6
MALE	843	880	847	952	876	870	762	968	1,033	1,088	29.1
<b><u>RACE-SEX:</u></b>											
NONWHITE FEMALE	139	140	105	57	38	32	28	38	47	80	-42.4
WHITE FEMALE	399	391	429	479	503	398	330	403	453	461	15.5
NONWHITE MALE	108	77	80	107	147	131	102	122	137	117	8.3
WHITE MALE	735	804	767	845	729	740	660	846	897	972	32.2

**LEADING CAUSES OF DEATH BASED ON YEARS OF PRODUCTIVE LIFE LOST  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**LINCOLN**

**THREE -YEAR AVERAGE YEARS OF PRODUCTIVE LIFE LOST 1988-1999**

CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	381	320	243	307	294	249	205	290	386	412	8.1
MALIGNANT NEOPLASMS	215	210	232	217	227	218	195	252	217	223	3.7
DISEASES OF THE HEART.	270	265	238	240	260	273	237	295	298	340	25.9
BIRTH TRAUMA*	129	129	151	151	108	22	22	22	43	65	-49.6
HOMICIDE	0	25	33	73	73	75	82	70	117	83	-
SUICIDE	62	87	85	103	88	87	45	67	83	102	64.5
CONGENITAL ANOMALIES	22	65	86	113	48	45	18	48	51	53	140.9
AIDS	17	30	13	13	0	23	35	35	12	8	-52.9
CEREBROVASCULAR DISEASE	51	25	15	13	10	32	33	52	33	30	-41.2

\*Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome.

**BREAST CANCER MORTALITY RATES PER 100,000 FEMALES, SPECIFIC AGE GROUPS,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**LINCOLN**

**THREE -YEAR AVERAGE MORTALITY RATES 1988-1999**

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
WOMEN 40+	75.4	79.5	68.8	58.4	72.5	67.1	66.7	-	-	-	-
WOMEN 50+	89.3	95.4	74.4	67.2	80.4	66.7	59.8	-	-	-	-

**NUMBER OF MOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>10</b>	<b>8</b>	<b>7</b>	<b>10</b>	<b>11</b>	<b>11</b>	<b>9</b>	<b>8</b>	<b>10</b>	<b>10</b>	<b>0.0</b>
<b>UNDER 1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>1-4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>5-14</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-100.0</b>
<b>15-24</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>-50.0</b>
<b>25-44</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>5</b>	<b>5</b>	<b>66.7</b>
<b>45-64</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>3</b>	<b>4</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>0.0</b>
<b>65 AND UP</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>0.0</b>

**NUMBER OF MOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0.0</b>
<b>UNDER 1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>1-4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>5-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>
<b>15-24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>
<b>25-44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>
<b>45-64</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.0</b>
<b>65 AND UP</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>

**NUMBER OF MOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>9</b>	<b>7</b>	<b>6</b>	<b>9</b>	<b>11</b>	<b>10</b>	<b>8</b>	<b>8</b>	<b>10</b>	<b>10</b>	<b>11.1</b>
<b>UNDER 1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>1-4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>5-14</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-100.0</b>
<b>15-24</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>-50.0</b>
<b>25-44</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>150.0</b>
<b>45-64</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>3</b>	<b>4</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>-50.0</b>
<b>65 AND UP</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>100.0</b>

**MOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	34.6	27.2	23.5	34.0	39.7	37.3	30.2	28.8	35.3	34.9	0.9
<b>UNDER 1</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
<b>1-4</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.6	20.2	-
<b>5-14</b>	25.3	25.1	0.0	8.2	16.4	16.3	8.1	8.0	7.9	7.8	-69.2
<b>15-24</b>	60.4	34.9	61.5	61.5	61.7	44.2	35.5	35.4	35.1	34.9	-42.2
<b>25-44</b>	33.3	33.0	28.7	32.8	24.6	16.4	20.6	41.0	57.0	60.7	82.3
<b>45-64</b>	33.3	16.5	10.9	48.4	64.0	68.6	47.1	30.9	25.3	24.9	-25.2
<b>65 AND UP</b>	38.8	38.3	30.4	30.4	53.2	60.8	53.2	30.3	45.0	37.2	-4.1

**MOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>38.8</b>	<b>38.9</b>	<b>13.0</b>	<b>13.1</b>	<b>13.3</b>	<b>13.4</b>	<b>13.5</b>	<b>27.2</b>	<b>27.3</b>	<b>27.3</b>	<b>-29.6</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>25-44</b>	<b>45.2</b>	<b>44.7</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>47.0</b>	<b>47.3</b>	<b>47.6</b>	<b>0.0</b>	<b>-100.0</b>
<b>45-64</b>	<b>74.7</b>	<b>75.2</b>	<b>0.0</b>	<b>75.6</b>	<b>76.1</b>	<b>76.6</b>	<b>0.0</b>	<b>77.1</b>	<b>76.7</b>	<b>153.0</b>	<b>104.8</b>
<b>65 AND UP</b>	<b>103.5</b>	<b>104.5</b>	<b>106.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>

**MOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	34.1	26.1	24.6	36.0	42.3	39.6	31.8	29.0	36.1	35.6	4.4
<b>UNDER 1</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
<b>1-4</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.4	22.9	-
<b>5-14</b>	28.5	28.3	0.0	9.3	18.4	18.3	9.1	9.0	8.9	8.8	-69.1
<b>15-24</b>	67.3	38.8	68.2	68.1	68.2	48.8	39.0	38.9	38.5	38.2	-43.2
<b>25-44</b>	32.1	31.8	31.6	36.0	27.0	18.0	18.1	40.4	57.9	66.2	106.2
<b>45-64</b>	30.0	11.9	11.7	46.4	63.0	68.0	50.5	27.6	21.7	15.9	-47.0
<b>65 AND UP</b>	33.5	33.1	24.6	32.6	57.0	65.1	56.8	32.3	47.8	39.4	17.6

**NUMBER OF NONMOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE, RESIDENT DATA, SELECTED  
GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	4	5	3	5	4	5	4	7	8	9	125.0
<b>UNDER 1</b>	0	0	0	0	0	0	0	0	0	0	-
<b>1-4</b>	1	0	0	0	0	0	0	0	0	0	-100.0
<b>5-14</b>	1	1	0	0	0	0	0	0	1	1	0.0
<b>15-24</b>	0	1	1	1	1	1	1	0	0	1	-
<b>25-44</b>	1	1	1	1	0	0	0	2	2	2	100.0
<b>45-64</b>	1	1	1	0	0	1	1	2	2	2	100.0
<b>65 AND UP</b>	1	1	1	3	3	3	2	3	3	3	200.0

**NUMBER OF NONMOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE, RESIDENT DATA, SELECTED  
GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.0</b>
<b>UNDER 1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>1-4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>
<b>5-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>15-24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>25-44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>45-64</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>65 AND UP</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>

**NUMBER OF NONMOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE, RESIDENT DATA, SELECTED  
GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1999-99</b>
<b>ALL AGES</b>	4	4	3	5	3	4	4	7	8	9	125.0
<b>UNDER 1</b>	0	0	0	0	0	0	0	0	0	0	-
<b>1-4</b>	0	0	0	0	0	0	0	0	0	0	0.0
<b>5-14</b>	1	1	0	0	0	0	0	0	1	1	0.0
<b>15-24</b>	0	1	1	1	1	1	1	0	0	1	-
<b>25-44</b>	0	1	1	1	0	0	0	2	2	2	-
<b>45-64</b>	1	1	1	0	0	1	1	2	2	2	100.0
<b>65 AND UP</b>	1	1	1	3	2	3	2	3	3	3	200.0

**NONMOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	15.5	16.6	10.6	18.7	15.2	18.6	15.1	25.4	28.5	31.6	103.9
<b>UNDER 1</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
<b>1-4</b>	45.1	0.0	0.0	21.8	21.6	21.4	0.0	0.0	0.0	0.0	-100.0
<b>5-14</b>	16.9	16.7	0.0	0.0	0.0	0.0	0.0	8.0	15.8	15.5	-8.3
<b>15-24</b>	8.6	17.5	17.6	17.6	17.6	17.7	17.7	8.8	8.8	17.4	102.3
<b>25-44</b>	8.3	12.4	8.2	8.2	4.1	4.1	4.1	20.5	24.4	28.3	241.0
<b>45-64</b>	16.6	16.5	10.9	5.4	0.0	10.6	15.7	30.9	30.4	34.8	109.6
<b>65 AND UP</b>	23.3	30.7	22.8	75.9	68.4	76.0	53.2	68.2	75.0	74.4	219.3

**NONMOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>25.9</b>	<b>13.0</b>	<b>0.0</b>	<b>26.3</b>	<b>39.8</b>	<b>40.2</b>	<b>13.5</b>	<b>0.0</b>	<b>0.0</b>	<b>27.3</b>	<b>5.4</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>183.8</b>	<b>0.0</b>	<b>0.0</b>	<b>178.3</b>	<b>177.3</b>	<b>176.7</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>25-44</b>	<b>45.2</b>	<b>44.7</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>47.9</b>	<b>6.0</b>
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>109.3</b>	<b>225.5</b>	<b>232.0</b>	<b>120.3</b>	<b>0.0</b>	<b>0.0</b>	<b>132.1</b>	<b>-</b>

**NONMOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	14.4	16.9	11.6	18.0	12.8	16.6	15.3	27.7	31.1	31.9	121.5
<b>UNDER 1</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
<b>1-4</b>	25.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0
<b>5-14</b>	19.0	18.8	0.0	0.0	0.0	0.0	0.0	9.0	17.8	17.5	-7.9
<b>15-24</b>	9.6	19.4	19.5	19.5	19.5	19.5	19.5	9.7	9.6	19.1	99.0
<b>25-44</b>	4.6	9.1	9.0	9.0	4.5	4.5	4.5	22.5	26.7	26.5	476.1
<b>45-64</b>	18.0	17.8	11.7	5.8	0.0	11.3	16.8	33.2	32.5	37.2	106.7
<b>65 AND UP</b>	25.2	33.1	24.6	73.5	57.0	65.1	48.7	72.6	79.7	70.9	181.3

**NUMBER OF VIOLENT DEATHS, BY AGE AND RACE, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	3	4	6	8	7	8	6	7	8	8	166.7
<b>UNDER 1</b>	0	0	0	0	0	0	0	0	0	0	-
<b>1-4</b>	0	0	0	0	0	0	0	0	0	0	-
<b>5-14</b>	0	0	0	0	0	0	0	0	0	0	-
<b>15-24</b>	1	1	0	1	1	1	0	1	2	1	0.0
<b>25-44</b>	1	2	3	3	3	3	2	2	3	3	200.0
<b>45-64</b>	1	2	2	2	1	2	2	3	3	2	100.0
<b>65 AND UP</b>	1	0	1	1	2	1	1	1	1	1	0.0

**NUMBER OF VIOLENT DEATHS, BY AGE AND RACE, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>85-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	0	0	0	1	2	2	2	1	2	1	-
<b>UNDER 1</b>	0	0	0	0	0	0	0	0	0	0	-
<b>1-4</b>	0	0	0	0	0	0	0	0	0	0	-
<b>5-14</b>	0	0	0	0	0	0	0	0	0	0	-
<b>15-24</b>	0	0	0	0	0	0	0	0	1	0	-
<b>25-44</b>	0	0	0	1	2	1	1	0	1	1	-
<b>45-64</b>	0	0	0	0	0	0	0	0	0	0	-
<b>65 AND UP</b>	0	0	0	0	0	0	0	0	0	0	-

**NUMBER OF VIOLENT DEATHS, BY AGE AND RACE, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	3	4	5	7	5	6	5	6	7	7	<b>133.3</b>
<b>UNDER 1</b>	0	0	0	0	0	0	0	0	0	0	-
<b>1-4</b>	0	0	0	0	0	0	0	0	0	0	-
<b>5-14</b>	0	0	0	0	0	0	0	0	0	0	-
<b>15-24</b>	1	1	0	1	1	1	0	0	1	1	<b>0.0</b>
<b>25-44</b>	1	2	2	3	2	2	1	2	2	3	<b>200.0</b>
<b>45-64</b>	1	2	2	2	1	2	2	3	2	2	<b>100.0</b>
<b>65 AND UP</b>	0	0	1	1	1	1	1	1	1	1	-

**VIOLENT DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>10.7</b>	<b>15.4</b>	<b>20.0</b>	<b>26.9</b>	<b>25.7</b>	<b>26.8</b>	<b>22.1</b>	<b>24.2</b>	<b>28.5</b>	<b>27.0</b>	<b>152.3</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>8.1</b>	<b>8.0</b>	<b>7.9</b>	<b>0.0</b>	<b>-</b>
<b>15-24</b>	<b>17.3</b>	<b>17.5</b>	<b>8.8</b>	<b>26.4</b>	<b>26.4</b>	<b>26.5</b>	<b>8.9</b>	<b>17.7</b>	<b>43.9</b>	<b>34.9</b>	<b>101.7</b>
<b>25-44</b>	<b>12.5</b>	<b>24.7</b>	<b>32.8</b>	<b>40.9</b>	<b>41.0</b>	<b>37.0</b>	<b>28.8</b>	<b>24.6</b>	<b>32.6</b>	<b>40.4</b>	<b>223.2</b>
<b>45-64</b>	<b>11.1</b>	<b>27.5</b>	<b>32.7</b>	<b>37.7</b>	<b>21.3</b>	<b>37.0</b>	<b>36.6</b>	<b>46.4</b>	<b>40.5</b>	<b>34.8</b>	<b>213.5</b>
<b>65 AND UP</b>	<b>15.5</b>	<b>0.0</b>	<b>15.2</b>	<b>22.8</b>	<b>38.0</b>	<b>30.4</b>	<b>22.8</b>	<b>22.7</b>	<b>22.5</b>	<b>22.3</b>	<b>43.9</b>

**VIOLENT DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>12.9</b>	<b>0.0</b>	<b>13.0</b>	<b>39.4</b>	<b>92.9</b>	<b>80.4</b>	<b>67.7</b>	<b>40.8</b>	<b>68.1</b>	<b>54.6</b>	<b>323.3</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>90.8</b>	<b>92.7</b>	<b>94.5</b>	<b>96.3</b>	<b>97.7</b>	<b>197.8</b>	<b>100.3</b>	<b>-</b>
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>44.6</b>	<b>90.3</b>	<b>229.0</b>	<b>185.5</b>	<b>140.9</b>	<b>47.3</b>	<b>95.2</b>	<b>95.7</b>	<b>-</b>
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>77.1</b>	<b>76.7</b>	<b>76.5</b>	<b>-</b>
<b>65 AND UP</b>	<b>103.5</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>112.7</b>	<b>116.0</b>	<b>120.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>

**VIOLENT DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**LINCOLN**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>10.5</b>	<b>16.9</b>	<b>20.7</b>	<b>25.7</b>	<b>19.2</b>	<b>21.7</b>	<b>17.8</b>	<b>22.7</b>	<b>24.9</b>	<b>24.6</b>	<b>134.3</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>9.1</b>	<b>9.0</b>	<b>8.9</b>	<b>0.0</b>	<b>-</b>
<b>15-24</b>	<b>19.2</b>	<b>19.4</b>	<b>9.7</b>	<b>19.5</b>	<b>19.5</b>	<b>19.5</b>	<b>0.0</b>	<b>9.7</b>	<b>28.9</b>	<b>28.7</b>	<b>49.5</b>
<b>25-44</b>	<b>13.8</b>	<b>27.2</b>	<b>31.6</b>	<b>36.0</b>	<b>22.5</b>	<b>22.5</b>	<b>18.1</b>	<b>22.5</b>	<b>26.7</b>	<b>35.3</b>	<b>155.8</b>
<b>45-64</b>	<b>12.0</b>	<b>29.7</b>	<b>35.2</b>	<b>40.6</b>	<b>22.9</b>	<b>39.7</b>	<b>39.3</b>	<b>44.2</b>	<b>37.9</b>	<b>31.9</b>	<b>165.8</b>
<b>65 AND UP</b>	<b>8.4</b>	<b>0.0</b>	<b>16.4</b>	<b>24.5</b>	<b>32.6</b>	<b>24.4</b>	<b>16.2</b>	<b>24.2</b>	<b>23.9</b>	<b>23.6</b>	<b>181.0</b>

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>									<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL RACES</b>		<b>LINCOLN</b>									
<b>BOTH SEXES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>									
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>									
<b>NONWHITE</b>		<b>LINCOLN</b>									
<b>FEMALE</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>									
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>									<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>LINCOLN</b>									
<b>MALE</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>									
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>WHITE</b>		<b>LINCOLN</b>										
<b>FEMALE</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>									
<b>WHITE</b>		<b>LINCOLN</b>									
<b>MALE</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>									
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL RACES</b>		<b>LINCOLN</b>										
<b>BOTH SEXES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>41.7</b>	<b>53.3</b>	<b>25.9</b>	<b>17.6</b>	<b>5.8</b>	<b>55.9</b>	<b>108.1</b>	<b>147.7</b>	<b>164.2</b>	<b>170.2</b>	<b>308.2</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>16.3</b>	<b>40.5</b>	<b>48.1</b>	<b>55.2</b>	<b>46.6</b>	<b>-</b>	
<b>15-24</b>	<b>215.9</b>	<b>305.7</b>	<b>158.1</b>	<b>123.1</b>	<b>35.3</b>	<b>335.9</b>	<b>638.1</b>	<b>919.4</b>	<b>1,044.7</b>	<b>1,081.6</b>	<b>401.0</b>	
<b>25-44</b>	<b>37.5</b>	<b>37.1</b>	<b>12.3</b>	<b>4.1</b>	<b>4.1</b>	<b>28.8</b>	<b>61.8</b>	<b>69.8</b>	<b>73.3</b>	<b>84.9</b>	<b>126.4</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>7.8</b>	<b>7.7</b>	<b>7.6</b>	<b>0.0</b>	<b>0.0</b>	<b>7.6</b>	<b>7.6</b>	<b>7.6</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>LINCOLN</b>										
<b>FEMALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>237.2</b>	<b>379.8</b>	<b>214.3</b>	<b>167.8</b>	<b>24.2</b>	<b>219.3</b>	<b>614.9</b>	<b>740.6</b>	<b>863.6</b>	<b>789.0</b>	<b>232.6</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>140.1</b>	<b>415.5</b>	<b>545.7</b>	<b>535.5</b>	<b>262.5</b>	<b>-</b>	
<b>15-24</b>	<b>952.4</b>	<b>1,954.4</b>	<b>1,168.6</b>	<b>1,027.4</b>	<b>0.0</b>	<b>904.2</b>	<b>3,154.0</b>	<b>3,598.5</b>	<b>5,019.3</b>	<b>4,733.7</b>	<b>397.0</b>	
<b>25-44</b>	<b>330.3</b>	<b>326.5</b>	<b>163.0</b>	<b>82.3</b>	<b>83.1</b>	<b>251.7</b>	<b>423.0</b>	<b>594.7</b>	<b>425.5</b>	<b>511.5</b>	<b>54.9</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>LINCOLN</b>										
<b>MALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>148.9</b>	<b>331.1</b>	<b>424.0</b>	<b>395.6</b>	<b>397.2</b>	<b>-</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>990.1</b>	<b>2,004.0</b>	<b>2,621.0</b>	<b>2,231.2</b>	<b>1,836.7</b>	<b>-</b>	
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>105.6</b>	<b>106.8</b>	<b>216.0</b>	<b>436.7</b>	<b>-</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>WHITE</b>		<b>LINCOLN</b>										
<b>FEMALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>61.2</b>	<b>70.9</b>	<b>30.1</b>	<b>20.0</b>	<b>7.5</b>	<b>59.4</b>	<b>106.0</b>	<b>158.7</b>	<b>192.7</b>	<b>206.8</b>	<b>237.9</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>19.6</b>	<b>39.1</b>	<b>38.8</b>	<b>57.5</b>	<b>75.9</b>	<b>-</b>	
<b>15-24</b>	<b>372.2</b>	<b>453.3</b>	<b>216.9</b>	<b>157.2</b>	<b>58.8</b>	<b>430.8</b>	<b>703.8</b>	<b>1,126.4</b>	<b>1,324.9</b>	<b>1,443.8</b>	<b>287.9</b>	
<b>25-44</b>	<b>45.3</b>	<b>44.9</b>	<b>8.9</b>	<b>0.0</b>	<b>0.0</b>	<b>8.9</b>	<b>44.4</b>	<b>44.2</b>	<b>70.0</b>	<b>60.7</b>	<b>34.0</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>WHITE</b>		<b>LINCOLN</b>										
<b>MALES</b>												
<b>THREE -YEAR AVERAGES 1988-1999</b>												
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>21.1</b>	<b>28.9</b>	<b>44.3</b>	<b>38.6</b>	<b>48.3</b>	<b>-</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>97.1</b>	<b>136.5</b>	<b>253.0</b>	<b>232.0</b>	<b>288.3</b>	<b>-</b>	
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>27.5</b>	<b>36.7</b>	<b>36.6</b>	<b>27.2</b>	<b>36.0</b>	<b>-</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL RACES</b>		<b>LINCOLN</b>										
<b>BOTH SEXES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>72.7</b>	<b>91.2</b>	<b>68.3</b>	<b>46.9</b>	<b>46.7</b>	<b>78.1</b>	<b>125.6</b>	<b>125.8</b>	<b>171.0</b>	<b>180.3</b>	<b>148.0</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>8.2</b>	<b>16.3</b>	<b>56.7</b>	<b>48.1</b>	<b>39.4</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>379.9</b>	<b>463.0</b>	<b>342.6</b>	<b>219.8</b>	<b>264.4</b>	<b>406.6</b>	<b>567.2</b>	<b>512.7</b>	<b>728.6</b>	<b>846.1</b>	<b>122.7</b>	
<b>25-44</b>	<b>66.6</b>	<b>94.7</b>	<b>73.7</b>	<b>57.3</b>	<b>28.7</b>	<b>61.6</b>	<b>119.4</b>	<b>156.0</b>	<b>232.1</b>	<b>250.7</b>	<b>276.4</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>5.3</b>	<b>15.8</b>	<b>31.4</b>	<b>30.9</b>	<b>20.2</b>	<b>5.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>7.7</b>	<b>7.6</b>	<b>7.6</b>	<b>7.6</b>	<b>7.6</b>	<b>15.2</b>	<b>7.6</b>	<b>7.5</b>	<b>0.0</b>	<b>-</b>	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>LINCOLN</b>										
<b>FEMALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>545.5</b>	<b>617.1</b>	<b>476.3</b>	<b>215.7</b>	<b>266.0</b>	<b>414.2</b>	<b>713.2</b>	<b>691.2</b>	<b>1,011.6</b>	<b>1,158.8</b>	<b>112.4</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>140.1</b>	<b>692.5</b>	<b>682.1</b>	<b>535.5</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>2,539.7</b>	<b>2,931.6</b>	<b>2,337.2</b>	<b>1,027.4</b>	<b>1,408.5</b>	<b>1,989.2</b>	<b>3,154.0</b>	<b>3,219.7</b>	<b>5,791.5</b>	<b>7,495.1</b>	<b>195.1</b>	
<b>25-44</b>	<b>578.0</b>	<b>653.1</b>	<b>489.0</b>	<b>246.9</b>	<b>166.3</b>	<b>335.6</b>	<b>507.6</b>	<b>509.8</b>	<b>595.7</b>	<b>767.3</b>	<b>32.8</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>180.5</b>	<b>184.2</b>	<b>189.8</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>LINCOLN</b>										
<b>MALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>399.0</b>	<b>515.5</b>	<b>460.6</b>	<b>465.3</b>	<b>676.9</b>	<b>1,220.6</b>	<b>1,745.9</b>	<b>1,665.7</b>	<b>2,008.5</b>	<b>2,169.3</b>	<b>443.7</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>1,627.5</b>	<b>1,498.1</b>	<b>1,338.4</b>	<b>1,354.0</b>	<b>3,522.5</b>	<b>5,940.6</b>	<b>7,014.0</b>	<b>5,241.9</b>	<b>5,476.7</b>	<b>6,530.6</b>	<b>301.3</b>	
<b>25-44</b>	<b>400.4</b>	<b>887.6</b>	<b>789.0</b>	<b>800.8</b>	<b>408.2</b>	<b>829.9</b>	<b>1,795.1</b>	<b>2,457.3</b>	<b>3,779.7</b>	<b>4,148.5</b>	<b>936.1</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>171.5</b>	<b>519.9</b>	<b>874.1</b>	<b>874.1</b>	<b>522.6</b>	<b>173.9</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>265.3</b>	<b>274.0</b>	<b>286.5</b>	<b>0.0</b>	<b>0.0</b>	<b>328.9</b>	<b>346.0</b>	<b>370.4</b>	<b>0.0</b>	<b>-</b>	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>WHITE</b>		<b>LINCOLN</b>										
<b>FEMALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>43.4</b>	<b>65.8</b>	<b>45.2</b>	<b>34.9</b>	<b>12.4</b>	<b>19.8</b>	<b>41.9</b>	<b>51.3</b>	<b>84.3</b>	<b>78.4</b>	<b>80.6</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>19.6</b>	<b>19.6</b>	<b>39.1</b>	<b>19.4</b>	<b>19.2</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>254.7</b>	<b>413.9</b>	<b>295.8</b>	<b>216.1</b>	<b>58.8</b>	<b>78.3</b>	<b>195.5</b>	<b>252.5</b>	<b>441.6</b>	<b>398.9</b>	<b>56.6</b>	
<b>25-44</b>	<b>36.2</b>	<b>44.9</b>	<b>26.8</b>	<b>26.7</b>	<b>8.9</b>	<b>26.7</b>	<b>44.4</b>	<b>61.9</b>	<b>96.2</b>	<b>104.0</b>	<b>187.3</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>WHITE</b>		<b>LINCOLN</b>										
<b>MALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>72.7</b>	<b>91.2</b>	<b>68.3</b>	<b>46.9</b>	<b>46.7</b>	<b>78.1</b>	<b>125.6</b>	<b>125.8</b>	<b>171.0</b>	<b>180.3</b>	<b>148.0</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>8.2</b>	<b>16.3</b>	<b>56.7</b>	<b>48.1</b>	<b>39.4</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>379.9</b>	<b>463.0</b>	<b>342.6</b>	<b>219.8</b>	<b>264.4</b>	<b>406.6</b>	<b>567.2</b>	<b>512.7</b>	<b>728.6</b>	<b>846.1</b>	<b>122.7</b>	
<b>25-44</b>	<b>66.6</b>	<b>94.7</b>	<b>73.7</b>	<b>57.3</b>	<b>28.7</b>	<b>61.6</b>	<b>119.4</b>	<b>156.0</b>	<b>232.1</b>	<b>250.7</b>	<b>276.4</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>5.3</b>	<b>15.8</b>	<b>31.4</b>	<b>30.9</b>	<b>20.2</b>	<b>5.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>7.7</b>	<b>7.6</b>	<b>7.6</b>	<b>7.6</b>	<b>7.6</b>	<b>15.2</b>	<b>7.6</b>	<b>7.5</b>	<b>0.0</b>	<b>-</b>	

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,  
TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL RACES</b>		<b>LINCOLN</b>										
<b>BOTH SEXES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	17.9	15.4	9.4	14.1	14.0	11.7	8.1	8.1	13.7	11.3	<b>-36.9</b>	
<b>UNDER 1</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
<b>1-4</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
<b>5-14</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
<b>15-24</b>	0.0	0.0	0.0	0.0	0.0	0.0	8.9	8.8	26.3	17.4	-	
<b>25-44</b>	16.7	12.4	0.0	4.1	4.1	4.1	4.1	8.2	12.2	8.1	<b>-51.5</b>	
<b>45-64</b>	11.1	11.0	21.8	16.1	16.0	5.3	0.0	0.0	15.2	14.9	<b>34.2</b>	
<b>65 AND UP</b>	69.8	61.3	30.4	60.8	60.8	60.8	38.0	30.3	22.5	22.3	<b>-68.1</b>	

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,  
TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>									<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>LINCOLN</b>									
<b>FEMALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>									
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>47.9</b>	<b>48.4</b>	<b>48.7</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>82.3</b>	<b>83.1</b>	<b>83.9</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>176.7</b>	<b>180.5</b>	<b>184.2</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,  
TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>LINCOLN</b>										
<b>MALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>85.5</b>	<b>85.9</b>	<b>143.9</b>	<b>87.2</b>	<b>117.7</b>	<b>29.8</b>	<b>30.1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>25-44</b>	<b>100.1</b>	<b>98.6</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>45-64</b>	<b>335.0</b>	<b>337.3</b>	<b>506.8</b>	<b>169.8</b>	<b>171.5</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>547.9</b>	<b>573.1</b>	<b>900.9</b>	<b>313.5</b>	<b>328.9</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,  
TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>WHITE</b>		<b>LINCOLN</b>										
<b>FEMALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>7.7</b>	<b>7.6</b>	<b>2.5</b>	<b>7.5</b>	<b>5.0</b>	<b>7.4</b>	<b>7.4</b>	<b>9.8</b>	<b>12.0</b>	<b>9.5</b>	<b>23.4</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>19.2</b>	<b>19.0</b>	<b>-</b>	
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>8.9</b>	<b>17.7</b>	<b>17.5</b>	<b>8.7</b>	<b>-</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>10.5</b>	<b>10.3</b>	<b>-</b>	
<b>65 AND UP</b>	<b>42.0</b>	<b>41.4</b>	<b>13.7</b>	<b>40.8</b>	<b>27.2</b>	<b>40.7</b>	<b>27.1</b>	<b>26.9</b>	<b>13.3</b>	<b>13.1</b>	<b>-68.8</b>	

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,  
TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
WHITE		LINCOLN										
MALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	24.3	18.8	5.3	10.6	10.6	10.5	7.9	7.8	18.0	15.3	-37.0	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	0.0	0.0	0.0	0.0	0.0	0.0	19.5	19.5	38.7	19.2	-	
25-44	27.8	18.4	0.0	0.0	0.0	0.0	0.0	0.0	9.1	9.0	-67.6	
45-64	0.0	0.0	12.1	23.9	23.7	11.7	0.0	0.0	22.4	22.0	-	
65 AND UP	125.3	103.1	20.5	40.8	40.7	61.0	40.6	40.3	39.9	39.4	-68.6	

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL RACES</b>		<b>LINCOLN</b>										
<b>BOTH SEXES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>8.3</b>	<b>8.3</b>	<b>4.7</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.2</b>	<b>2.3</b>	<b>2.3</b>	<b>1.1</b>	<b>-86.7</b>	
<b>UNDER 1</b>	<b>279.3</b>	<b>279.1</b>	<b>92.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>1-4</b>	<b>22.5</b>	<b>22.3</b>	<b>22.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>5-14</b>	<b>16.9</b>	<b>16.7</b>	<b>8.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>8.1</b>	<b>16.0</b>	<b>15.8</b>	<b>7.8</b>	<b>-53.8</b>	
<b>15-24</b>	<b>8.6</b>	<b>8.7</b>	<b>8.8</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>LINCOLN</b>										
<b>FEMALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>23.7</b>	<b>23.7</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>UNDER 1</b>	<b>1,369.9</b>	<b>1,369.9</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>									<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>LINCOLN</b>									
<b>MALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>									
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>WHITE</b>		<b>LINCOLN</b>										
<b>FEMALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>10.2</b>	<b>10.1</b>	<b>5.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>2.5</b>	<b>2.4</b>	<b>2.4</b>	<b>0.0</b>	<b>-100.0</b>	
<b>UNDER 1</b>	<b>460.8</b>	<b>459.8</b>	<b>227.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>20.0</b>	<b>19.8</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>19.5</b>	<b>19.4</b>	<b>19.2</b>	<b>0.0</b>	<b>-100.0</b>	
<b>15-24</b>	<b>19.6</b>	<b>19.7</b>	<b>19.7</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										
<b>WHITE</b>		<b>LINCOLN</b>										
<b>MALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>	
<b>ALL AGES</b>	<b>5.4</b>	<b>5.4</b>	<b>5.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>2.6</b>	<b>2.6</b>	<b>2.5</b>	<b>-53.7</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>49.4</b>	<b>48.9</b>	<b>48.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>5-14</b>	<b>18.1</b>	<b>18.0</b>	<b>17.8</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>16.9</b>	<b>16.6</b>	<b>16.3</b>	<b>-9.9</b>	
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.