

**AVERAGE NUMBER OF FEMALES BY AGE GROUP, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	4,035	4,045	4,065	4,087	4,112	4,144	4,199	4,266	4,341	4,412	9.3
10-14	568	567	570	575	580	586	594	605	618	630	10.9
15-17	324	324	325	327	329	332	337	342	349	355	9.6
18-19	218	218	218	219	220	222	224	227	231	234	7.3
20-24	579	573	570	569	568	568	571	575	580	585	1.0
25-29	625	620	618	616	615	615	618	622	627	632	1.1
30-34	613	615	619	622	626	631	639	649	661	672	9.6
35-39	567	569	574	581	588	596	607	621	636	650	14.6
40-44	540	555	568	575	583	593	606	621	637	653	20.9

**AVERAGE NUMBER OF FEMALES BY AGE GROUP, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	27	27	28	29	30	31	32	33	34	36	33.3
10-14	4	4	4	4	5	5	6	6	6	7	75.0
15-17	4	3	3	3	3	3	3	3	3	3	-25.0
18-19	2	2	2	3	3	3	3	3	3	3	50.0
20-24	5	5	5	5	5	5	5	5	5	5	0.0
25-29	0	0	0	0	1	1	2	2	2	3	-
30-34	4	4	4	4	4	4	4	4	4	4	0.0
35-39	4	4	5	5	5	5	5	5	5	5	25.0
40-44	3	4	4	4	4	4	4	5	5	5	66.7

**AVERAGE NUMBER OF FEMALES BY AGE GROUP, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	4,008	4,017	4,036	4,058	4,082	4,112	4,166	4,232	4,307	4,376	9.2
10-14	564	563	566	570	575	580	588	599	611	622	10.3
15-17	320	320	322	324	326	329	334	339	346	352	10.0
18-19	216	215	216	216	217	219	221	224	228	231	6.9
20-24	574	568	565	564	563	563	566	570	575	580	1.0
25-29	625	620	617	615	614	613	616	620	625	629	0.6
30-34	609	611	615	618	622	627	635	645	657	668	9.7
35-39	563	565	569	576	583	591	602	616	631	645	14.6
40-44	536	551	564	571	579	588	601	616	632	648	20.9

**AVERAGE ANNUAL NUMBER OF RESIDENT BIRTHS, ACCORDING TO MOTHER'S AGE,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	210	213	216	214	222	227	239	239	244	251	19.5
10-14	0	0	1	1	1	0	0	0	0	0	-
15-17	16	14	15	14	14	14	14	14	14	15	-6.3
18-19	28	28	26	23	25	27	34	36	37	34	21.4
20-24	82	84	81	82	79	79	79	82	86	95	15.9
25-29	49	51	58	61	65	66	67	63	62	64	30.6
30-34	21	22	24	23	27	29	33	33	33	31	47.6
35-39	11	11	9	8	8	8	9	9	8	8	-27.3
40-44	1	0	0	1	1	1	0	0	2	2	100.0

**AVERAGE ANNUAL NUMBER OF RESIDENT BIRTHS, ACCORDING TO MOTHER'S AGE,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	1	1	0	0	1	1	1	1	1	2	100.0
10-14	0	0	0	0	0	0	0	0	0	0	-
15-17	0	0	0	0	0	0	0	0	0	0	-
18-19	0	0	0	0	0	0	0	0	0	0	-
20-24	0	0	0	0	0	0	0	0	0	0	-
25-29	0	0	0	0	0	0	0	0	0	0	-
30-34	0	0	0	0	0	0	0	0	0	0	-
35-39	0	0	0	0	0	0	0	0	0	0	-
40-44	0	0	0	0	0	0	0	0	0	0	-

**AVERAGE ANNUAL NUMBER OF RESIDENT BIRTHS, ACCORDING TO MOTHER'S AGE,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	176	183	190	209	212	216	214	221	226	238	35.2
10-14	0	0	1	1	1	1	1	1	0	0	-
15-17	18	17	19	16	15	15	14	14	14	14	-22.2
18-19	23	24	24	28	28	26	23	25	27	34	47.8
20-24	70	75	75	81	83	81	83	80	80	79	12.9
25-29	41	41	41	49	51	58	61	66	67	67	63.4
30-34	18	18	20	22	22	24	23	27	29	34	88.9
35-39	6	7	10	12	12	10	8	8	8	9	50.0
40-44	0	1	1	1	1	0	1	1	1	0	-

**NUMBER OF LIVE BIRTHS PER 1,000 FEMALES, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	52.0	52.7	53.1	52.4	54.0	54.8	56.9	56.0	56.2	56.9	9.4
10-14	0.0	0.0	1.8	1.7	1.7	0.0	0.0	0.0	0.0	0.0	-
15-17	49.4	43.2	46.2	42.8	42.6	42.2	41.5	40.9	40.1	42.3	-14.4
18-19	128.4	128.4	119.3	105.0	113.6	121.6	151.8	158.6	160.2	145.3	13.2
20-24	141.6	146.6	142.1	144.1	139.1	139.1	138.4	142.6	148.3	162.4	14.7
25-29	78.4	82.3	93.9	99.0	105.7	107.3	108.4	101.3	98.9	101.3	29.2
30-34	34.3	35.8	38.8	37.0	43.1	46.0	51.6	50.8	49.9	46.1	34.4
35-39	19.4	19.3	15.7	13.8	13.6	13.4	14.8	14.5	12.6	12.3	-36.6
40-44	1.9	0.0	0.0	1.7	1.7	1.7	0.0	0.0	3.1	3.1	63.2

**NUMBER OF LIVE BIRTHS PER 1,000 FEMALES, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	37.0	37.0	0.0	0.0	33.3	32.3	31.3	30.3	29.4	55.6	50.3
10-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
15-17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
18-19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
20-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
25-29	-	-	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-
30-34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
35-39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
40-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-

**NUMBER OF LIVE BIRTHS PER 1,000 FEMALES, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	52.1	52.8	53.5	52.5	54.1	55.0	56.9	56.0	56.4	56.9	9.2
10-14	0.0	0.0	1.8	1.8	1.7	0.0	0.0	0.0	0.0	0.0	-
15-17	50.0	43.8	46.6	43.2	42.9	42.6	41.9	41.3	40.5	42.6	-14.8
18-19	129.6	130.2	120.4	106.5	115.2	118.7	153.8	156.3	162.3	147.2	13.6
20-24	141.1	146.1	143.4	145.4	140.3	140.3	139.6	143.9	149.6	163.8	16.1
25-29	76.8	80.6	94.0	99.2	105.9	107.7	108.8	100.0	99.2	100.2	30.5
30-34	34.5	36.0	39.0	37.2	41.8	46.3	52.0	51.2	48.7	44.9	30.1
35-39	19.5	19.5	15.8	12.2	12.0	13.5	15.0	14.6	12.7	12.4	-36.4
40-44	1.9	0.0	0.0	1.8	1.7	1.7	0.0	0.0	3.2	3.1	63.2

**PERCENT OF LIVE BIRTHS OCCURRING TO UNWED MOTHERS AGES 10-44,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

MACON

THREE - YEAR AVERAGES 1988 - 1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	17.6	17.8	18.5	19.6	19.4	17.6	18.8	21.3	23.0	21.1	19.9
10-14	-	-	0.0	0.0	0.0	-	-	-	-	-	-
15-17	50.0	50.0	40.0	42.9	35.7	42.9	42.9	50.0	57.1	66.7	33.4
18-19	21.4	32.1	38.5	43.5	32.0	25.9	23.5	27.8	32.4	35.3	65.0
20-24	14.6	11.9	13.6	15.9	19.0	16.5	19.0	22.0	25.6	21.1	44.5
25-29	10.2	9.8	12.1	11.5	10.8	10.6	14.9	15.9	14.5	12.5	22.5
30-34	9.5	9.1	8.3	13.0	11.1	10.3	9.1	9.1	6.1	6.5	-31.6
35-39	18.2	18.2	11.1	12.5	12.5	12.5	11.1	11.1	12.5	0.0	-100.0
40-44	0.0	-	-	0.0	0.0	0.0	-	-	0.0	0.0	-

**PERCENT OF LIVE BIRTHS OCCURRING TO UNWED MOTHERS AGES 10-44,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

NON-WHITE

AREA

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	0.0	0.0	-	-	0.0	0.0	0.0	0.0	0.0	50.0	-
10-14	-	-	-	-	-	-	-	-	-	-	-
15-17	-	-	-	-	-	-	-	-	-	-	-
18-19	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-

**PERCENT OF LIVE BIRTHS OCCURRING TO UNWED MOTHERS AGES 10-44,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	17.2	17.5	18.5	19.7	19.0	17.3	19.0	21.1	22.6	20.9	21.5
10-14	-	-	0.0	0.0	0.0	-	-	-	-	-	-
15-17	50.0	50.0	40.0	42.9	35.7	42.9	42.9	50.0	57.1	66.7	33.4
18-19	21.4	32.1	38.5	43.5	32.0	26.9	23.5	28.6	32.4	35.3	65.0
20-24	14.8	12.0	13.6	15.9	19.0	16.5	19.0	22.0	24.4	21.1	42.6
25-29	10.4	10.0	12.1	11.5	10.8	10.6	14.9	16.1	14.5	12.7	22.1
30-34	9.5	9.1	8.3	13.0	11.5	10.3	9.1	9.1	6.3	6.7	-29.5
35-39	18.2	18.2	11.1	14.3	14.3	12.5	11.1	11.1	12.5	0.0	-100.0
40-44	0.0	-	-	0.0	0.0	0.0	-	-	0.0	0.0	-

**NUMBER OF OTHER TERMINATION'S ACCORDING TO WOMAN'S AGE AND PLACE OF RESIDENCE,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	19	19	20	20	23	23	22	19	18	15	-21.1
10-14	0	0	0	0	0	0	0	0	0	0	-
15-17	2	3	3	2	1	2	2	1	1	0	-100.0
18-19	4	4	5	6	6	5	3	3	3	3	-25.0
20-24	6	6	6	4	6	6	6	5	4	4	-33.3
25-29	2	2	2	3	3	3	3	5	4	4	100.0
30-34	3	1	1	2	3	3	2	1	2	1	-66.7
35-39	0	0	1	1	2	2	2	2	1	1	-
40-44	0	0	0	0	0	0	0	0	0	0	-

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S ACCORDING TO WOMAN'S AGE AND PLACE OF RESIDENCE,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

NONWHITE

AREA

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	0	0	0	0	0	0	0	0	0	0	-
10-14	0	0	0	0	0	0	0	0	0	0	-
15-17	0	0	0	0	0	0	0	0	0	0	-
18-19	0	0	0	0	0	0	0	0	0	0	-
20-24	0	0	0	0	0	0	0	0	0	0	-
25-29	0	0	0	0	0	0	0	0	0	0	-
30-34	0	0	0	0	0	0	0	0	0	0	-
35-39	0	0	0	0	0	0	0	0	0	0	-
40-44	0	0	0	0	0	0	0	0	0	0	-

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S ACCORDING TO WOMAN'S AGE AND PLACE OF RESIDENCE,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	18	19	20	20	22	23	21	19	18	15	-16.7
10-14	0	0	0	0	0	0	0	0	0	0	-
15-17	2	3	3	2	1	2	2	1	1	0	-100.0
18-19	3	4	4	5	5	4	3	3	3	3	0.0
20-24	6	6	6	4	6	6	6	5	4	4	-33.3
25-29	2	2	2	3	3	3	3	5	4	4	100.0
30-34	3	1	1	2	3	3	2	1	2	1	-66.7
35-39	0	0	1	1	2	2	2	2	1	1	-
40-44	0	0	0	0	0	0	0	0	0	0	-

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S PER 1,000 LIVE BIRTHS, ACCORDING TO WOMAN'S AGE
AND PLACE OF RESIDENCE, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	127.8	132.0	103.0	90.3	90.8	93.8	96.4	105.1	104.1	92.1	-28.0
10-14	-	-	500.0	500.0	500.0	0.0	333.3	666.7	-	-	-
15-17	169.8	153.8	89.3	145.8	204.5	200.0	162.8	116.3	136.4	159.1	-6.3
18-19	169.0	211.3	180.6	142.9	152.9	189.9	260.9	253.3	185.2	97.1	-42.6
20-24	81.3	71.1	66.4	73.2	75.4	73.5	56.5	75.3	79.5	83.7	2.9
25-29	112.9	120.0	89.4	54.4	52.3	45.7	49.2	45.7	55.0	54.5	-51.8
30-34	196.4	232.1	183.3	138.5	75.8	68.5	85.7	111.1	112.4	79.2	-59.7
35-39	111.1	95.2	33.3	28.6	57.1	137.9	208.3	291.7	320.0	296.3	166.7
40-44	2,000.0	1,000.0	500.0	250.0	500.0	2,000.0	666.7	250.0	0.0	1,000.0	-50.0

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S PER 1,000 LIVE BIRTHS, ACCORDING TO WOMAN'S AGE
AND PLACE OF RESIDENCE, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

NONWHITE

AREA

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	0.0	0.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-
10-14	-	-	-	-	-	-	-	-	-	-	-
15-17	-	-	-	-	-	-	-	-	-	-	-
18-19	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-

Note: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S PER 1,000 LIVE BIRTHS, ACCORDING TO WOMAN'S AGE
AND PLACE OF RESIDENCE, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

WHITE

AREA

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-96	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	126.9	129.1	101.9	89.2	91.2	92.4	95.2	102.6	103.2	91.2	-28.2
10-14	-	-	500.0	500.0	500.0	0.0	333.3	666.7	-	-	-
15-17	169.8	153.8	89.3	145.8	204.5	200.0	162.8	119.0	139.5	162.8	-4.1
18-19	171.4	197.2	166.7	131.0	152.9	177.2	246.4	226.7	175.0	88.2	-48.5
20-24	81.3	71.1	66.7	73.8	76.0	73.8	56.5	75.3	79.5	84.0	3.3
25-29	113.8	121.0	90.2	54.8	52.6	45.7	49.2	45.7	55.0	54.7	-51.9
30-34	200.0	236.4	186.4	138.5	75.8	68.5	87.0	112.5	113.6	79.2	-60.4
35-39	58.8	50.0	34.5	28.6	57.1	137.9	217.4	304.3	333.3	296.3	403.7
40-44	2,000.0	1,000.0	500.0	250.0	500.0	2,000.0	666.7	250.0	0.0	1,000.0	-50.0

NOTE: Other termination's include reported fetal deaths and induced abortions

**PERCENT OF OTHER TERMINATION'S TO UNWED FEMALES AGES 10-44, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	78.9	78.9	75.0	75.0	73.9	78.3	72.7	73.7	66.7	73.3	-7.1
10-14	-	-	-	-	-	-	-	-	-	-	-
15-17	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	-	-
18-19	75.0	100.0	80.0	83.3	83.3	60.0	66.7	66.7	66.7	66.7	-11.1
20-24	66.7	66.7	50.0	75.0	66.7	83.3	66.7	60.0	50.0	75.0	12.4
25-29	100.0	100.0	100.0	66.7	66.7	66.7	66.7	60.0	50.0	50.0	-50.0
30-34	66.7	100.0	100.0	50.0	33.3	66.7	100.0	100.0	50.0	100.0	49.9
35-39	-	-	100.0	100.0	50.0	50.0	50.0	50.0	100.0	0.0	-
40-44	-	-	-	-	-	-	-	-	-	-	-

NOTE: Other termination's include reported fetal deaths and induced abortions

**PERCENT OF OTHER TERMINATION'S TO UNWED FEMALES AGES 10-44, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-
15-17	-	-	-	-	-	-	-	-	-	-	-
18-19	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-

NOTE: Other termination's include reported fetal deaths and induced abortions

**PERCENT OF OTHER TERMINATION'S TO UNWED FEMALES AGES 10-44, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

WHITE

AREA

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	77.8	78.9	75.0	75.0	72.7	78.3	76.2	73.7	66.7	73.3	-5.8
10-14	-	-	-	-	-	-	-	-	-	-	-
15-17	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	-	-
18-19	100.0	100.0	100.0	80.0	80.0	75.0	66.7	66.7	66.7	66.7	-33.3
20-24	66.7	66.7	50.0	75.0	66.7	83.3	66.7	60.0	50.0	75.0	12.4
25-29	100.0	100.0	100.0	66.7	66.7	66.7	66.7	60.0	50.0	50.0	-50.0
30-34	66.7	100.0	100.0	50.0	33.3	66.7	100.0	100.0	50.0	100.0	49.9
35-39	-	-	100.0	100.0	50.0	50.0	50.0	50.0	100.0	0.0	-
40-44	-	-	-	-	-	-	-	-	-	-	-

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF PREGNANCIES ACCORDING TO WOMAN'S AGE, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	229	232	237	235	245	251	261	258	263	266	16.2
10-14	1	1	1	1	1	0	0	0	0	0	-100.0
15-17	18	17	18	16	16	16	17	16	15	15	-16.7
18-19	32	32	31	29	31	32	37	39	41	38	18.8
20-24	88	90	87	87	85	86	86	87	90	99	12.5
25-29	51	53	61	64	68	70	71	68	67	68	33.3
30-34	24	23	26	25	30	33	36	35	35	32	33.3
35-39	12	12	11	9	10	11	11	11	10	9	-25.0
40-44	1	1	1	1	1	1	0	1	2	3	200.0

**NUMBER OF PREGNANCIES ACCORDING TO WOMAN'S AGE, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-97	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	1	1	0	1	1	1	1	1	1	2	100.0
10-14	0	0	0	0	0	0	0	0	0	0	-
15-17	0	0	0	0	0	0	0	0	0	0	-
18-19	0	0	0	0	0	0	0	0	0	0	-
20-24	0	0	0	0	0	0	0	0	0	0	-
25-29	0	0	0	0	0	0	0	0	0	0	-
30-34	0	0	0	0	0	0	0	0	0	0	-
35-39	0	0	0	0	0	0	0	0	0	0	-
40-44	0	0	0	0	0	0	0	0	0	0	-

**NUMBER OF PREGNANCIES ACCORDING TO WOMAN'S AGE, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	228	231	236	234	243	249	259	257	261	264	15.8
10-14	1	1	1	1	1	0	0	0	0	0	-100.0
15-17	18	17	18	16	15	16	16	16	15	15	-16.7
18-19	31	32	31	28	30	31	37	39	41	37	19.4
20-24	87	89	87	87	85	86	86	87	90	99	13.8
25-29	51	53	61	64	68	70	70	67	66	67	31.4
30-34	24	23	26	25	29	32	36	35	34	32	33.3
35-39	12	12	11	9	10	10	11	11	10	9	-25.0
40-44	1	1	1	1	1	1	0	1	2	3	200.0

**NUMBER OF PREGNANCIES PER 1,000 WOMEN, BY AGE GROUP, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	56.8	57.4	58.3	57.5	59.6	60.6	62.2	60.5	60.6	60.3	6.2
10-14	1.8	1.8	1.8	1.7	1.7	0.0	0.0	0.0	0.0	0.0	-100.0
15-17	55.6	52.5	55.4	48.9	48.6	48.2	50.4	46.8	43.0	42.3	-23.9
18-19	146.8	146.8	142.2	132.4	140.9	144.1	165.2	171.8	177.5	162.4	10.6
20-24	152.0	157.1	152.6	152.9	149.6	151.4	150.6	151.3	155.2	169.2	11.3
25-29	81.6	85.5	98.7	103.9	110.6	113.8	114.9	109.3	106.9	107.6	31.9
30-34	39.2	37.4	42.0	40.2	47.9	52.3	56.3	53.9	53.0	47.6	21.4
35-39	21.2	21.1	19.2	15.5	17.0	18.5	18.1	17.7	15.7	13.8	-34.9
40-44	1.9	1.8	1.8	1.7	1.7	1.7	0.0	1.6	3.1	4.6	142.1

**NUMBER OF PREGNANCIES PER 1,000 WOMEN, BY AGE GROUP, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

NONWHITE

AREA

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	37.0	37.0	0.0	34.5	33.3	32.3	31.3	30.3	29.4	55.6	50.3
10-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
15-17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
18-19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
20-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
25-29	-	-	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-
30-34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
35-39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
40-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-

**NUMBER OF PREGNANCIES PER 1,000 WOMEN, BY AGE GROUP, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-97	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	56.9	57.5	58.5	57.7	59.5	60.6	62.2	60.7	60.6	60.3	6.0
10-14	1.8	1.8	1.8	1.8	1.7	0.0	0.0	0.0	0.0	0.0	-100.0
15-17	56.3	53.1	55.9	49.4	46.0	48.6	47.9	47.2	43.4	42.6	-24.3
18-19	143.5	148.8	143.5	129.6	138.2	141.6	167.4	174.1	179.8	160.2	11.6
20-24	151.6	156.7	154.0	154.3	151.0	152.8	151.9	152.6	156.5	170.7	12.6
25-29	81.6	85.5	98.9	104.1	110.7	114.2	113.6	108.1	105.6	106.5	30.5
30-34	39.4	37.6	42.3	40.5	46.6	51.0	56.7	54.3	51.8	47.9	21.6
35-39	21.3	21.2	19.3	15.6	17.2	16.9	18.3	17.9	15.8	14.0	-34.3
40-44	1.9	1.8	1.8	1.8	1.7	1.7	0.0	1.6	3.2	4.6	142.1

**PERCENT OF PREGNANCIES OCCURRING TO UNWED WOMEN AGES 10-44,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	22.7	22.8	23.2	24.7	24.5	23.1	23.8	25.2	25.9	24.1	6.2
10-14	100.0	100.0	0.0	100.0	100.0	-	-	-	-	-	-
15-17	55.6	58.8	50.0	50.0	43.8	50.0	47.1	56.3	66.7	66.7	20.0
18-19	28.1	40.6	48.4	51.7	41.9	31.3	29.7	33.3	36.6	36.8	31.0
20-24	19.3	15.6	17.2	18.4	22.4	20.9	23.3	25.3	26.7	24.2	25.4
25-29	13.7	13.2	14.8	14.1	14.7	14.3	16.9	19.1	17.9	14.7	7.3
30-34	16.7	13.0	11.5	16.0	16.7	18.2	16.7	11.4	11.4	9.4	-43.7
35-39	16.7	25.0	18.2	22.2	20.0	27.3	27.3	27.3	20.0	11.1	-33.5
40-44	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	-

**PERCENT OF PREGNANCIES OCCURRING TO UNWED WOMEN AGES 10-44,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

NONWHITE

AREA

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	0.0	0.0	-	0.0	100.0	0.0	100.0	0.0	0.0	50.0	-
10-14	-	-	-	-	-	-	-	-	-	-	-
15-17	-	-	-	-	-	-	-	-	-	-	-
18-19	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-

**PERCENT OF PREGNANCIES OCCURRING TO UNWED WOMEN AGES 10-44,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	22.4	22.9	23.3	24.4	24.3	22.9	23.6	25.3	25.7	23.9	6.7
10-14	100.0	100.0	0.0	100.0	100.0	-	-	-	-	-	-
15-17	55.6	58.8	50.0	50.0	40.0	50.0	50.0	56.3	66.7	66.7	20.0
18-19	29.0	40.6	45.2	50.0	43.3	32.3	27.0	33.3	36.6	37.8	30.3
20-24	18.4	15.7	17.2	18.4	22.4	20.9	23.3	24.1	25.6	23.2	26.1
25-29	13.7	13.2	14.8	14.1	14.7	14.3	17.1	19.4	18.2	14.9	8.8
30-34	16.7	13.0	11.5	16.0	17.2	18.8	16.7	11.4	11.8	9.4	-43.7
35-39	16.7	25.0	18.2	22.2	20.0	30.0	27.3	27.3	20.0	11.1	-33.5
40-44	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	-

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY AGE OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	6.2	6.6	6.3	6.7	6.8	7.5	8.8	8.6	8.6	8.0	29.0
10-14	0.0	0.0	0.0	0.0	0.0	-	-	-	-	0.0	-
15-17	2.1	2.3	6.7	11.6	20.9	18.2	15.9	4.7	2.4	2.2	4.8
18-19	7.1	7.1	3.8	4.3	2.7	7.4	12.6	15.7	15.0	15.4	116.9
20-24	5.7	5.6	6.1	5.6	5.9	4.6	4.6	4.0	5.0	5.2	-8.8
25-29	6.1	6.5	5.1	6.0	5.6	6.0	8.9	9.5	11.2	8.3	36.1
30-34	6.2	9.1	6.8	8.6	7.4	11.2	8.9	7.0	6.1	7.5	21.0
35-39	11.4	11.4	20.7	16.7	12.5	16.0	18.5	29.6	19.2	16.7	46.5
40-44	25.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.5	-50.0

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY AGE OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

NONWHITE

AREA

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	6.2	6.6	6.3	6.7	6.8	7.5	8.8	8.6	8.6	8.0	29.0
10-14	0.0	0.0	0.0	0.0	0.0	-	-	-	-	0.0	-
15-17	2.1	2.3	6.7	11.6	20.9	18.2	15.9	4.7	2.4	2.2	4.8
18-19	7.1	7.1	3.8	4.3	2.7	7.4	12.6	15.7	15.0	15.4	116.9
20-24	5.7	5.6	6.1	5.6	5.9	4.6	4.6	4.0	5.0	5.2	-8.8
25-29	6.1	6.5	5.1	6.0	5.6	6.0	8.9	9.5	11.2	8.3	36.1
30-34	6.2	9.1	6.8	8.6	7.4	11.2	8.9	7.0	6.1	7.5	21.0
35-39	11.4	11.4	20.7	16.7	12.5	16.0	18.5	29.6	19.2	16.7	46.5
40-44	25.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.5	-50.0

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY AGE OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	6.2	6.6	6.3	6.6	6.6	7.4	8.8	8.7	8.6	8.0	29.0
10-14	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-
15-17	2.1	2.3	6.7	11.6	21.4	18.6	16.3	4.7	2.4	2.2	4.8
18-19	7.1	7.1	3.8	4.3	2.7	7.5	12.7	15.9	15.0	15.5	118.3
20-24	5.7	5.6	6.1	5.6	5.9	4.6	4.6	4.1	5.0	5.3	-7.0
25-29	6.2	6.6	5.1	6.0	5.6	6.0	9.0	9.6	11.3	8.4	35.5
30-34	6.2	9.1	6.8	7.2	6.3	10.2	8.9	7.0	6.1	7.6	22.6
35-39	11.4	11.4	20.7	17.4	13.0	16.7	18.5	29.6	19.2	16.7	46.5
40-44	25.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.5	-50.0

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

MACON

THREE -YEAR AVERAGES 1988-1999

EDUCATION	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL LEVELS	6.2	6.6	6.3	6.7	6.8	7.5	8.8	8.7	8.6	8.0	29.0
0-8 YEARS	12.3	12.3	12.9	8.6	6.3	6.7	8.8	8.1	5.7	8.9	-27.6
9-11 YEARS	9.4	9.4	8.0	8.6	11.4	12.7	12.8	9.7	10.9	10.4	10.6
12 YEARS	4.4	4.8	4.6	5.9	5.6	5.6	6.9	7.3	8.7	8.1	84.1
13-15 YEARS	0.0	3.8	4.5	5.4	3.7	7.9	10.7	13.2	8.1	3.9	-
16 YEARS	0.0	0.0	4.3	3.7	2.9	5.3	5.4	7.5	2.9	8.5	-
17 OR MORE	0.0	0.0	5.9	6.7	7.1	0.0	0.0	0.0	0.0	0.0	-

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

MACON

THREE -YEAR AVERAGES 1988-1999

EDUCATION	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL LEVELS	0.0	0.0	0.0	50.0	33.3	25.0	0.0	0.0	0.0	0.0	-
0-8 YEARS	-	-	-	0.0	0.0	0.0	-	-	-	0.0	-
9-11 YEARS	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-
12 YEARS	0.0	0.0	-	100.0	100.0	100.0	-	-	0.0	0.0	-
13-15 YEARS	-	-	-	-	-	-	0.0	0.0	0.0	-	-
16 YEARS	-	-	-	-	-	-	0.0	0.0	0.0	0.0	-
17 OR MORE	-	-	-	-	-	-	-	-	-	-	-

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

MACON

THREE -YEAR AVERAGES 1988-1999

EDUCATION	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL LEVELS	6.2	6.6	6.3	6.6	6.6	7.4	8.8	8.7	8.6	8.0	29.0
0-8 YEARS	12.3	12.3	12.9	8.8	6.4	6.8	8.8	8.1	5.7	9.1	-26.0
9-11 YEARS	9.4	9.5	8.0	8.6	11.5	12.8	12.9	9.8	11.0	10.5	11.7
12 YEARS	4.4	4.8	4.6	5.6	5.3	5.3	6.9	7.3	8.7	8.1	84.1
13-15 YEARS	0.0	3.8	4.5	5.4	3.7	7.9	10.8	13.3	8.2	3.9	-
16 YEARS	0.0	0.0	4.3	3.7	2.9	5.3	5.6	7.9	3.0	8.9	-
17 OR MORE	0.0	0.0	5.9	6.7	7.1	0.0	0.0	0.0	0.0	0.0	-

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY AGE OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	0.5	0.5	0.5	0.5	0.3	0.6	1.0	1.5	1.6	1.9	280.0
10-14	0.0	0.0	0.0	0.0	0.0	-	-	-	-	0.0	-
15-17	0.0	0.0	2.2	2.3	2.3	2.3	2.3	2.3	0.0	0.0	-
18-19	1.2	1.2	0.0	0.0	0.0	1.2	1.0	1.9	1.8	1.9	58.3
20-24	0.4	0.0	0.0	0.0	0.0	0.0	0.4	1.2	1.9	1.7	325.0
25-29	0.0	0.0	0.6	0.5	0.5	0.0	0.5	0.5	1.1	1.0	-
30-34	0.0	0.0	0.0	0.0	0.0	2.2	2.0	2.0	1.0	2.2	-
35-39	0.0	2.9	3.4	4.2	0.0	0.0	3.7	7.4	7.7	8.3	-
40-44	25.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.5	-50.0

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY AGE OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
10-14	-	-	-	-	-	-	-	-	-	0.0	-
15-17	-	-	-	-	0.0	0.0	0.0	-	-	-	-
18-19	-	-	-	-	-	0.0	0.0	0.0	-	0.0	-
20-24	0.0	0.0	0.0	-	-	-	0.0	0.0	0.0	0.0	-
25-29	0.0	0.0	-	-	-	-	0.0	0.0	0.0	0.0	-
30-34	-	-	-	0.0	0.0	0.0	-	-	0.0	0.0	-
35-39	-	-	-	0.0	0.0	0.0	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY AGE OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

WHITE

AREA

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	0.5	0.5	0.5	0.5	0.3	0.6	1.0	1.5	1.6	1.9	280.0
10-14	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-
15-17	0.0	0.0	2.2	2.3	2.4	2.3	2.3	2.3	0.0	0.0	-
18-19	1.2	1.2	0.0	0.0	0.0	1.3	1.0	1.9	1.8	1.9	58.3
20-24	0.4	0.0	0.0	0.0	0.0	0.0	0.4	1.2	1.9	1.8	350.0
25-29	0.0	0.0	0.6	0.5	0.5	0.0	0.5	0.5	1.1	1.1	-
30-34	0.0	0.0	0.0	0.0	0.0	2.3	2.0	2.0	1.0	2.2	-
35-39	0.0	2.9	3.4	4.3	0.0	0.0	3.7	7.4	7.7	8.3	-
40-44	25.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.5	-50.0

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

MACON

THREE -YEAR AVERAGES 1988-1999

EDUCATION	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL LEVELS	0.5	0.5	0.5	0.5	0.3	0.6	1.0	1.5	1.6	1.8	260.0
0-8 YEARS	1.4	1.4	0.0	0.0	0.0	2.2	2.9	5.4	2.9	6.7	378.6
9-11 YEARS	0.6	1.2	1.7	1.9	1.2	1.3	1.2	1.7	2.2	2.6	333.3
12 YEARS	0.3	0.0	0.0	0.0	0.0	0.0	0.6	0.8	1.4	1.4	366.7
13-15 YEARS	0.0	0.0	0.0	0.0	0.0	1.1	1.9	2.8	1.8	1.0	-
16 YEARS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
17 OR MORE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

MACON

THREE -YEAR AVERAGES 1988-1999

EDUCATION	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL LEVELS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
0-8 YEARS	-	-	-	0.0	0.0	0.0	-	-	-	0.0	-
9-11 YEARS	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-
12 YEARS	0.0	0.0	-	0.0	0.0	0.0	-	-	0.0	0.0	-
13-15 YEARS	-	-	-	-	-	-	0.0	0.0	0.0	-	-
16 YEARS	-	-	-	-	-	-	0.0	0.0	0.0	0.0	-
17 OR MORE	-	-	-	-	-	-	-	-	-	-	-

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

MACON

THREE -YEAR AVERAGES 1985-1996

EDUCATION	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL LEVELS	0.5	0.5	0.5	0.5	0.3	0.6	1.0	1.5	1.6	1.8	260.0
0-8 YEARS	1.4	1.4	0.0	0.0	0.0	2.3	2.9	5.4	2.9	6.8	385.7
9-11 YEARS	0.6	1.2	1.7	1.9	1.2	1.3	1.2	1.7	2.2	2.6	333.3
12 YEARS	0.3	0.0	0.0	0.0	0.0	0.0	0.6	0.8	1.4	1.4	366.7
13-15 YEARS	0.0	0.0	0.0	0.0	0.0	1.1	2.0	2.9	1.8	1.0	-
16 YEARS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
17 OR MORE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-

**PERCENT OF MOTHERS WITH SELECTED RISK FACTORS
RESIDENT DATA, TENNESSEE**

RACE GROUP

ALL RACES

AREA

MACON

THREE -YEAR AVERAGES 1988-1999

RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
EDUCATION LT 9 YEARS	11.6	11.4	9.5	9.0	7.2	6.6	4.7	5.1	4.7	5.9	-49.1
EDUCATION 9-11 YEARS	27.1	26.6	26.9	25.2	24.9	23.2	23.9	24.1	24.5	25.1	-7.4
PARITY 4+	1.3	1.1	0.9	1.2	1.5	1.8	1.7	1.8	2.1	2.0	53.8
PREVIOUS TERMINATION	14.2	13.6	11.4	10.1	7.8	9.2	8.9	11.7	12.3	15.3	7.7
PREV. LIVE BTH NOW DEAD	1.3	1.4	1.1	1.1	1.1	1.0	1.3	1.8	1.6	1.4	7.7
PREV. LIVE BTH W/IN LAST 24 MO	15.2	15.5	14.9	14.6	14.4	13.5	11.5	12.2	12.3	13.3	-12.5
ONE OR MORE FACTORS	53.2	52.8	50.0	47.4	44.4	44.0	42.4	44.2	44.0	47.5	-10.7

**PERCENT OF MOTHERS WITH SELECTED RISK FACTORS
RESIDENT DATA, TENNESSEE**

RACE GROUP

NONWHITE

AREA

MACON

THREE -YEAR AVERAGES 1988-1999

RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
EDUCATION LT 9 YEARS	0.0	0.0	0.0	50.0	33.3	25.0	0.0	0.0	0.0	16.7	-
EDUCATION 9- 11 YEARS	33.3	33.3	100.0	0.0	33.3	50.0	50.0	25.0	20.0	16.7	-49.8
PARITY 4+	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
PREVIOUS TERMINATION	0.0	0.0	0.0	50.0	33.3	25.0	0.0	0.0	0.0	16.7	-
PREV. LIVE BTH NOW DEAD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
PREV. LIVE BTH W/IN LAST 24 MO.	33.3	33.3	0.0	0.0	0.0	25.0	50.0	50.0	20.0	16.7	-49.8
ONE OR MORE FACTORS	66.7	66.7	100.0	100.0	100.0	100.0	75.0	50.0	40.0	50.0	-25.0

**PERCENT OF MOTHERS WITH SELECTED RISK FACTORS
RESIDENT DATA, TENNESSEE**

RACE GROUP

WHITE

AREA

MACON

THREE -YEAR AVERAGES 1988-1999

RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
EDUCATION LT 9 YEARS	11.6	11.5	9.6	8.9	7.1	6.5	4.7	5.1	4.7	5.8	-50.0
EDUCATION 9-11 YEARS	27.0	26.5	26.8	25.3	24.9	23.0	23.7	24.1	24.5	25.1	-7.0
PARITY 4+	1.3	1.1	0.9	1.2	1.5	1.8	1.7	1.8	2.2	2.0	53.8
PREVIOUS TERMINATION	14.3	13.7	11.4	10.0	7.7	9.1	8.9	11.8	12.4	15.3	7.0
PREV. LIVE BTH NOW DEAD	1.3	1.4	1.1	1.1	1.1	1.0	1.3	1.8	1.6	1.4	7.7
PREV. LIVE BTH W/IN LAST 24 MO.	15.1	15.4	14.9	14.7	14.5	13.4	11.3	12.0	12.3	13.3	-11.9
ONE OR MORE FACTORS	53.1	52.7	49.9	47.3	44.2	43.7	42.2	44.1	44.1	47.5	-10.5

**PERCENT OF LIVE BIRTHS BY GESTATIONAL AGE,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

MACON

THREE -YEAR AVERAGES 1988-1999

WEEKS	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
LT 36 WKS	6.2	6.1	7.2	7.0	5.7	5.7	6.5	7.0	6.0	5.6	-9.7
LT 22	0.2	0.0	0.0	0.2	0.2	0.1	0.0	0.1	0.1	0.3	50.0
22-27	0.0	0.0	0.2	0.2	0.2	0.1	0.6	0.8	0.7	0.3	-
28-31	1.3	1.1	1.2	0.6	0.9	0.9	1.0	0.8	0.9	1.2	-7.7
32-35	4.7	5.0	5.8	6.1	4.5	4.5	5.0	5.2	4.3	3.9	-17.0
36-39	36.1	37.0	36.5	37.3	37.5	38.3	39.3	40.6	43.4	45.4	25.8
40-42	45.3	45.0	44.6	44.8	45.8	44.6	42.9	40.9	41.4	40.9	-9.7
43-46	7.4	7.3	6.6	5.8	6.3	6.5	7.1	7.2	6.4	5	-32.4
47 +	1.3	0.8	0.6	0.6	0.9	0.9	0.8	0.8	0.7	0.7	-46.2

**PERCENT OF LIVE BIRTHS BY GESTATIONAL AGE,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

MACON

THREE -YEAR AVERAGES 1988-1999

WEEKS	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
LT 36 WKS	0.0	0.0	0.0	50.0	33.3	25.0	0.0	0.0	0.0	33.3	-
LT 22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.7	-
22-27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
28-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
32-35	0.0	0.0	0.0	50.0	33.3	25.0	0.0	0.0	0.0	16.7	-
36-39	33.3	33.3	0.0	0.0	33.3	50.0	75.0	75.0	40.0	16.7	-49.8
40-42	33.3	33.3	100.0	50.0	33.3	25.0	25.0	25.0	40.0	16.7	-49.8
43-46	0	0	0	0	0	0	0	0	20	33.3	-
47 +	0	0	0	0	0	0	0	0	0	0	-

**PERCENT OF LIVE BIRTHS BY GESTATIONAL AGE,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

MACON

THREE -YEAR AVERAGES 1988-1999

WEEKS	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
LT 36 WKS	6.2	6.1	7.2	6.9	5.6	5.6	6.6	7.1	6.1	5.4	-12.9
LT 22	0.2	0.0	0.0	0.2	0.2	0.1	0.0	0.1	0.1	0.1	-50.0
22-27	0.0	0.0	0.2	0.2	0.2	0.1	0.6	0.8	0.7	0.3	-
28-31	1.3	1.1	1.2	0.6	0.9	0.9	1.0	0.8	0.9	1.2	-7.7
32-35	4.8	5.0	5.9	5.9	4.4	4.4	5.0	5.3	4.3	3.8	-20.8
36-39	36.1	37.0	36.5	37.4	37.6	38.2	39.1	40.4	43.4	45.7	26.6
40-42	45.3	45.1	44.5	44.8	45.9	44.7	43.0	40.9	41.4	41.1	-9.3
43-46	7.5	7.4	6.6	5.8	6.3	6.5	7.1	7.2	6.3	4.7	-37.3
47 +	1.3	0.8	0.6	0.6	0.9	0.9	0.8	0.8	0.7	0.7	-46.2

**PERCENT OF LIVE BIRTHS WITH LATE OR NO PRENATAL CARE, ACCORDING TO MOM'S AGE AND RACE,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL RACES ALL AGES	22.0	19.7	22.5	22.5	21.1	19.1	17.6	19.7	17.6	19.7	-10.5
10-17	49.1	50.0	50.0	50.0	50.0	47.9	54.3	41.3	38.6	31.8	-35.2
18-19	39.4	33.8	37.5	41.7	38.8	30.4	21.7	25.3	23.5	30.1	-23.6
NONWHITE: ALL AGES	25.0	0.0	25.0	66.7	66.7	100.0	50.0	66.7	50.0	50.0	100.0
10-17	-	-	-	-	-	-	-	100.0	100.0	100.0	#VALU
18-19	100.0	-	-	-	-	-	-	-	0.0	0.0	-100.0
WHITE: ALL AGES	21.9	19.8	22.5	22.3	20.9	19.0	17.5	19.5	17.4	19.6	-10.5
10-17	49.1	50.0	50.0	50.0	50.0	47.9	54.3	40.0	37.2	30.2	-38.5
18-19	38.6	33.8	37.5	41.7	38.8	30.4	21.7	25.3	23.8	30.4	-21.2

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER	AREA										PERCENT CHANGE 1988-90 TO 1997-99
	MACON										
	THREE -YEAR AVERAGES 1988-1999										
RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	
ONE OR MORE RISK FACTORS		49.6	54.5	58.9	59.9	60.7	63.5	64.0	61.6	57.4	15.7
SMOKING		0.3	0.2	0.5	0.6	0.9	0.7	0.8	0.7	0.7	133.3
C-SECTION		23.9	23.2	21.3	20.1	21.0	22.7	24.8	23.7	23.2	-2.9
WT GAIN < 15#		13.3	14.2	15.6	15.2	16.0	16.5	17.2	16.2	17.7	33.1
ANEMIA		5.8	6.0	6.7	6.8	7.0	10.6	11.4	10.5	6.0	3.4
DIABETES		1.1	1.7	1.7	2.4	2.2	2.5	2.2	2.3	2.0	81.8
HYPERTENSION		3.1	4.8	5.4	6.5	5.1	5.6	4.9	6.4	5.4	74.2
LABOR/DELIVERY COMPLICATIONS		29.1	34.0	38.3	40.8	42.7	42.8	41.0	36.4	32.0	10.0
ALCOHOL OR DRUG USE		0.9	0.8	0.8	0.8	0.9	0.8	0.8	0.7	0.4	-55.6

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER		AREA									PERCENT CHANGE 1988-90 TO 1997-99
NONWHITE		MACON									
10-44		THREE -YEAR AVERAGES 1988-1999									
RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	
ONE OR MORE RISK FACTORS		100.0	-	0.0	0.0	0.0	100.0	100.0	75.0	50.0	-50.0
SMOKING		0.0	-	0.0	0.0	0.0	0.0	0.0	25.0	16.7	-
C-SECTION		0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
WT GAIN < 15#		0.0	-	0.0	0.0	0.0	100.0	50.0	25.0	0.0	-
ANEMIA		0.0	-	0.0	0.0	0.0	100.0	100.0	50.0	16.7	-
DIABETES		0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
HYPERTENSION		0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
LABOR/DELIVERY COMPLICATIONS		100.0	-	0.0	0.0	0.0	100.0	50.0	50.0	33.3	-66.7
ALCOHOL OR DRUG USE		0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER	AREA										PERCENT CHANGE 1988-90 TO 1997-99
	WHITE	MACON									
10-44											
THREE -YEAR AVERAGES 1988-1999											
RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	
ONE OR MORE RISK FACTORS		49.5	54.4	59.0	59.9	60.8	63.5	64.1	61.6	57.4	16.0
SMOKING		0.3	0.2	0.3	0.5	0.7	0.7	0.8	0.5	0.5	66.7
C-SECTION		24.1	23.3	21.2	20.1	20.9	22.9	25.0	23.9	23.4	-2.9
WT GAIN < 15#		13.4	14.2	15.6	15.2	16.1	16.4	17.1	16.2	17.8	32.8
ANEMIA		5.8	6.0	6.7	6.8	7.1	10.5	11.2	10.3	5.9	1.7
DIABETES		1.1	1.7	1.7	2.4	2.2	2.5	2.2	2.3	2.0	81.8
HYPERTENSION		3.1	4.8	5.5	6.5	5.2	5.6	4.9	6.4	5.5	77.4
LABOR/DELIVERY COMPLICATIONS		29.1	34.1	38.2	40.7	42.6	42.8	41.1	36.4	32.0	10.0
ALCOHOL OR DRUG USE		0.8	0.6	0.8	0.8	0.9	0.8	0.8	0.7	0.4	-50.0

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER		AREA										PERCENT CHANGE 1988-90 TO 1997-99
ALL RACES		MACON										
AGE: 10-17		THREE -YEAR AVERAGES 1988-1999										
RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ONE OR MORE RISK FACTORS		47.8	64.6	63.0	63.0	54.5	59.1	55.8	50.0	45.7	-4.4	
SMOKING		0.0	2.1	2.2	2.2	0.0	0.0	0.0	0.0	0.0	-	
C-SECTION		15.2	20.8	19.6	15.2	9.1	13.6	18.6	19.0	13.0	-14.5	
WT GAIN < 15#		15.2	14.6	15.2	10.9	11.4	9.1	14.0	7.1	10.9	-28.3	
ANEMIA		4.3	4.2	6.5	6.5	9.1	15.9	16.3	14.3	4.3	0.0	
DIABETES		0.0	2.1	2.2	2.2	0.0	0.0	0.0	0.0	0.0	-	
HYPERTENSION		6.5	8.3	8.7	8.7	6.8	4.5	2.3	2.4	6.5	0.0	
LABOR/DELIVERY COMPLICATIONS		28.3	47.9	47.8	47.8	36.4	38.6	34.9	28.6	21.7	-23.3	
ALCOHOL OR DRUG USE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.2	-	

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER
NONWHITE
AGE: 10-17

AREA
MACON

THREE -YEAR AVERAGES 1988-1999

RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ONE OR MORE RISK FACTORS	-	-	-	-	-	-	-	-	-	-	-
SMOKING	-	-	-	-	-	-	-	-	-	-	-
C-SECTION	-	-	-	-	-	-	-	-	-	-	-
WT GAIN < 15#	-	-	-	-	-	-	-	-	-	-	-
ANEMIA	-	-	-	-	-	-	-	-	-	-	-
DIABETES	-	-	-	-	-	-	-	-	-	-	-
HYPERTENSION	-	-	-	-	-	-	-	-	-	-	-
LABOR/DELIVERY COMPLICATIONS	-	-	-	-	-	-	-	-	-	-	-
ALCOHOL OR DRUG USE	-	-	-	-	-	-	-	-	-	-	-

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER

AREA

WHITE

MACON

AGE: 10-17

THREE -YEAR AVERAGES 1988-1999

RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ONE OR MORE RISK FACTORS		47.8	64.6	63.0	62.2	53.5	58.1	55.8	50.0	46.7	-2.3
SMOKING		0.0	2.1	2.2	2.2	0.0	0.0	0.0	0.0	0.0	-
C-SECTION		15.2	20.8	19.6	15.6	9.3	14.0	18.6	19.0	13.3	-12.5
WT GAIN < 15#		15.2	14.6	15.2	11.1	11.6	9.3	14.0	7.1	11.1	-27.0
ANEMIA		4.3	4.2	6.5	6.7	9.3	16.3	16.3	14.3	4.4	2.3
DIABETES		0.0	2.1	2.2	2.2	0.0	0.0	0.0	0.0	0.0	-
HYPERTENSION		6.5	8.3	8.7	8.9	7.0	4.7	2.3	2.4	6.7	3.1
LABOR/DELIVERY COMPLICATIONS		28.3	47.9	47.8	46.7	34.9	37.2	34.9	28.6	22.2	-21.6
ALCOHOL OR DRUG USE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.2	-

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER	AREA										PERCENT CHANGE 1988-90 TO 1997-99
	MACON										
	THREE -YEAR AVERAGES 1988-1999										
RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	
ONE OR MORE RISK FACTORS		55.3	53.2	58.0	54.7	56.8	56.3	58.3	60.2	56.7	2.5
SMOKING		1.2	0.0	0.0	0.0	1.2	1.0	1.9	0.9	1.0	-16.7
C-SECTION		20.0	13.9	13.0	10.7	13.6	13.6	15.7	13.3	21.2	6.0
WT GAIN < 15#		14.1	15.2	21.7	17.3	17.3	12.6	13.0	13.3	13.5	-4.3
ANEMIA		10.6	5.1	1.4	4.0	3.7	11.7	13.0	12.4	6.7	-36.8
DIABETES		0.0	0.0	0.0	1.3	1.2	1.0	0.0	0.0	0.0	-
HYPERTENSION		4.7	6.3	5.8	6.7	3.7	4.9	4.6	6.2	5.8	23.4
LABOR/DELIVERY COMPLICATIONS		35.3	31.6	33.3	36.0	40.7	40.8	41.7	41.6	42.3	19.8
ALCOHOL OR DRUG USE		1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.0	-16.7

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER

AREA

NONWHITE
AGE: 18-19

MACON

THREE -YEAR AVERAGES 1988-1999

RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ONE OR MORE RISK FACTORS	-	-	-	-	-	-	-	-	-	-	-
SMOKING	-	-	-	-	-	-	-	-	-	-	-
C-SECTION	-	-	-	-	-	-	-	-	-	-	-
WT GAIN < 15#	-	-	-	-	-	-	-	-	-	-	-
ANEMIA	-	-	-	-	-	-	-	-	-	-	-
DIABETES	-	-	-	-	-	-	-	-	-	-	-
HYPERTENSION	-	-	-	-	-	-	-	-	-	-	-
LABOR/DELIVERY COMPLICATIONS	-	-	-	-	-	-	-	-	-	-	-
ALCOHOL OR DRUG USE	-	-	-	-	-	-	-	-	-	-	-

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER		AREA										PERCENT CHANGE 1988-90 TO 1997-99
WHITE		MACON										
AGE: 18-19												
THREE -YEAR AVERAGES 1988-1999												
RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ONE OR MORE RISK FACTORS		55.3	53.2	58.0	54.7	57.5	56.9	58.9	60.2	56.3	1.8	
SMOKING		1.2	0.0	0.0	0.0	1.3	1.0	1.9	0.9	1.0	-16.7	
C-SECTION		20.0	13.9	13.0	10.7	13.8	13.7	15.9	13.3	21.4	7.0	
WT GAIN < 15#		14.1	15.2	21.7	17.3	17.5	12.7	13.1	13.3	13.6	-3.5	
ANEMIA		10.6	5.1	1.4	4.0	3.8	11.8	13.1	12.4	6.8	-35.8	
DIABETES		0.0	0.0	0.0	1.3	1.3	1.0	0.0	0.0	0.0	-	
HYPERTENSION		4.7	6.3	5.8	6.7	3.8	4.9	4.7	6.2	5.8	23.4	
LABOR/DELIVERY COMPLICATIONS		35.3	31.6	33.3	36.0	41.3	41.2	42.1	41.6	41.7	18.1	
ALCOHOL OR DRUG USE		1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.0	-16.7	

**PERCENT OF LIVE BIRTHS WITH HIGH PARITY, ACCORDING TO MOM'S AGE AND RACE,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

MACON

THREE -YEAR AVERAGES 1988-1999

RACE/AGE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL RACES											
UNDER 30	0.0	0.0	0.2	0.6	0.6	0.5	0.7	0.9	1.1	1.2	#DIV/0!
30 AND UP	3.9	5.0	5.3	4.8	3.8	2.9	4.1	4.6	5.1	3.8	-2.6
NONWHITE:											
UNDER 30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	#DIV/0!
30 AND UP	50.0	50.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0
WHITE:											
UNDER 30	0.0	0.0	0.2	0.6	0.6	0.5	0.7	0.9	1.1	1.2	#DIV/0!
30 AND UP	2.7	3.8	4.3	4.8	3.8	2.9	4.2	4.7	5.2	3.8	40.7

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
ALL RACES

AREA
MACON

YEAR
1995

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTH	0	1	2	3	4+	UNK
10-17	929	16	15	1	0	0	0	0
10	118	0	0	0	0	0	0	0
11	121	0	0	0	0	0	0	0
12	120	0	0	0	0	0	0	0
13	118	0	0	0	0	0	0	0
14	116	0	0	0	0	0	0	0
15	114	1	1	0	0	0	0	0
16	111	5	5	0	0	0	0	0
17	111	10	9	1	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
MACON

YEAR
1995

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTH	0	1	2	3	4+	UNK
10-17	9	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0
11	2	0	0	0	0	0	0	0
12	2	0	0	0	0	0	0	0
13	1	0	0	0	0	0	0	0
14	1	0	0	0	0	0	0	0
15	1	0	0	0	0	0	0	0
16	1	0	0	0	0	0	0	0
17	1	0	0	0	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
WHITE

AREA
MACON

YEAR
1995

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTH	0	1	2	3	4+	UNK
10-17	920	16	15	1	0	0	0	0
10	118	0	0	0	0	0	0	0
11	119	0	0	0	0	0	0	0
12	118	0	0	0	0	0	0	0
13	117	0	0	0	0	0	0	0
14	115	0	0	0	0	0	0	0
15	113	1	1	0	0	0	0	0
16	110	5	5	0	0	0	0	0
17	110	10	9	1	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
ALL RACES

AREA
MACON

YEAR
1996

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
10-17	948	12	11	1	0	0	0	0
10	121	0	0	0	0	0	0	0
11	123	0	0	0	0	0	0	0
12	122	0	0	0	0	0	0	0
13	120	0	0	0	0	0	0	0
14	119	0	0	0	0	0	0	0
15	116	1	1	0	0	0	0	0
16	114	4	4	0	0	0	0	0
17	113	7	6	1	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
MACON

YEAR
1996

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
10-17	9	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0
11	2	0	0	0	0	0	0	0
12	2	0	0	0	0	0	0	0
13	1	0	0	0	0	0	0	0
14	1	0	0	0	0	0	0	0
15	1	0	0	0	0	0	0	0
16	1	0	0	0	0	0	0	0
17	1	0	0	0	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
WHITE

AREA
MACON

YEAR
1996

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
10-17	939	12	11	1	0	0	0	0
10	121	0	0	0	0	0	0	0
11	121	0	0	0	0	0	0	0
12	120	0	0	0	0	0	0	0
13	119	0	0	0	0	0	0	0
14	118	0	0	0	0	0	0	0
15	115	1	1	0	0	0	0	0
16	113	4	4	0	0	0	0	0
17	112	7	6	1	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
ALL RACES

AREA
MACON

YEAR
1997

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
10-17	967	15	14	1	0	0	0	0
10	124	0	0	0	0	0	0	0
11	125	0	0	0	0	0	0	0
12	125	0	0	0	0	0	0	0
13	123	0	0	0	0	0	0	0
14	121	0	0	0	0	0	0	0
15	118	1	1	0	0	0	0	0
16	116	5	4	1	0	0	0	0
17	115	9	9	0	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
MACON

YEAR
1997

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
10-17	10	0	0	0	0	0	0	0
10	1	0	0	0	0	0	0	0
11	2	0	0	0	0	0	0	0
12	2	0	0	0	0	0	0	0
13	1	0	0	0	0	0	0	0
14	1	0	0	0	0	0	0	0
15	1	0	0	0	0	0	0	0
16	1	0	0	0	0	0	0	0
17	1	0	0	0	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
WHITE

AREA
MACON

YEAR
1997

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
10-17	957	15	14	1	0	0	0	0
10	123	0	0	0	0	0	0	0
11	123	0	0	0	0	0	0	0
12	123	0	0	0	0	0	0	0
13	122	0	0	0	0	0	0	0
14	120	0	0	0	0	0	0	0
15	117	1	1	0	0	0	0	0
16	115	5	4	1	0	0	0	0
17	114	9	9	0	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
ALL RACES

AREA
MACON

YEAR
1998

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
10-17	986	15	15	0	0	0	0	0
10	127	0	0	0	0	0	0	0
11	128	0	0	0	0	0	0	0
12	128	0	0	0	0	0	0	0
13	125	0	0	0	0	0	0	0
14	123	0	0	0	0	0	0	0
15	120	0	0	0	0	0	0	0
16	118	6	6	0	0	0	0	0
17	117	9	9	0	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
MACON

YEAR
1998

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
10-17	10	0	0	0	0	0	0	0
10	1	0	0	0	0	0	0	0
11	2	0	0	0	0	0	0	0
12	2	0	0	0	0	0	0	0
13	1	0	0	0	0	0	0	0
14	1	0	0	0	0	0	0	0
15	1	0	0	0	0	0	0	0
16	1	0	0	0	0	0	0	0
17	1	0	0	0	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
WHITE

AREA
MACON

YEAR
1998

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
10-17	976	15	15	0	0	0	0	0
10	126	0	0	0	0	0	0	0
11	126	0	0	0	0	0	0	0
12	126	0	0	0	0	0	0	0
13	124	0	0	0	0	0	0	0
14	122	0	0	0	0	0	0	0
15	119	0	0	0	0	0	0	0
16	117	6	6	0	0	0	0	0
17	116	9	9	0	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
ALL RACES

AREA
MACON

YEAR
1999

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
10-17	1,003	16	14	2	0	0	0	0
10	129	0	0	0	0	0	0	0
11	130	0	0	0	0	0	0	0
12	130	1	1	0	0	0	0	0
13	128	0	0	0	0	0	0	0
14	125	0	0	0	0	0	0	0
15	122	2	2	0	0	0	0	0
16	120	3	2	1	0	0	0	0
17	119	10	9	1	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
MACON

YEAR
1999

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
10-17	12	1	1	0	0	0	0	0
10	1	0	0	0	0	0	0	0
11	2	0	0	0	0	0	0	0
12	3	1	1	0	0	0	0	0
13	2	0	0	0	0	0	0	0
14	1	0	0	0	0	0	0	0
15	1	0	0	0	0	0	0	0
16	1	0	0	0	0	0	0	0
17	1	0	0	0	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
WHITE

AREA
MACON

YEAR
1999

AGE	POP.	#BIRTHS	PREVIOUS LIVE BIRTHS, NOW LIVING					UNK
			0	1	2	3	4+	
10-17	991	15	13	2	0	0	0	0
10	128	0	0	0	0	0	0	0
11	128	0	0	0	0	0	0	0
12	127	0	0	0	0	0	0	0
13	126	0	0	0	0	0	0	0
14	124	0	0	0	0	0	0	0
15	121	2	2	0	0	0	0	0
16	119	3	2	1	0	0	0	0
17	118	10	9	1	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
ALL RACES

AREA
MACON

5 YEAR AVE.
1995-1999

AGE	POP.	#BIRTHS	PREVIOUS LIVE BIRTHS, NOW LIVING					UNK
			0	1	2	3	4+	
10-17	967	15	14	1	0	0	0	0
10	124	0	0	0	0	0	0	0
11	125	0	0	0	0	0	0	0
12	125	0	0	0	0	0	0	0
13	123	0	0	0	0	0	0	0
14	121	0	0	0	0	0	0	0
15	118	1	1	0	0	0	0	0
16	116	5	4	0	0	0	0	0
17	115	9	8	1	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
MACON

5 YEAR AVE.
1995-1999

AGE	POP.	#BIRTHS	PREVIOUS LIVE BIRTHS, NOW LIVING					UNK
			0	1	2	3	4+	
10-17	10	0	0	0	0	0	0	0
10	1	0	0	0	0	0	0	0
11	2	0	0	0	0	0	0	0
12	2	0	0	0	0	0	0	0
13	1	0	0	0	0	0	0	0
14	1	0	0	0	0	0	0	0
15	1	0	0	0	0	0	0	0
16	1	0	0	0	0	0	0	0
17	1	0	0	0	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
WHITE

AREA
MACON

5 YEAR AVE.
1995-1999

AGE	POP.	#BIRTHS	PREVIOUS LIVE BIRTHS, NOW LIVING					UNK
			0	1	2	3	4+	
10-17	957	15	14	1	0	0	0	0
10	123	0	0	0	0	0	0	0
11	123	0	0	0	0	0	0	0
12	123	0	0	0	0	0	0	0
13	122	0	0	0	0	0	0	0
14	120	0	0	0	0	0	0	0
15	117	1	1	0	0	0	0	0
16	115	5	4	0	0	0	0	0
17	114	9	8	1	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
ALL RACES

AREA
MACON

YEAR
1995

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	929	16	15	1	0	0	0	0
10	118	0	0	0	0	0	0	0
11	121	0	0	0	0	0	0	0
12	120	0	0	0	0	0	0	0
13	118	0	0	0	0	0	0	0
14	116	0	0	0	0	0	0	0
15	114	1	1	0	0	0	0	0
16	111	5	5	0	0	0	0	0
17	111	10	9	1	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
MACON

YEAR
1995

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	9	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0
11	2	0	0	0	0	0	0	0
12	2	0	0	0	0	0	0	0
13	1	0	0	0	0	0	0	0
14	1	0	0	0	0	0	0	0
15	1	0	0	0	0	0	0	0
16	1	0	0	0	0	0	0	0
17	1	0	0	0	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
WHITE

AREA
MACON

YEAR
1995

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	920	16	15	1	0	0	0	0
10	118	0	0	0	0	0	0	0
11	119	0	0	0	0	0	0	0
12	118	0	0	0	0	0	0	0
13	117	0	0	0	0	0	0	0
14	115	0	0	0	0	0	0	0
15	113	1	1	0	0	0	0	0
16	110	5	5	0	0	0	0	0
17	110	10	9	1	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
ALL RACES

AREA
MACON

YEAR
1996

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	948	12	10	2	0	0	0	0
10	121	0	0	0	0	0	0	0
11	123	0	0	0	0	0	0	0
12	122	0	0	0	0	0	0	0
13	120	0	0	0	0	0	0	0
14	119	0	0	0	0	0	0	0
15	116	1	1	0	0	0	0	0
16	114	4	4	0	0	0	0	0
17	113	7	5	2	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
MACON

YEAR
1996

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	9	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0
11	2	0	0	0	0	0	0	0
12	2	0	0	0	0	0	0	0
13	1	0	0	0	0	0	0	0
14	1	0	0	0	0	0	0	0
15	1	0	0	0	0	0	0	0
16	1	0	0	0	0	0	0	0
17	1	0	0	0	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
WHITE

AREA
MACON

YEAR
1996

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	939	12	10	2	0	0	0	0
10	121	0	0	0	0	0	0	0
11	121	0	0	0	0	0	0	0
12	120	0	0	0	0	0	0	0
13	119	0	0	0	0	0	0	0
14	118	0	0	0	0	0	0	0
15	115	1	1	0	0	0	0	0
16	113	4	4	0	0	0	0	0
17	112	7	5	2	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
ALL RACES

AREA
MACON

YEAR
1997

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	967	15	12	3	0	0	0	0
10	124	0	0	0	0	0	0	0
11	125	0	0	0	0	0	0	0
12	125	0	0	0	0	0	0	0
13	123	0	0	0	0	0	0	0
14	121	0	0	0	0	0	0	0
15	118	1	1	0	0	0	0	0
16	116	5	4	1	0	0	0	0
17	115	9	7	2	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
MACON

YEAR
1997

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	10	0	0	0	0	0	0	0
10	1	0	0	0	0	0	0	0
11	2	0	0	0	0	0	0	0
12	2	0	0	0	0	0	0	0
13	1	0	0	0	0	0	0	0
14	1	0	0	0	0	0	0	0
15	1	0	0	0	0	0	0	0
16	1	0	0	0	0	0	0	0
17	1	0	0	0	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
WHITE

AREA
MACON

YEAR
1997

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	957	15	12	3	0	0	0	0
10	123	0	0	0	0	0	0	0
11	123	0	0	0	0	0	0	0
12	123	0	0	0	0	0	0	0
13	122	0	0	0	0	0	0	0
14	120	0	0	0	0	0	0	0
15	117	1	1	0	0	0	0	0
16	115	5	4	1	0	0	0	0
17	114	9	7	2	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
ALL RACES

AREA
MACON

YEAR
1998

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	986	15	14	1	0	0	0	0
10	127	0	0	0	0	0	0	0
11	128	0	0	0	0	0	0	0
12	128	0	0	0	0	0	0	0
13	125	0	0	0	0	0	0	0
14	123	0	0	0	0	0	0	0
15	120	0	0	0	0	0	0	0
16	118	6	6	0	0	0	0	0
17	117	9	8	1	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
MACON

YEAR
1998

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	10	0	0	0	0	0	0	0
10	1	0	0	0	0	0	0	0
11	2	0	0	0	0	0	0	0
12	2	0	0	0	0	0	0	0
13	1	0	0	0	0	0	0	0
14	1	0	0	0	0	0	0	0
15	1	0	0	0	0	0	0	0
16	1	0	0	0	0	0	0	0
17	1	0	0	0	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
WHITE

AREA
MACON

YEAR
1998

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	976	15	14	1	0	0	0	0
10	126	0	0	0	0	0	0	0
11	126	0	0	0	0	0	0	0
12	126	0	0	0	0	0	0	0
13	124	0	0	0	0	0	0	0
14	122	0	0	0	0	0	0	0
15	119	0	0	0	0	0	0	0
16	117	6	6	0	0	0	0	0
17	116	9	8	1	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
ALL RACES

AREA
MACON

YEAR
1999

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	1,003	16	14	2	0	0	0	0
10	129	0	0	0	0	0	0	0
11	130	0	0	0	0	0	0	0
12	130	1	1	0	0	0	0	0
13	128	0	0	0	0	0	0	0
14	125	0	0	0	0	0	0	0
15	122	2	2	0	0	0	0	0
16	120	3	2	1	0	0	0	0
17	119	10	9	1	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
MACON

YEAR
1999

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	12	1	1	0	0	0	0	0
10	1	0	0	0	0	0	0	0
11	2	0	0	0	0	0	0	0
12	3	1	1	0	0	0	0	0
13	2	0	0	0	0	0	0	0
14	1	0	0	0	0	0	0	0
15	1	0	0	0	0	0	0	0
16	1	0	0	0	0	0	0	0
17	1	0	0	0	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
WHITE

AREA
MACON

YEAR
1999

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	991	15	13	2	0	0	0	0
10	128	0	0	0	0	0	0	0
11	128	0	0	0	0	0	0	0
12	127	0	0	0	0	0	0	0
13	126	0	0	0	0	0	0	0
14	124	0	0	0	0	0	0	0
15	121	2	2	0	0	0	0	0
16	119	3	2	1	0	0	0	0
17	118	10	9	1	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP		AREA		5 YEAR AVE.				
ALL RACES		MACON		1995-1999				
AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	967	15	13	2	0	0	0	0
10	124	0	0	0	0	0	0	0
11	125	0	0	0	0	0	0	0
12	125	0	0	0	0	0	0	0
13	123	0	0	0	0	0	0	0
14	121	0	0	0	0	0	0	0
15	118	1	1	0	0	0	0	0
16	116	5	4	0	0	0	0	0
17	115	9	8	1	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
MACON

5 YEAR AVE.
1995-1999

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	10	0	0	0	0	0	0	0
10	1	0	0	0	0	0	0	0
11	2	0	0	0	0	0	0	0
12	2	0	0	0	0	0	0	0
13	1	0	0	0	0	0	0	0
14	1	0	0	0	0	0	0	0
15	1	0	0	0	0	0	0	0
16	1	0	0	0	0	0	0	0
17	1	0	0	0	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP		AREA		5 YEAR AVE.				
WHITE		MACON		1995-1999				
AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	957	15	13	2	0	0	0	0
10	123	0	0	0	0	0	0	0
11	123	0	0	0	0	0	0	0
12	123	0	0	0	0	0	0	0
13	122	0	0	0	0	0	0	0
14	120	0	0	0	0	0	0	0
15	117	1	1	0	0	0	0	0
16	115	5	4	0	0	0	0	0
17	114	9	8	1	0	0	0	0

**NUMBER OF INFANT, NEONATAL, AND POSTNEONATAL DEATHS, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

MACON

THREE -YEAR AVERAGES 1988-1999

AGE/RACE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
<u>INFANT:</u> ALL RACES	0	0	0	0	0	1	2	3	3	3	-
NONWHITE	0	0	0	0	0	0	0	0	0	0	-
WHITE	0	0	0	0	0	1	2	3	3	3	-
<u>NEONATAL:</u> ALL RACES	0	0	0	0	0	0	1	1	1	1	-
NONWHITE	0	0	0	0	0	0	0	0	0	0	-
WHITE	0	0	0	0	0	0	1	1	1	1	-
<u>POSTNEONATAL:</u> ALL RACES	0	0	0	0	0	0	2	2	2	2	-
NONWHITE	0	0	0	0	0	0	0	0	0	0	-
WHITE	0	0	0	0	0	0	2	2	2	2	-

**INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES (DEATHS PER 1,000 LIVE BIRTHS),
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

MACON

THREE -YEAR AVERAGES 1988-1999

AGE/RACE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
<u>INFANT:</u> ALL RACES	1.6	1.6	0.0	0.0	0.0	2.9	9.7	11.0	13.4	11.7	631.3
NONWHITE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
WHITE	1.6	1.6	0.0	0.0	0.0	2.9	9.8	11.1	13.5	11.8	637.5
<u>NEONATAL:</u> ALL RACES	0.0	0.0	0.0	0.0	0.0	1.5	2.8	4.1	5.4	5.2	-
NONWHITE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
WHITE	0.0	0.0	0.0	0.0	0.0	1.5	2.8	4.1	5.4	5.3	-
<u>POSTNEONATAL:</u> ALL RACES	1.6	1.6	0.0	0.0	0.0	1.4	7.1	6.8	8.1	6.7	318.8
NONWHITE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
WHITE	1.6	1.6	0.0	0.0	0.0	1.5	7.0	6.9	8.1	6.6	312.5

Note: All rates shown are based on race of mother as denominator

**CRUDE MORTALITY RATES (DEATHS PER 1,000 POPULATION) BY RACE AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

MACON

THREE -YEAR AVERAGE CRUDE MORTALITY RATES 1988-1999

RACE/SEX	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
TOTAL	10.5	10.9	11.0	10.7	10.8	11.1	11.1	10.4	10.2	10.8	2.9
NONWHITE	0.0	10.3	0.0	0.0	0.0	8.5	8.3	7.9	7.7	7.2	-
WHITE	10.5	11.0	11.1	10.8	10.8	11.1	11.1	10.4	10.2	10.9	3.8
SEX:											
FEMALE	8.6	8.7	8.8	9.3	10.0	10.7	10.8	9.9	9.5	9.9	15.1
MALE	12.4	13.3	13.4	12.1	11.5	11.5	11.3	11.0	11.0	11.9	-4.0
RACE-SEX:											
NONWHITE FEMALE	0.0	0.0	0.0	0.0	0.0	0.0	16.1	-	-	-	-
WHITE FEMALE	8.6	8.7	8.9	9.2	10.1	10.6	10.8	10.0	9.4	9.9	15.1
NONWHITE MALE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.4	-	-
WHITE MALE	12.5	13.3	13.5	12.2	11.6	11.6	11.4	11.0	11.0	12.0	-4.0

**AGE AND RACE SPECIFIC CRUDE MORTALITY RATES PER 1,000 POPULATION,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	10.5	10.9	11.1	10.7	10.8	11.1	11.0	10.4	10.2	10.8	2.9
UNDER 1	1.6	1.6	0.0	0.0	0.0	2.9	9.7	10.7	12.9	11.2	600.0
1-4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	50.0
5-14	0.4	0.3	0.3	0.1	0.0	0.1	0.1	0.3	0.1	0.1	-75.0
15-24	2.2	1.6	1.3	1.5	1.3	1.6	1.4	2.0	1.6	1.3	-40.9
25-44	1.9	1.6	1.7	2.0	2.6	2.5	2.0	1.9	1.9	2.8	47.4
45-64	9.5	10.9	10.1	9.8	10.0	11.0	9.9	9.0	8.4	8.8	-7.4
65 AND UP	52.6	54.7	57.0	53.9	53.5	53.1	54.9	51.6	50.9	53.4	1.5

**AGE AND RACE SPECIFIC CRUDE MORTALITY RATES PER 1,000 POPULATION,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	3.5	6.8	3.3	3.2	3.0	5.7	8.3	7.9	7.7	7.2	105.7
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.3	13.3	13.3	-
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.8	-
45-64	0.0	22.2	20.4	18.2	0.0	0.0	0.0	0.0	0.0	0.0	-
65 AND UP	32.3	33.3	0.0	0.0	31.3	58.8	93.8	66.7	71.4	33.3	3.1

**AGE AND RACE SPECIFIC CRUDE MORTALITY RATES PER 1,000 POPULATION,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	10.5	10.9	11.1	10.7	10.8	11.1	11.1	10.5	10.2	10.9	3.8
UNDER 1	1.6	1.6	0.0	0.0	0.0	2.9	9.9	10.9	13.2	11.5	618.8
1-4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	50.0
5-14	0.4	0.3	0.3	0.1	0.0	0.1	0.1	0.3	0.1	0.1	-75.0
15-24	2.2	1.6	1.3	1.5	1.3	1.6	1.5	1.9	1.4	1.1	-50.0
25-44	1.9	1.6	1.7	2.0	2.6	2.6	2.0	1.9	1.9	2.7	42.1
45-64	9.5	10.8	10.0	9.8	10.0	11.1	10.0	9.1	8.5	8.9	-6.3
65 AND UP	52.7	54.8	57.3	54.2	53.6	53.1	54.8	51.5	50.8	53.5	1.5

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
1-4 YEARS	MACON										
	THREE -YEAR AVERAGES 1988-1999										
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
CONGENITAL ANOMALIES	38.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0
STATEWIDE FEWER THAN 10 DEATHS IN EACH REMAINING CAUSE											

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
5-14 YEARS	MACON										
THREE -YEAR AVERAGES 1988-1999											
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	29.2	29.2	29.0	14.3	0.0	0.0	0.0	13.5	13.2	12.9	-55.8
MALIGNANT NEOPLASMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
HOMICIDE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
SUICIDE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
STATEWIDE FEWER THAN 10 DEATHS IN EACH REMAINING CAUSE											

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
15-24 YEARS	MACON										
THREE -YEAR AVERAGES 1988-1999											
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	101.5	73.0	73.2	117.0	102.3	116.7	57.9	100.2	84.9	98.0	-3.4
HOMICIDE	14.5	0.0	0.0	0.0	0.0	14.6	14.5	28.6	14.1	14.0	-3.4
SUICIDE	29.0	14.6	14.6	14.6	14.6	14.6	43.4	42.9	42.4	14.0	-51.7
MALIGNANT NEOPLASMS	43.5	43.8	14.6	0.0	0.0	14.6	14.5	14.3	0.0	0.0	-100.0
DISEASES OF THE HEART	14.5	14.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0
REMAINING CAUSES HAVE FEWER THAN 10 CASES STATEWIDE.											

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
25-44 YEARS	MACON										
	THREE -YEAR AVERAGES 1988-1999										
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	49.8	49.5	49.1	62.8	83.3	75.7	47.5	40.1	32.8	71.0	42.6
MALIGNANT NEOPLASMS	21.4	14.1	14.0	34.9	48.6	48.2	34.0	46.8	45.9	45.2	111.2
DISEASES OF THE HEART	21.4	14.1	7.0	27.9	41.6	34.4	20.4	13.4	13.1	38.7	80.8
HIV / AIDS	14.2	7.1	0.0	0.0	0.0	6.9	6.8	6.7	0.0	0.0	-100.0
SUICIDE	21.4	14.1	21.1	14.0	6.9	20.6	27.2	33.4	39.4	51.7	141.6
HOMICIDE	28.5	14.1	21.1	20.9	20.8	6.9	6.8	20.0	26.3	32.3	13.3
CEREBROVASCULAR DISEASE	7.1	7.1	14.0	7.0	13.9	6.9	6.8	0.0	0.0	0.0	-100.0
CHRONIC LIVER DISEASE & CIRRHOSIS	7.1	7.1	7.0	7.0	0.0	0.0	0.0	0.0	6.6	6.5	-8.5
DIABETES MELLITUS	0.0	0.0	0.0	0.0	6.9	6.9	6.8	0.0	0.0	0.0	-

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
45-64 YEARS	MACON										
	THREE -YEAR AVERAGES 1988-1999										
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
MALIGNANT NEOPLASMS	349.5	365.7	328.8	320.9	370.1	425.3	403.2	363.8	317.7	347.6	-0.5
DISEASES OF THE HEART	257.0	304.7	259.1	320.9	284.7	314.3	206.1	173.2	167.2	185.9	-27.7
CEREBROVASCULAR DISEASE	20.6	30.5	29.9	9.7	9.5	18.5	17.9	26.0	41.8	48.5	135.4
ACCIDENTS AND ADVERSE EFFECTS	41.1	60.9	59.8	87.5	75.9	83.2	53.8	43.3	41.8	56.6	37.7
CHRONIC OBSTRUCTIVE PULMONARY DISEASE	102.8	101.6	89.7	38.9	47.4	46.2	53.8	26.0	41.8	16.2	-84.2
DIABETES MELLITUS	10.3	20.3	10.0	19.4	9.5	37.0	26.9	26.0	0.0	16.2	57.3
CHRONIC LIVER DISEASE & CIRRHOSIS	72.0	50.8	49.8	19.4	28.5	9.2	26.9	34.6	41.8	24.3	-66.3
SUICIDE	10.3	20.3	29.9	29.2	19.0	9.2	9.0	17.3	25.1	32.3	213.6
PNEUMONIA & INFLUENZA	10.3	20.3	39.9	29.2	19.0	9.2	9.0	8.7	8.4	8.1	-21.4

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
65 YEARS +	MACON										
	THREE -YEAR AVERAGES 1988-1999										
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
DISEASES OF THE HEART	1,864.5	1,978.3	1,872.5	1,712.2	1,750.2	1,797.8	2,012.5	1,813.1	1,748.7	1,763.8	-5.4
MALIGNANT NEOPLASMS	874.0	967.5	1,172.1	1,160.3	1,064.1	995.7	1,006.3	1,079.9	1,109.2	1,112.0	27.2
CEREBROVASCULAR DISEASE	495.3	534.3	586.0	495.3	476.1	442.5	516.7	519.9	535.0	460.1	-7.1
CHRONIC OBSTRUCTIVE PULMONARY DISEASE	291.3	404.3	400.2	353.8	294.0	331.9	353.5	293.3	287.1	294.0	53.8
PNEUMONIA AND INFLUENZA	291.3	187.7	257.3	212.3	294.0	290.4	272.0	293.3	287.1	370.7	27.3
DIABETES MELLITUS	131.1	187.7	185.8	184.0	140.0	138.3	149.6	133.3	78.3	51.1	-61.0
ACCIDENTS AND ADVERSE EFFECTS	189.4	144.4	142.9	113.2	154.0	138.3	190.4	173.3	143.5	89.5	-52.7
ALZHEIMER'S DISEASE	0.0	43.3	71.5	99.1	56.0	27.7	0.0	26.7	39.1	89.5	-
ATHEROSCLEROSIS	58.3	57.8	42.9	28.3	14.0	0.0	0.0	13.3	13.0	25.6	-56.1

**AGE-ADJUSTED MORTALITY RATES BY RACE AND SEX, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

MACON

THREE -YEAR AVERAGE AGE-ADJUSTED MORTALITY RATES 1988-1999

RACE/SEX	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE
WHITE:											1988-90 TO 1997-99
MALES	821.9	855.7	872.4	806.7	785.5	784.8	761.4	743.1	734.7	800.1	-2.7
FEMALES	389.1	351.3	368.2	355.0	368.9	352.6	384.1	417.7	379.5	394.8	1.5
NONWHITE:											1985-87 TO 1994-96
MALES	695.4	173.0	797.6	691.8	807.1	0.0	0.0	432.6	2,046.8	2,046.8	194.3
FEMALES	576.8	576.8	0.0	0.0	1,472.6	1,178.1	841.5	1,999.3	254.9	464.1	-19.5

**YEARS OF POTENTIAL LIFE LOST, BY RACE AND SEX, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

MACON

THREE -YEAR AVERAGE YEARS OF POTENTIAL LIFE LOST 1988-1999

RACE/SEX	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
<u>RACE:</u>											
ALL RACES	841	737	667	722	775	910	907	987	986	1,118	32.9
NONWHITE	0	5	5	5	0	0	0	15	15	23	-
WHITE	841	732	662	717	775	910	907	972	971	1,095	30.2
<u>SEX:</u>											
FEMALE	185	163	125	178	225	328	323	328	326	357	93.0
MALE	656	573	542	543	550	581	584	659	659	762	16.2
<u>RACE-SEX:</u>											
NONWHITE FEMALE	0	5	5	5	0	0	0	-	-	8	-
WHITE FEMALE	185	158	120	173	225	328	323	328	326	348	88.1
NONWHITE MALE	0	0	0	0	0	0	0	15	15	15	-
WHITE MALE	656	573	542	543	550	581	584	644	644	747	13.9

**LEADING CAUSES OF DEATH BASED ON YEARS OF PRODUCTIVE LIFE LOST
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

MACON

THREE -YEAR AVERAGE YEARS OF PRODUCTIVE LIFE LOST 1988-1999

CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	255	225	203	262	255	257	148	198	175	267	4.7
MALIGNANT NEOPLASMS	167	162	113	130	170	210	178	187	162	180	7.8
DISEASES OF THE HEART.	98	102	65	115	123	150	105	95	77	112	14.3
BIRTH TRAUMA*	0	0	0	0	0	22	43	65	43	43	-
HOMICIDE	55	22	33	33	33	28	28	68	65	77	40.0
SUICIDE	67	42	58	47	37	55	93	107	113	108	61.2
CONGENITAL ANOMALIES	21	0	0	0	8	27	48	48	73	51	142.9
AIDS	22	8	15	15	15	12	12	12	-	-	-
CEREBROVASCULAR DISEASE	22	27	35	13	22	18	18	12	15	17	-22.7

*Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome.

**BREAST CANCER MORTALITY RATES PER 100,000 FEMALES, SPECIFIC AGE GROUPS,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

MACON

THREE -YEAR AVERAGE MORTALITY RATES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
WOMEN 40+	121.4	101.3	63.4	71.1	78.6	102.7	108.5	113.6	78.8	53.6	-55.8
WOMEN 50+	170.2	142.9	89.6	100.5	110.9	132.7	141.0	148.4	110.7	75.3	-55.8

**NUMBER OF MOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	6	5	6	8	7	6	4	4	5	7	16.7
UNDER 1	0	0	0	0	0	0	0	0	0	0	-
1-4	0	0	0	0	0	0	0	0	0	0	-
5-14	1	1	1	0	0	0	0	0	0	0	-100.0
15-24	2	1	1	2	2	2	1	1	1	1	-50.0
25-44	2	2	2	2	3	2	1	1	2	3	50.0
45-64	1	1	2	2	2	1	1	0	1	1	0.0
65 AND UP	1	1	1	1	1	1	1	1	1	1	0.0

**NUMBER OF MOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	0	0	0	0	0	0	0	0	0	0	-
UNDER 1	0	0	0	0	0	0	0	0	0	0	-
1-4	0	0	0	0	0	0	0	0	0	0	-
5-14	0	0	0	0	0	0	0	0	0	0	0.0
15-24	0	0	0	0	0	0	0	0	0	0	0.0
25-44	0	0	0	0	0	0	0	0	0	0	0.0
45-64	0	0	0	0	0	0	0	0	0	0	0.0
65 AND UP	0	0	0	0	0	0	0	0	0	0	-

**NUMBER OF MOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

WHITE

AREA

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	6	5	6	8	7	6	4	4	5	7	16.7
UNDER 1	0	0	0	0	0	0	0	0	0	0	-
1-4	0	0	0	0	0	0	0	0	0	0	-
5-14	1	1	1	0	0	0	0	0	0	0	-100.0
15-24	2	1	1	2	2	2	1	1	1	1	-50.0
25-44	2	2	2	2	3	2	1	1	2	3	50.0
45-64	1	1	2	2	2	1	1	0	1	1	0.0
65 AND UP	1	1	1	1	1	1	1	1	1	1	0.0

**MOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	35.7	33.4	37.2	47.1	44.5	35.9	21.6	24.9	26.3	36.7	2.8
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	29.2	29.2	29.0	14.3	0.0	0.0	0.0	0.0	0.0	0.0	-100.0
15-24	72.5	43.8	43.9	102.4	87.7	87.5	28.9	57.3	56.6	56.0	-22.8
25-44	35.6	35.4	35.1	41.9	55.5	41.3	27.2	26.7	32.8	64.6	81.5
45-64	20.6	40.6	49.8	68.1	47.4	37.0	17.9	8.7	16.7	32.3	56.8
65 AND UP	43.7	28.9	42.9	28.3	42.0	27.7	40.8	53.3	39.1	25.6	-41.4

**MOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-

**MOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	35.9	33.6	37.5	47.4	44.8	36.2	21.7	25.1	26.4	37.0	3.1
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	29.4	29.3	29.1	14.4	0.0	0.0	0.0	0.0	0.0	0.0	-100.0
15-24	73.3	44.3	44.4	103.5	88.7	88.4	29.2	57.9	57.2	56.6	-22.8
25-44	35.8	35.5	35.3	42.1	55.8	41.5	27.3	26.9	33.0	65.0	81.6
45-64	20.7	40.8	50.1	68.4	47.7	37.2	18.0	8.7	16.8	32.6	57.5
65 AND UP	43.9	29.0	43.1	28.4	42.2	27.8	41.0	53.5	39.3	25.7	-41.5

**NUMBER OF NONMOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE, RESIDENT DATA, SELECTED
GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	6	5	4	4	5	7	7	6	5	4	-33.3
UNDER 1	0	0	0	0	0	0	0	0	0	0	-
1-4	0	0	0	0	0	0	0	0	0	0	-
5-14	0	0	0	0	0	0	0	0	0	0	-
15-24	1	1	1	0	0	1	1	1	1	1	0.0
25-44	1	1	1	1	1	2	1	1	0	0	-100.0
45-64	1	1	0	1	1	2	1	1	1	1	0.0
65 AND UP	3	3	2	2	3	3	4	3	3	2	-33.3

**NUMBER OF NONMOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE, RESIDENT DATA, SELECTED
GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

NONWHITE

AREA

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	0	0	0	0	0	0	0	0	0	0	-
UNDER 1	0	0	0	0	0	0	0	0	0	0	-
1-4	0	0	0	0	0	0	0	0	0	0	-
5-14	0	0	0	0	0	0	0	0	0	0	-
15-24	0	0	0	0	0	0	0	0	0	0	-
25-44	0	0	0	0	0	0	0	0	0	0	-
45-64	0	0	0	0	0	0	0	0	0	0	-
65 AND UP	0	0	0	0	0	0	0	0	0	0	-

**NUMBER OF NONMOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE, RESIDENT DATA, SELECTED
GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

WHITE

AREA

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1999-99
ALL AGES	6	5	4	4	5	7	7	6	4	4	-33.3
UNDER 1	0	0	0	0	0	0	0	0	0	0	-
1-4	0	0	0	0	0	0	0	0	0	0	-
5-14	0	0	0	0	0	0	0	0	0	0	-
15-24	1	1	1	0	0	1	1	1	0	1	0.0
25-44	1	1	1	1	1	2	1	1	0	0	-100.0
45-64	1	1	0	1	1	2	1	1	1	1	0.0
65 AND UP	3	3	2	2	3	3	4	3	3	2	-33.3

**NONMOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	35.7	31.3	24.8	24.6	32.4	39.9	39.2	36.5	26.3	23.9	-33.1
UNDER 1	157.7	156.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.5	13.2	12.9	-
15-24	29.0	29.2	29.3	14.6	14.6	29.2	28.9	42.9	28.3	42.0	44.8
25-44	14.2	14.1	14.0	20.9	27.8	34.4	20.4	13.4	0.0	6.5	-54.2
45-64	20.6	20.3	10.0	19.4	28.5	46.2	35.8	34.6	25.1	24.3	18.0
65 AND UP	145.7	115.5	100.1	84.9	112.0	110.6	149.6	120.0	104.4	63.9	-56.1

**NONMOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

NONWHITE

AREA

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	0.0	0.0	0.0	0.0	0.0	0.0	0.0	263.9	257.1	241.5	-
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1333.3	1333.3	1333.3	-
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-

**NONMOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	35.9	31.5	25.0	24.7	32.6	40.2	39.5	34.8	24.6	22.2	-38.2
UNDER 1	159.7	159.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.6	13.3	13.1	-
15-24	29.3	29.5	29.6	14.8	14.8	29.5	29.2	28.9	14.3	28.3	-3.4
25-44	14.3	14.2	14.1	21.1	27.9	34.6	20.5	13.4	0.0	6.5	-54.5
45-64	20.7	20.4	10.0	19.6	28.6	46.5	36.1	34.9	25.2	24.4	17.9
65 AND UP	146.3	116.0	100.5	85.3	112.5	111.2	150.2	120.5	104.8	64.2	-56.1

**NUMBER OF VIOLENT DEATHS, BY AGE AND RACE, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	5	4	5	5	4	3	4	6	7	8	60.0
UNDER 1	0	0	0	0	0	0	0	0	0	0	-
1-4	0	0	0	0	0	0	0	0	0	0	-
5-14	0	0	0	0	0	0	0	0	0	0	-
15-24	1	0	0	0	0	1	1	2	1	1	0.0
25-44	2	1	2	2	1	1	2	3	3	4	100.0
45-64	0	1	1	1	1	1	1	1	2	2	-
65 AND UP	1	2	2	2	1	0	0	1	1	1	0.0

**NUMBER OF VIOLENT DEATHS, BY AGE AND RACE, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	85-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	0	0	0	0	0	0	0	0	0	0	-
UNDER 1	0	0	0	0	0	0	0	0	0	0	-
1-4	0	0	0	0	0	0	0	0	0	0	-
5-14	0	0	0	0	0	0	0	0	0	0	-
15-24	0	0	0	0	0	0	0	0	0	0	-
25-44	0	0	0	0	0	0	0	0	0	0	-
45-64	0	0	0	0	0	0	0	0	0	0	-
65 AND UP	0	0	0	0	0	0	0	0	0	0	-

**NUMBER OF VIOLENT DEATHS, BY AGE AND RACE, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	5	4	5	5	4	3	4	6	7	8	60.0
UNDER 1	0	0	0	0	0	0	0	0	0	0	-
1-4	0	0	0	0	0	0	0	0	0	0	-
5-14	0	0	0	0	0	0	0	0	0	0	-
15-24	1	0	0	0	0	1	1	2	1	1	0.0
25-44	2	1	2	2	1	1	2	3	3	4	100.0
45-64	0	1	1	1	1	1	1	1	2	2	-
65 AND UP	1	2	2	2	1	0	0	1	1	1	0.0

**VIOLENT DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	29.4	27.1	33.1	32.7	22.3	18.0	23.5	36.5	39.4	44.0	49.7
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
15-24	43.5	14.6	14.6	14.6	14.6	29.2	57.9	71.6	56.6	28.0	-35.6
25-44	49.8	28.3	42.1	34.9	27.8	27.5	34.0	53.5	65.6	83.9	68.5
45-64	10.3	30.5	39.9	38.9	28.5	18.5	17.9	34.6	41.8	48.5	370.9
65 AND UP	43.7	72.2	71.5	84.9	42.0	13.8	13.6	26.7	26.1	38.3	-12.4

**VIOLENT DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-

**VIOLENT DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	29.6	27.3	33.3	33.0	22.4	18.1	23.7	36.7	39.7	44.4	50.0
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
15-24	44.0	14.8	14.8	14.8	14.8	29.5	58.5	72.4	57.2	28.3	-35.7
25-44	50.1	28.4	42.3	35.1	27.9	27.7	34.2	53.8	66.1	84.5	68.7
45-64	10.3	30.6	40.1	39.1	28.6	18.6	18.0	34.9	42.1	48.8	373.8
65 AND UP	43.9	72.5	71.8	85.3	42.2	13.9	13.7	26.8	26.2	38.5	-12.3

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
ALL RACES		MACON										
BOTH SEXES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.9	1.9	0.0	-	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	9.0	8.7	8.4	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA									PERCENT CHANGE 1988-90 TO 1997-99
NONWHITE		MACON									
FEMALE		THREE -YEAR AVERAGES 1988-1999									
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	
ALL AGES	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA									PERCENT CHANGE 1988-90 TO 1997-99
NONWHITE		MACON									
MALE		THREE -YEAR AVERAGES 1988-1999									
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	
ALL AGES	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA									PERCENT CHANGE 1988-90 TO 1997-99
WHITE		MACON									
FEMALE		THREE -YEAR AVERAGES 1988-1999									
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	
ALL AGES	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
WHITE		MACON										
MALE		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	0.0	0.0	0.0	0.0	0.0	0.0	4.1	4.0	3.9	0.0	-	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	18.5	17.9	17.3	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
ALL RACES		MACON										
BOTH SEXES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	14.7	12.5	14.5	14.3	20.2	49.9	54.9	53.7	31.9	42.2	187.1	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	14.5	14.3	14.2	0.0	0.0	0.0	0.0	0.0	-	
15-24	72.5	58.4	58.5	43.9	87.7	262.5	303.8	300.6	198.0	266.0	266.9	
25-44	14.2	14.1	14.0	20.9	20.8	48.2	47.5	46.8	19.7	25.8	81.7	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA									PERCENT CHANGE 1988-90 TO 1997-99
NONWHITE		MACON									
FEMALES		THREE -YEAR AVERAGES 1988-1999									
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	
ALL AGES	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
NONWHITE		MACON										
MALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	763.4	740.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
25-44	3,030.3	2,941.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
WHITE		MACON										
FEMALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	24.7	20.5	28.4	24.0	31.6	81.9	91.8	89.7	47.5	64.3	160.3	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	29.7	29.4	29.1	0.0	0.0	0.0	0.0	0.0	-	
15-24	150.0	120.7	120.8	90.5	150.5	449.8	505.2	528.8	347.9	458.3	205.5	
25-44	14.3	14.2	28.2	28.0	27.8	82.6	95.0	80.0	13.1	25.7	79.7	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
WHITE		MACON										
MALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	0.0	0.0	0.0	4.2	4.2	8.3	4.1	8.0	11.7	19.2	-	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	0.0	0.0	0.0	0.0	0.0	29.0	28.8	28.5	28.2	83.8	-	
25-44	0.0	0.0	0.0	14.1	14.0	13.9	0.0	13.6	26.7	26.3	-	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
ALL RACES		MACON										
BOTH SEXES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	12.6	8.4	10.3	4.1	6.1	8.0	9.8	9.6	7.5	5.5	-56.3	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	29.0	0.0	14.6	29.3	43.9	29.2	28.9	28.6	28.3	28.0	-3.4	
25-44	28.5	28.3	28.1	0.0	0.0	13.8	20.4	20.0	6.6	0.0	-100.0	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.4	8.1	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
NONWHITE		MACON										
FEMALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	0.0	0.0	0.0	0.0	0.0	0.0	540.5	523.6	515.5	0.0	-	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
25-44	0.0	0.0	0.0	0.0	0.0	0.0	2,127.7	2,040.8	2,000.0	0.0	-	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
NONWHITE		MACON										
MALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	0.0	0.0	0.0	0.0	0.0	595.2	565.0	531.9	0.0	0.0	-	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
25-44	0.0	0.0	0.0	0.0	0.0	2,564.1	2,381.0	2,222.2	0.0	0.0	-	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										
WHITE		MACON										
FEMALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99	
ALL AGES	20.6	12.3	16.2	4.0	7.9	7.8	11.5	11.2	7.3	7.1	-65.5	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	60.0	0.0	30.2	30.2	60.2	30.0	59.4	58.8	58.0	57.3	-4.5	
25-44	42.9	42.6	42.3	0.0	0.0	13.8	13.6	13.3	0.0	0.0	-100.0	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
WHITE		MACON										
MALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	12.6	8.4	10.3	4.1	6.1	8.0	9.8	9.6	7.5	5.5	-56.3	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	29.0	0.0	14.6	29.3	43.9	29.2	28.9	28.6	28.3	28.0	-3.4	
25-44	28.5	28.3	28.1	0.0	0.0	13.8	20.4	20.0	6.6	0.0	-100.0	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.4	8.1	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,
TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
ALL RACES		MACON										
BOTH SEXES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	23.1	20.9	20.7	16.4	18.2	16.0	15.7	7.7	3.8	11.0	-52.4	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	36.2	35.5	34.6	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
25-44	0.0	0.0	0.0	0.0	6.9	6.9	6.8	0.0	0.0	0.0	-	
45-64	10.3	0.0	10.0	9.7	9.5	9.2	17.9	26.0	16.7	16.2	57.3	
65 AND UP	145.7	144.4	128.6	99.1	84.0	69.1	54.4	13.3	0.0	51.1	-64.9	

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,
TENNESSEE**

RACE/SEX
NONWHITE
FEMALES

AREA
MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,
TENNESSEE**

RACE/SEX
NONWHITE
MALES

AREA
MACON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,
TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
WHITE		MACON										
FEMALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	20.6	16.4	12.2	8.0	7.9	7.8	11.5	7.5	3.7	7.1	-65.5	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
45-64	20.3	0.0	0.0	0.0	0.0	0.0	17.6	17.0	16.4	15.8	-22.2	
65 AND UP	97.3	96.1	71.3	47.1	46.6	46.1	45.3	22.2	0.0	21.3	-78.1	

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,
TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
WHITE		MACON										
MALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	26.0	25.9	30.0	25.5	29.4	24.9	20.4	8.0	3.9	15.3	-41.2	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	72.2	71.0	69.5	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
25-44	0.0	0.0	0.0	0.0	14.0	13.9	13.8	0.0	0.0	0.0	-	
45-64	0.0	0.0	20.4	20.0	19.5	19.1	18.5	35.8	17.3	16.8	-	
65 AND UP	220.4	219.5	217.7	179.4	141.9	105.1	68.8	0.0	0.0	96.8	-56.1	

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										
ALL RACES		MACON										
BOTH SEXES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99	
ALL AGES	2.1	2.1	0.0	2.0	2.0	2.0	0.0	0.0	0.0	0.0	-100.0	
UNDER 1	0.0	0.0	0.0	150.2	146.8	143.1	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	14.5	14.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0	
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
NONWHITE		MACON										
FEMALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA									PERCENT CHANGE 1988-90 TO 1997-99
NONWHITE		MACON									
MALES		THREE -YEAR AVERAGES 1988-1999									
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	
ALL AGES	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
WHITE		MACON										
FEMALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	0.0	0.0	0.0	4.0	4.0	3.9	0.0	0.0	0.0	0.0	0.0	-
UNDER 1	0.0	0.0	0.0	306.7	298.5	289.9	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
WHITE		MACON										
MALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	4.3	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	28.7	28.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0	
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.