

**AVERAGE NUMBER OF FEMALES BY AGE GROUP, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>3,504</b>	<b>3,496</b>	<b>3,574</b>	<b>3,663</b>	<b>3,765</b>	<b>3,793</b>	<b>3,817</b>	<b>3,827</b>	<b>3,813</b>	<b>3,779</b>	<b>7.8</b>
<b>10-14</b>	<b>520</b>	<b>518</b>	<b>528</b>	<b>539</b>	<b>552</b>	<b>554</b>	<b>555</b>	<b>554</b>	<b>549</b>	<b>542</b>	<b>4.2</b>
<b>15-17</b>	<b>314</b>	<b>311</b>	<b>317</b>	<b>324</b>	<b>333</b>	<b>335</b>	<b>337</b>	<b>338</b>	<b>337</b>	<b>333</b>	<b>6.1</b>
<b>18-19</b>	<b>203</b>	<b>201</b>	<b>204</b>	<b>209</b>	<b>215</b>	<b>217</b>	<b>218</b>	<b>218</b>	<b>218</b>	<b>216</b>	<b>6.4</b>
<b>20-24</b>	<b>478</b>	<b>471</b>	<b>479</b>	<b>490</b>	<b>503</b>	<b>506</b>	<b>509</b>	<b>510</b>	<b>507</b>	<b>502</b>	<b>5.0</b>
<b>25-29</b>	<b>524</b>	<b>519</b>	<b>525</b>	<b>533</b>	<b>542</b>	<b>539</b>	<b>536</b>	<b>530</b>	<b>522</b>	<b>510</b>	<b>-2.7</b>
<b>30-34</b>	<b>489</b>	<b>488</b>	<b>499</b>	<b>511</b>	<b>525</b>	<b>529</b>	<b>533</b>	<b>534</b>	<b>532</b>	<b>527</b>	<b>7.8</b>
<b>35-39</b>	<b>493</b>	<b>495</b>	<b>510</b>	<b>528</b>	<b>549</b>	<b>558</b>	<b>568</b>	<b>574</b>	<b>579</b>	<b>580</b>	<b>17.6</b>
<b>40-44</b>	<b>481</b>	<b>492</b>	<b>510</b>	<b>527</b>	<b>544</b>	<b>552</b>	<b>560</b>	<b>566</b>	<b>568</b>	<b>567</b>	<b>17.9</b>

**AVERAGE NUMBER OF FEMALES BY AGE GROUP, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>43</b>	<b>43</b>	<b>44</b>	<b>45</b>	<b>47</b>	<b>47</b>	<b>46</b>	<b>46</b>	<b>44</b>	<b>44</b>	<b>2.3</b>
<b>10-14</b>	<b>10</b>	<b>9</b>	<b>9</b>	<b>9</b>	<b>9</b>	<b>8</b>	<b>7</b>	<b>7</b>	<b>6</b>	<b>5</b>	<b>-50.0</b>
<b>15-17</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>5</b>	<b>5</b>	<b>-16.7</b>
<b>18-19</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>-33.3</b>
<b>20-24</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>6</b>	<b>6</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>0.0</b>
<b>25-29</b>	<b>8</b>	<b>9</b>	<b>9</b>	<b>9</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>25.0</b>
<b>30-34</b>	<b>5</b>	<b>5</b>	<b>6</b>	<b>6</b>	<b>5</b>	<b>5</b>	<b>4</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>-60.0</b>
<b>35-39</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>7</b>	<b>7</b>	<b>8</b>	<b>100.0</b>
<b>40-44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>4</b>	<b>5</b>	<b>-</b>

**AVERAGE NUMBER OF FEMALES BY AGE GROUP, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>3,461</b>	<b>3,453</b>	<b>3,530</b>	<b>3,618</b>	<b>3,718</b>	<b>3,746</b>	<b>3,770</b>	<b>3,780</b>	<b>3,768</b>	<b>3,735</b>	<b>7.9</b>
<b>10-14</b>	<b>510</b>	<b>508</b>	<b>518</b>	<b>530</b>	<b>543</b>	<b>545</b>	<b>547</b>	<b>547</b>	<b>543</b>	<b>537</b>	<b>5.3</b>
<b>15-17</b>	<b>308</b>	<b>305</b>	<b>310</b>	<b>318</b>	<b>327</b>	<b>329</b>	<b>331</b>	<b>332</b>	<b>331</b>	<b>328</b>	<b>6.5</b>
<b>18-19</b>	<b>200</b>	<b>198</b>	<b>201</b>	<b>207</b>	<b>212</b>	<b>214</b>	<b>215</b>	<b>216</b>	<b>215</b>	<b>213</b>	<b>6.5</b>
<b>20-24</b>	<b>472</b>	<b>466</b>	<b>473</b>	<b>484</b>	<b>497</b>	<b>500</b>	<b>503</b>	<b>504</b>	<b>502</b>	<b>497</b>	<b>5.3</b>
<b>25-29</b>	<b>516</b>	<b>510</b>	<b>516</b>	<b>523</b>	<b>532</b>	<b>529</b>	<b>526</b>	<b>520</b>	<b>512</b>	<b>500</b>	<b>-3.1</b>
<b>30-34</b>	<b>483</b>	<b>482</b>	<b>493</b>	<b>505</b>	<b>520</b>	<b>524</b>	<b>528</b>	<b>530</b>	<b>528</b>	<b>524</b>	<b>8.5</b>
<b>35-39</b>	<b>489</b>	<b>491</b>	<b>506</b>	<b>523</b>	<b>543</b>	<b>552</b>	<b>561</b>	<b>567</b>	<b>571</b>	<b>571</b>	<b>16.8</b>
<b>40-44</b>	<b>481</b>	<b>491</b>	<b>510</b>	<b>525</b>	<b>543</b>	<b>550</b>	<b>557</b>	<b>562</b>	<b>563</b>	<b>562</b>	<b>16.8</b>

**AVERAGE ANNUAL NUMBER OF RESIDENT BIRTHS, ACCORDING TO MOTHER'S AGE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>191</b>	<b>200</b>	<b>190</b>	<b>183</b>	<b>178</b>	<b>172</b>	<b>170</b>	<b>163</b>	<b>168</b>	<b>168</b>	<b>-12.0</b>
<b>10-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>15-17</b>	<b>15</b>	<b>13</b>	<b>13</b>	<b>12</b>	<b>14</b>	<b>12</b>	<b>10</b>	<b>7</b>	<b>7</b>	<b>5</b>	<b>-66.7</b>
<b>18-19</b>	<b>27</b>	<b>31</b>	<b>30</b>	<b>28</b>	<b>25</b>	<b>22</b>	<b>22</b>	<b>21</b>	<b>19</b>	<b>20</b>	<b>-25.9</b>
<b>20-24</b>	<b>67</b>	<b>73</b>	<b>73</b>	<b>70</b>	<b>67</b>	<b>60</b>	<b>64</b>	<b>62</b>	<b>66</b>	<b>62</b>	<b>-7.5</b>
<b>25-29</b>	<b>57</b>	<b>56</b>	<b>47</b>	<b>48</b>	<b>48</b>	<b>52</b>	<b>44</b>	<b>44</b>	<b>44</b>	<b>50</b>	<b>-12.3</b>
<b>30-34</b>	<b>14</b>	<b>17</b>	<b>18</b>	<b>19</b>	<b>17</b>	<b>18</b>	<b>19</b>	<b>19</b>	<b>21</b>	<b>22</b>	<b>57.1</b>
<b>35-39</b>	<b>8</b>	<b>7</b>	<b>5</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>7</b>	<b>8</b>	<b>7</b>	<b>6</b>	<b>-25.0</b>
<b>40-44</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>-</b>

**AVERAGE ANNUAL NUMBER OF RESIDENT BIRTHS, ACCORDING TO MOTHER'S AGE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>100.0</b>
<b>10-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>15-17</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>18-19</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>20-24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>25-29</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>-</b>
<b>30-34</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>35-39</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>40-44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>

**AVERAGE ANNUAL NUMBER OF RESIDENT BIRTHS, ACCORDING TO MOTHER'S AGE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>171</b>	<b>166</b>	<b>184</b>	<b>190</b>	<b>199</b>	<b>189</b>	<b>180</b>	<b>176</b>	<b>169</b>	<b>168</b>	<b>-1.8</b>
<b>10-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>15-17</b>	<b>11</b>	<b>13</b>	<b>15</b>	<b>15</b>	<b>13</b>	<b>13</b>	<b>12</b>	<b>14</b>	<b>12</b>	<b>10</b>	<b>-9.1</b>
<b>18-19</b>	<b>22</b>	<b>21</b>	<b>26</b>	<b>27</b>	<b>31</b>	<b>30</b>	<b>28</b>	<b>25</b>	<b>22</b>	<b>23</b>	<b>4.5</b>
<b>20-24</b>	<b>65</b>	<b>63</b>	<b>67</b>	<b>67</b>	<b>73</b>	<b>73</b>	<b>69</b>	<b>67</b>	<b>59</b>	<b>64</b>	<b>-1.5</b>
<b>25-29</b>	<b>46</b>	<b>44</b>	<b>53</b>	<b>57</b>	<b>56</b>	<b>47</b>	<b>48</b>	<b>48</b>	<b>51</b>	<b>44</b>	<b>-4.3</b>
<b>30-34</b>	<b>17</b>	<b>17</b>	<b>15</b>	<b>15</b>	<b>18</b>	<b>18</b>	<b>19</b>	<b>17</b>	<b>18</b>	<b>20</b>	<b>17.6</b>
<b>35-39</b>	<b>9</b>	<b>8</b>	<b>8</b>	<b>8</b>	<b>7</b>	<b>6</b>	<b>4</b>	<b>4</b>	<b>6</b>	<b>8</b>	<b>-11.1</b>
<b>40-44</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-100.0</b>

**NUMBER OF LIVE BIRTHS PER 1,000 FEMALES, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>54.5</b>	<b>57.2</b>	<b>53.2</b>	<b>50.0</b>	<b>47.3</b>	<b>45.3</b>	<b>44.5</b>	<b>42.6</b>	<b>44.1</b>	<b>44.5</b>	<b>-18.3</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-17</b>	<b>47.8</b>	<b>41.8</b>	<b>41.0</b>	<b>37.0</b>	<b>42.0</b>	<b>35.8</b>	<b>29.7</b>	<b>20.7</b>	<b>20.8</b>	<b>15.0</b>	<b>-68.6</b>
<b>18-19</b>	<b>133.0</b>	<b>154.2</b>	<b>147.1</b>	<b>134.0</b>	<b>116.3</b>	<b>101.4</b>	<b>100.9</b>	<b>96.3</b>	<b>87.2</b>	<b>92.6</b>	<b>-30.4</b>
<b>20-24</b>	<b>140.2</b>	<b>155.0</b>	<b>152.4</b>	<b>142.9</b>	<b>133.2</b>	<b>118.6</b>	<b>125.7</b>	<b>121.6</b>	<b>130.2</b>	<b>123.5</b>	<b>-11.9</b>
<b>25-29</b>	<b>108.8</b>	<b>107.9</b>	<b>89.5</b>	<b>90.1</b>	<b>88.6</b>	<b>96.5</b>	<b>82.1</b>	<b>83.0</b>	<b>84.3</b>	<b>98.0</b>	<b>-9.9</b>
<b>30-34</b>	<b>28.6</b>	<b>34.8</b>	<b>36.1</b>	<b>37.2</b>	<b>32.4</b>	<b>34.0</b>	<b>35.6</b>	<b>35.6</b>	<b>39.5</b>	<b>41.7</b>	<b>45.8</b>
<b>35-39</b>	<b>16.2</b>	<b>14.1</b>	<b>9.8</b>	<b>5.7</b>	<b>7.3</b>	<b>9.0</b>	<b>12.3</b>	<b>13.9</b>	<b>12.1</b>	<b>10.3</b>	<b>-36.4</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>2.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.8</b>	<b>1.8</b>	<b>1.8</b>	<b>-</b>

**NUMBER OF LIVE BIRTHS PER 1,000 FEMALES, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>23.3</b>	<b>23.3</b>	<b>22.7</b>	<b>44.4</b>	<b>42.6</b>	<b>42.6</b>	<b>21.7</b>	<b>21.7</b>	<b>45.5</b>	<b>45.5</b>	<b>95.3</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-17</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>18-19</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>20-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>200.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>25-29</b>	<b>0.0</b>	<b>111.1</b>	<b>0.0</b>	<b>111.1</b>	<b>0.0</b>	<b>100.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>100.0</b>	<b>-</b>
<b>30-34</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>35-39</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>40-44</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**NUMBER OF LIVE BIRTHS PER 1,000 FEMALES, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>54.6</b>	<b>57.6</b>	<b>53.3</b>	<b>49.8</b>	<b>47.3</b>	<b>45.1</b>	<b>44.6</b>	<b>42.9</b>	<b>44.1</b>	<b>44.2</b>	<b>-19.0</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-17</b>	<b>48.7</b>	<b>42.6</b>	<b>38.7</b>	<b>37.7</b>	<b>39.8</b>	<b>36.5</b>	<b>30.2</b>	<b>18.1</b>	<b>21.1</b>	<b>15.2</b>	<b>-68.8</b>
<b>18-19</b>	<b>135.0</b>	<b>156.6</b>	<b>149.3</b>	<b>130.4</b>	<b>117.9</b>	<b>102.8</b>	<b>102.3</b>	<b>97.2</b>	<b>88.4</b>	<b>89.2</b>	<b>-33.9</b>
<b>20-24</b>	<b>141.9</b>	<b>156.7</b>	<b>154.3</b>	<b>142.6</b>	<b>134.8</b>	<b>118.0</b>	<b>127.2</b>	<b>121.0</b>	<b>131.5</b>	<b>124.7</b>	<b>-12.1</b>
<b>25-29</b>	<b>108.5</b>	<b>107.8</b>	<b>89.1</b>	<b>89.9</b>	<b>88.3</b>	<b>96.4</b>	<b>81.7</b>	<b>84.6</b>	<b>85.9</b>	<b>98.0</b>	<b>-9.7</b>
<b>30-34</b>	<b>29.0</b>	<b>35.3</b>	<b>36.5</b>	<b>37.6</b>	<b>32.7</b>	<b>34.4</b>	<b>36.0</b>	<b>35.8</b>	<b>37.9</b>	<b>42.0</b>	<b>44.8</b>
<b>35-39</b>	<b>16.4</b>	<b>14.3</b>	<b>9.9</b>	<b>5.7</b>	<b>7.4</b>	<b>9.1</b>	<b>12.5</b>	<b>14.1</b>	<b>12.3</b>	<b>10.5</b>	<b>-36.0</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>2.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.8</b>	<b>1.8</b>	<b>1.8</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS OCCURRING TO UNWED MOTHERS AGES 10-44,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**WAYNE**

**THREE - YEAR AVERAGES 1988 - 1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>15.7</b>	<b>16.0</b>	<b>15.8</b>	<b>19.1</b>	<b>20.8</b>	<b>23.3</b>	<b>21.8</b>	<b>25.2</b>	<b>26.8</b>	<b>26.2</b>	<b>66.9</b>
<b>10-14</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>15-17</b>	<b>40.0</b>	<b>38.5</b>	<b>38.5</b>	<b>50.0</b>	<b>71.4</b>	<b>75.0</b>	<b>70.0</b>	<b>57.1</b>	<b>71.4</b>	<b>80.0</b>	<b>100.0</b>
<b>18-19</b>	<b>22.2</b>	<b>25.8</b>	<b>23.3</b>	<b>28.6</b>	<b>32.0</b>	<b>36.4</b>	<b>40.9</b>	<b>47.6</b>	<b>47.4</b>	<b>45.0</b>	<b>102.7</b>
<b>20-24</b>	<b>13.4</b>	<b>15.1</b>	<b>15.1</b>	<b>17.1</b>	<b>14.9</b>	<b>20.0</b>	<b>18.8</b>	<b>25.8</b>	<b>25.8</b>	<b>22.6</b>	<b>68.7</b>
<b>25-29</b>	<b>8.8</b>	<b>7.1</b>	<b>6.4</b>	<b>10.4</b>	<b>10.4</b>	<b>13.5</b>	<b>11.4</b>	<b>13.6</b>	<b>15.9</b>	<b>18.0</b>	<b>104.5</b>
<b>30-34</b>	<b>7.1</b>	<b>5.9</b>	<b>5.6</b>	<b>10.5</b>	<b>5.9</b>	<b>11.1</b>	<b>5.3</b>	<b>10.5</b>	<b>14.3</b>	<b>18.2</b>	<b>156.3</b>
<b>35-39</b>	<b>12.5</b>	<b>14.3</b>	<b>20.0</b>	<b>0.0</b>	<b>0.0</b>	<b>20.0</b>	<b>14.3</b>	<b>25.0</b>	<b>28.6</b>	<b>33.3</b>	<b>166.4</b>
<b>40-44</b>	<b>-</b>	<b>-</b>	<b>0.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS OCCURRING TO UNWED MOTHERS AGES 10-44,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NON-WHITE**

**AREA**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>0.0</b>	<b>0.0</b>	<b>100.0</b>	<b>50.0</b>	<b>50.0</b>	<b>0.0</b>	<b>100.0</b>	<b>0.0</b>	<b>50.0</b>	<b>50.0</b>	-
<b>10-14</b>	-	-	-	-	-	-	-	-	-	-	-
<b>15-17</b>	-	-	-	-	-	-	-	-	-	-	-
<b>18-19</b>	-	-	-	-	-	-	-	-	-	-	-
<b>20-24</b>	-	-	-	<b>0.0</b>	-	-	-	-	-	-	-
<b>25-29</b>	-	<b>0.0</b>	-	<b>0.0</b>	-	<b>0.0</b>	-	-	-	<b>0.0</b>	-
<b>30-34</b>	-	-	-	-	-	-	-	-	-	-	-
<b>35-39</b>	-	-	-	-	-	-	-	-	-	-	-
<b>40-44</b>	-	-	-	-	-	-	-	-	-	-	-

**PERCENT OF LIVE BIRTHS OCCURRING TO UNWED MOTHERS AGES 10-44,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>15.3</b>	<b>15.6</b>	<b>15.4</b>	<b>18.9</b>	<b>20.5</b>	<b>23.7</b>	<b>21.4</b>	<b>24.7</b>	<b>26.5</b>	<b>25.5</b>	<b>66.7</b>
<b>10-14</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>15-17</b>	<b>33.3</b>	<b>30.8</b>	<b>33.3</b>	<b>50.0</b>	<b>69.2</b>	<b>75.0</b>	<b>70.0</b>	<b>66.7</b>	<b>71.4</b>	<b>80.0</b>	<b>140.2</b>
<b>18-19</b>	<b>22.2</b>	<b>25.8</b>	<b>23.3</b>	<b>29.6</b>	<b>28.0</b>	<b>36.4</b>	<b>40.9</b>	<b>47.6</b>	<b>47.4</b>	<b>42.1</b>	<b>89.6</b>
<b>20-24</b>	<b>13.4</b>	<b>15.1</b>	<b>15.1</b>	<b>17.4</b>	<b>14.9</b>	<b>20.3</b>	<b>18.8</b>	<b>26.2</b>	<b>25.8</b>	<b>22.6</b>	<b>68.7</b>
<b>25-29</b>	<b>8.9</b>	<b>7.3</b>	<b>6.5</b>	<b>10.6</b>	<b>10.6</b>	<b>13.7</b>	<b>11.6</b>	<b>13.6</b>	<b>13.6</b>	<b>16.3</b>	<b>83.1</b>
<b>30-34</b>	<b>7.1</b>	<b>5.9</b>	<b>5.6</b>	<b>10.5</b>	<b>5.9</b>	<b>11.1</b>	<b>5.3</b>	<b>10.5</b>	<b>15.0</b>	<b>18.2</b>	<b>156.3</b>
<b>35-39</b>	<b>12.5</b>	<b>14.3</b>	<b>20.0</b>	<b>0.0</b>	<b>0.0</b>	<b>20.0</b>	<b>14.3</b>	<b>25.0</b>	<b>28.6</b>	<b>33.3</b>	<b>166.4</b>
<b>40-44</b>	<b>-</b>	<b>-</b>	<b>0.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**NUMBER OF OTHER TERMINATION'S ACCORDING TO WOMAN'S AGE AND PLACE OF RESIDENCE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>8</b>	<b>9</b>	<b>11</b>	<b>14</b>	<b>13</b>	<b>14</b>	<b>17</b>	<b>16</b>	<b>14</b>	<b>10</b>	<b>25.0</b>
<b>10-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>15-17</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>-100.0</b>
<b>18-19</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-100.0</b>
<b>20-24</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>7</b>	<b>6</b>	<b>6</b>	<b>5</b>	<b>6</b>	<b>5</b>	<b>4</b>	<b>100.0</b>
<b>25-29</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>5</b>	<b>4</b>	<b>3</b>	<b>1</b>	<b>0.0</b>
<b>30-34</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>200.0</b>
<b>35-39</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>-</b>
<b>40-44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S ACCORDING TO WOMAN'S AGE AND PLACE OF RESIDENCE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-
<b>10-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-
<b>15-17</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-
<b>18-19</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-
<b>20-24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-
<b>25-29</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-
<b>30-34</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-
<b>35-39</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-
<b>40-44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S ACCORDING TO WOMAN'S AGE AND PLACE OF RESIDENCE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>8</b>	<b>9</b>	<b>11</b>	<b>13</b>	<b>13</b>	<b>14</b>	<b>16</b>	<b>15</b>	<b>13</b>	<b>10</b>	<b>25.0</b>
<b>10-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>15-17</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>-100.0</b>
<b>18-19</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-100.0</b>
<b>20-24</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>7</b>	<b>6</b>	<b>6</b>	<b>5</b>	<b>6</b>	<b>5</b>	<b>4</b>	<b>100.0</b>
<b>25-29</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>5</b>	<b>4</b>	<b>3</b>	<b>1</b>	<b>0.0</b>
<b>30-34</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>200.0</b>
<b>35-39</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>-</b>
<b>40-44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S PER 1,000 LIVE BIRTHS, ACCORDING TO WOMAN'S AGE  
AND PLACE OF RESIDENCE, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>113.0</b>	<b>90.9</b>	<b>66.4</b>	<b>45.4</b>	<b>48.2</b>	<b>61.3</b>	<b>78.3</b>	<b>76.6</b>	<b>85.3</b>	<b>102.0</b>	<b>-9.8</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>1,000.0</b>	<b>1,000.0</b>	<b>2,000.0</b>	<b>500.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-17</b>	<b>424.2</b>	<b>282.1</b>	<b>200.0</b>	<b>65.2</b>	<b>97.6</b>	<b>100.0</b>	<b>81.1</b>	<b>46.5</b>	<b>105.3</b>	<b>187.5</b>	<b>-55.8</b>
<b>18-19</b>	<b>194.0</b>	<b>206.3</b>	<b>113.9</b>	<b>86.4</b>	<b>85.1</b>	<b>98.9</b>	<b>71.4</b>	<b>52.6</b>	<b>44.1</b>	<b>58.8</b>	<b>-69.7</b>
<b>20-24</b>	<b>99.5</b>	<b>60.9</b>	<b>44.1</b>	<b>34.7</b>	<b>36.4</b>	<b>49.8</b>	<b>99.5</b>	<b>88.7</b>	<b>105.6</b>	<b>88.1</b>	<b>-11.5</b>
<b>25-29</b>	<b>43.2</b>	<b>22.9</b>	<b>18.9</b>	<b>17.4</b>	<b>23.5</b>	<b>49.3</b>	<b>47.9</b>	<b>48.3</b>	<b>57.3</b>	<b>120.3</b>	<b>178.7</b>
<b>30-34</b>	<b>96.2</b>	<b>120.0</b>	<b>90.9</b>	<b>68.2</b>	<b>37.7</b>	<b>36.4</b>	<b>69.0</b>	<b>134.6</b>	<b>127.3</b>	<b>101.7</b>	<b>5.8</b>
<b>35-39</b>	<b>37.0</b>	<b>43.5</b>	<b>80.0</b>	<b>41.7</b>	<b>47.6</b>	<b>58.8</b>	<b>181.8</b>	<b>230.8</b>	<b>117.6</b>	<b>130.4</b>	<b>252.2</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>0.0</b>	<b>-</b>

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S PER 1,000 LIVE BIRTHS, ACCORDING TO WOMAN'S AGE  
AND PLACE OF RESIDENCE, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>10-14</b>	-	-	-	-	-	-	-	-	-	-	-
<b>15-17</b>	-	-	-	-	-	-	-	-	-	-	-
<b>18-19</b>	-	-	-	-	-	-	-	-	-	-	-
<b>20-24</b>	-	-	-	<b>0.0</b>	-	-	-	-	-	-	-
<b>25-29</b>	-	<b>0.0</b>	-	<b>0.0</b>	-	<b>0.0</b>	-	-	-	<b>0.0</b>	-
<b>30-34</b>	-	-	-	-	-	-	-	-	-	-	-
<b>35-39</b>	-	-	-	-	-	-	-	-	-	-	-
<b>40-44</b>	-	-	-	-	-	-	-	-	-	-	-

Note: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S PER 1,000 LIVE BIRTHS, ACCORDING TO WOMAN'S AGE  
AND PLACE OF RESIDENCE, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-96</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>115.2</b>	<b>92.4</b>	<b>65.3</b>	<b>43.9</b>	<b>45.2</b>	<b>60.1</b>	<b>75.8</b>	<b>73.9</b>	<b>82.7</b>	<b>97.0</b>	<b>-15.8</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>1,000.0</b>	<b>1,000.0</b>	<b>2,000.0</b>	<b>500.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-17</b>	<b>437.5</b>	<b>289.5</b>	<b>204.5</b>	<b>66.7</b>	<b>75.0</b>	<b>78.9</b>	<b>55.6</b>	<b>24.4</b>	<b>81.1</b>	<b>133.3</b>	<b>-69.5</b>
<b>18-19</b>	<b>200.0</b>	<b>206.3</b>	<b>113.9</b>	<b>86.4</b>	<b>85.1</b>	<b>98.9</b>	<b>72.3</b>	<b>53.3</b>	<b>44.8</b>	<b>58.8</b>	<b>-70.6</b>
<b>20-24</b>	<b>103.1</b>	<b>63.2</b>	<b>40.0</b>	<b>29.9</b>	<b>32.0</b>	<b>50.0</b>	<b>101.0</b>	<b>89.6</b>	<b>106.7</b>	<b>88.5</b>	<b>-14.1</b>
<b>25-29</b>	<b>43.2</b>	<b>22.9</b>	<b>19.0</b>	<b>17.6</b>	<b>24.0</b>	<b>50.0</b>	<b>42.0</b>	<b>42.0</b>	<b>52.3</b>	<b>114.5</b>	<b>165.3</b>
<b>30-34</b>	<b>96.2</b>	<b>120.0</b>	<b>90.9</b>	<b>68.2</b>	<b>37.7</b>	<b>36.4</b>	<b>69.0</b>	<b>134.6</b>	<b>127.3</b>	<b>101.7</b>	<b>5.8</b>
<b>35-39</b>	<b>37.0</b>	<b>43.5</b>	<b>80.0</b>	<b>41.7</b>	<b>47.6</b>	<b>58.8</b>	<b>181.8</b>	<b>230.8</b>	<b>117.6</b>	<b>130.4</b>	<b>252.2</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>0.0</b>	<b>-</b>

NOTE: Other termination's include reported fetal deaths and induced abortions

**PERCENT OF OTHER TERMINATION'S TO UNWED FEMALES AGES 10-44, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>62.5</b>	<b>77.8</b>	<b>72.7</b>	<b>71.4</b>	<b>69.2</b>	<b>71.4</b>	<b>70.6</b>	<b>75.0</b>	<b>71.4</b>	<b>70.0</b>	<b>12.0</b>
<b>10-14</b>	-	-	-	-	-	-	-	-	-	-	-
<b>15-17</b>	<b>0.0</b>	<b>100.0</b>	<b>100.0</b>	<b>0.0</b>	-	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	-	-
<b>18-19</b>	<b>50.0</b>	<b>50.0</b>	<b>66.7</b>	<b>50.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-	-	-	-
<b>20-24</b>	<b>50.0</b>	<b>100.0</b>	<b>66.7</b>	<b>71.4</b>	<b>66.7</b>	<b>66.7</b>	<b>60.0</b>	<b>66.7</b>	<b>80.0</b>	<b>50.0</b>	<b>0.0</b>
<b>25-29</b>	<b>0.0</b>	<b>0.0</b>	<b>50.0</b>	<b>50.0</b>	<b>50.0</b>	<b>66.7</b>	<b>60.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	-
<b>30-34</b>	<b>0.0</b>	-	-	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>50.0</b>	<b>66.7</b>	-
<b>35-39</b>	-	-	-	-	<b>0.0</b>	-	<b>100.0</b>	<b>0.0</b>	<b>0.0</b>	-	-
<b>40-44</b>	-	-	-	-	-	-	-	-	-	-	-

NOTE: Other termination's include reported fetal deaths and induced abortions

**PERCENT OF OTHER TERMINATION'S TO UNWED FEMALES AGES 10-44, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	-	-	-	-	-	-	-	-	-	-	-
<b>10-14</b>	-	-	-	-	-	-	-	-	-	-	-
<b>15-17</b>	-	-	-	-	-	-	-	-	-	-	-
<b>18-19</b>	-	-	-	-	-	-	-	-	-	-	-
<b>20-24</b>	-	-	-	-	-	-	-	-	-	-	-
<b>25-29</b>	-	-	-	-	-	-	-	-	-	-	-
<b>30-34</b>	-	-	-	-	-	-	-	-	-	-	-
<b>35-39</b>	-	-	-	-	-	-	-	-	-	-	-
<b>40-44</b>	-	-	-	-	-	-	-	-	-	-	-

NOTE: Other termination's include reported fetal deaths and induced abortions

**PERCENT OF OTHER TERMINATION'S TO UNWED FEMALES AGES 10-44, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>62.5</b>	<b>66.7</b>	<b>63.6</b>	<b>76.9</b>	<b>61.5</b>	<b>71.4</b>	<b>75.0</b>	<b>80.0</b>	<b>76.9</b>	<b>70.0</b>	<b>12.0</b>
<b>10-14</b>	-	-	-	-	-	-	-	-	-	-	-
<b>15-17</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-	-	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	-	-
<b>18-19</b>	<b>50.0</b>	<b>50.0</b>	<b>66.7</b>	<b>50.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-	-	-	-
<b>20-24</b>	<b>50.0</b>	<b>100.0</b>	<b>66.7</b>	<b>71.4</b>	<b>66.7</b>	<b>66.7</b>	<b>60.0</b>	<b>66.7</b>	<b>80.0</b>	<b>50.0</b>	<b>0.0</b>
<b>25-29</b>	<b>0.0</b>	<b>0.0</b>	<b>50.0</b>	<b>50.0</b>	<b>0.0</b>	<b>50.0</b>	<b>60.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	-
<b>30-34</b>	<b>0.0</b>	-	-	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>50.0</b>	<b>66.7</b>	-
<b>35-39</b>	-	-	-	-	<b>0.0</b>	-	<b>100.0</b>	<b>0.0</b>	<b>0.0</b>	-	-
<b>40-44</b>	-	-	-	-	-	-	-	-	-	-	-

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF PREGNANCIES ACCORDING TO WOMAN'S AGE, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>199</b>	<b>210</b>	<b>202</b>	<b>197</b>	<b>192</b>	<b>186</b>	<b>187</b>	<b>179</b>	<b>182</b>	<b>178</b>	<b>-10.6</b>
<b>10-14</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-100.0</b>
<b>15-17</b>	<b>16</b>	<b>15</b>	<b>14</b>	<b>13</b>	<b>15</b>	<b>14</b>	<b>12</b>	<b>9</b>	<b>9</b>	<b>6</b>	<b>-62.5</b>
<b>18-19</b>	<b>29</b>	<b>34</b>	<b>33</b>	<b>30</b>	<b>26</b>	<b>23</b>	<b>24</b>	<b>21</b>	<b>20</b>	<b>20</b>	<b>-31.0</b>
<b>20-24</b>	<b>69</b>	<b>76</b>	<b>77</b>	<b>77</b>	<b>73</b>	<b>66</b>	<b>70</b>	<b>68</b>	<b>72</b>	<b>66</b>	<b>-4.3</b>
<b>25-29</b>	<b>58</b>	<b>58</b>	<b>49</b>	<b>51</b>	<b>50</b>	<b>55</b>	<b>49</b>	<b>49</b>	<b>48</b>	<b>51</b>	<b>-12.1</b>
<b>30-34</b>	<b>15</b>	<b>18</b>	<b>19</b>	<b>20</b>	<b>19</b>	<b>20</b>	<b>21</b>	<b>21</b>	<b>23</b>	<b>25</b>	<b>66.7</b>
<b>35-39</b>	<b>8</b>	<b>7</b>	<b>6</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>8</b>	<b>9</b>	<b>8</b>	<b>7</b>	<b>-12.5</b>
<b>40-44</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>-</b>

**NUMBER OF PREGNANCIES ACCORDING TO WOMAN'S AGE, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-97</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>100.0</b>
<b>10-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>15-17</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>18-19</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>20-24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>25-29</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>-</b>
<b>30-34</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>35-39</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>40-44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>

**NUMBER OF PREGNANCIES ACCORDING TO WOMAN'S AGE, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>198</b>	<b>208</b>	<b>200</b>	<b>194</b>	<b>189</b>	<b>183</b>	<b>184</b>	<b>177</b>	<b>179</b>	<b>176</b>	<b>-11.1</b>
<b>10-14</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-100.0</b>
<b>15-17</b>	<b>16</b>	<b>14</b>	<b>13</b>	<b>12</b>	<b>14</b>	<b>13</b>	<b>11</b>	<b>8</b>	<b>8</b>	<b>6</b>	<b>-62.5</b>
<b>18-19</b>	<b>29</b>	<b>34</b>	<b>33</b>	<b>29</b>	<b>26</b>	<b>23</b>	<b>24</b>	<b>21</b>	<b>19</b>	<b>19</b>	<b>-34.5</b>
<b>20-24</b>	<b>69</b>	<b>75</b>	<b>77</b>	<b>76</b>	<b>73</b>	<b>65</b>	<b>69</b>	<b>68</b>	<b>72</b>	<b>66</b>	<b>-4.3</b>
<b>25-29</b>	<b>57</b>	<b>57</b>	<b>49</b>	<b>49</b>	<b>49</b>	<b>53</b>	<b>48</b>	<b>48</b>	<b>47</b>	<b>50</b>	<b>-12.3</b>
<b>30-34</b>	<b>15</b>	<b>18</b>	<b>19</b>	<b>20</b>	<b>19</b>	<b>20</b>	<b>21</b>	<b>21</b>	<b>22</b>	<b>25</b>	<b>66.7</b>
<b>35-39</b>	<b>8</b>	<b>7</b>	<b>6</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>8</b>	<b>9</b>	<b>8</b>	<b>7</b>	<b>-12.5</b>
<b>40-44</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>-</b>

**NUMBER OF PREGNANCIES PER 1,000 WOMEN, BY AGE GROUP, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>56.8</b>	<b>60.1</b>	<b>56.5</b>	<b>53.8</b>	<b>51.0</b>	<b>49.0</b>	<b>49.0</b>	<b>46.8</b>	<b>47.7</b>	<b>47.1</b>	<b>-17.1</b>
<b>10-14</b>	<b>1.9</b>	<b>1.9</b>	<b>1.9</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>15-17</b>	<b>51.0</b>	<b>48.2</b>	<b>44.2</b>	<b>40.1</b>	<b>45.0</b>	<b>41.8</b>	<b>35.6</b>	<b>26.6</b>	<b>26.7</b>	<b>18.0</b>	<b>-64.7</b>
<b>18-19</b>	<b>142.9</b>	<b>169.2</b>	<b>161.8</b>	<b>143.5</b>	<b>120.9</b>	<b>106.0</b>	<b>110.1</b>	<b>96.3</b>	<b>91.7</b>	<b>92.6</b>	<b>-35.2</b>
<b>20-24</b>	<b>144.4</b>	<b>161.4</b>	<b>160.8</b>	<b>157.1</b>	<b>145.1</b>	<b>130.4</b>	<b>137.5</b>	<b>133.3</b>	<b>142.0</b>	<b>131.5</b>	<b>-8.9</b>
<b>25-29</b>	<b>110.7</b>	<b>111.8</b>	<b>93.3</b>	<b>95.7</b>	<b>92.3</b>	<b>102.0</b>	<b>91.4</b>	<b>92.5</b>	<b>92.0</b>	<b>100.0</b>	<b>-9.7</b>
<b>30-34</b>	<b>30.7</b>	<b>36.9</b>	<b>38.1</b>	<b>39.1</b>	<b>36.2</b>	<b>37.8</b>	<b>39.4</b>	<b>39.3</b>	<b>43.2</b>	<b>47.4</b>	<b>54.4</b>
<b>35-39</b>	<b>16.2</b>	<b>14.1</b>	<b>11.8</b>	<b>7.6</b>	<b>9.1</b>	<b>10.8</b>	<b>14.1</b>	<b>15.7</b>	<b>13.8</b>	<b>12.1</b>	<b>-25.3</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>2.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.8</b>	<b>1.8</b>	<b>1.8</b>	<b>-</b>

**NUMBER OF PREGNANCIES PER 1,000 WOMEN, BY AGE GROUP, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>23.3</b>	<b>46.5</b>	<b>45.5</b>	<b>66.7</b>	<b>63.8</b>	<b>63.8</b>	<b>43.5</b>	<b>21.7</b>	<b>45.5</b>	<b>45.5</b>	<b>95.3</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-17</b>	<b>0.0</b>	<b>0.0</b>	<b>166.7</b>	<b>0.0</b>	<b>166.7</b>	<b>0.0</b>	<b>166.7</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>18-19</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>20-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>200.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>25-29</b>	<b>0.0</b>	<b>111.1</b>	<b>0.0</b>	<b>111.1</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>-</b>
<b>30-34</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>35-39</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>40-44</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**NUMBER OF PREGNANCIES PER 1,000 WOMEN, BY AGE GROUP, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-97</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>57.2</b>	<b>60.2</b>	<b>56.7</b>	<b>53.6</b>	<b>50.8</b>	<b>48.9</b>	<b>48.8</b>	<b>46.8</b>	<b>47.5</b>	<b>47.1</b>	<b>-17.7</b>
<b>10-14</b>	<b>2.0</b>	<b>2.0</b>	<b>1.9</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>15-17</b>	<b>51.9</b>	<b>45.9</b>	<b>41.9</b>	<b>37.7</b>	<b>42.8</b>	<b>39.5</b>	<b>33.2</b>	<b>24.1</b>	<b>24.2</b>	<b>18.3</b>	<b>-64.7</b>
<b>18-19</b>	<b>145.0</b>	<b>171.7</b>	<b>164.2</b>	<b>140.1</b>	<b>122.6</b>	<b>107.5</b>	<b>111.6</b>	<b>97.2</b>	<b>88.4</b>	<b>89.2</b>	<b>-38.5</b>
<b>20-24</b>	<b>146.2</b>	<b>160.9</b>	<b>162.8</b>	<b>157.0</b>	<b>146.9</b>	<b>130.0</b>	<b>137.2</b>	<b>134.9</b>	<b>143.4</b>	<b>132.8</b>	<b>-9.2</b>
<b>25-29</b>	<b>110.5</b>	<b>111.8</b>	<b>95.0</b>	<b>93.7</b>	<b>92.1</b>	<b>100.2</b>	<b>91.3</b>	<b>92.3</b>	<b>91.8</b>	<b>100.0</b>	<b>-9.5</b>
<b>30-34</b>	<b>31.1</b>	<b>37.3</b>	<b>38.5</b>	<b>39.6</b>	<b>36.5</b>	<b>38.2</b>	<b>39.8</b>	<b>39.6</b>	<b>41.7</b>	<b>47.7</b>	<b>53.4</b>
<b>35-39</b>	<b>16.4</b>	<b>14.3</b>	<b>11.9</b>	<b>7.6</b>	<b>9.2</b>	<b>10.9</b>	<b>14.3</b>	<b>15.9</b>	<b>14.0</b>	<b>12.3</b>	<b>-25.0</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>2.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.8</b>	<b>1.8</b>	<b>1.8</b>	<b>-</b>

**PERCENT OF PREGNANCIES OCCURRING TO UNWED WOMEN AGES 10-44,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>17.6</b>	<b>18.6</b>	<b>18.8</b>	<b>23.4</b>	<b>24.0</b>	<b>27.4</b>	<b>26.7</b>	<b>30.2</b>	<b>30.8</b>	<b>28.7</b>	<b>63.1</b>
<b>10-14</b>	<b>100.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>15-17</b>	<b>37.5</b>	<b>40.0</b>	<b>42.9</b>	<b>53.8</b>	<b>66.7</b>	<b>71.4</b>	<b>75.0</b>	<b>66.7</b>	<b>77.8</b>	<b>83.3</b>	<b>122.1</b>
<b>18-19</b>	<b>24.1</b>	<b>26.5</b>	<b>27.3</b>	<b>33.3</b>	<b>30.8</b>	<b>39.1</b>	<b>37.5</b>	<b>47.6</b>	<b>50.0</b>	<b>45.0</b>	<b>86.7</b>
<b>20-24</b>	<b>15.9</b>	<b>18.4</b>	<b>18.2</b>	<b>22.1</b>	<b>19.2</b>	<b>24.2</b>	<b>22.9</b>	<b>29.4</b>	<b>29.2</b>	<b>25.8</b>	<b>62.3</b>
<b>25-29</b>	<b>10.3</b>	<b>8.6</b>	<b>8.2</b>	<b>11.8</b>	<b>12.0</b>	<b>16.4</b>	<b>16.3</b>	<b>20.4</b>	<b>20.8</b>	<b>19.6</b>	<b>90.3</b>
<b>30-34</b>	<b>6.7</b>	<b>11.1</b>	<b>10.5</b>	<b>15.0</b>	<b>15.8</b>	<b>20.0</b>	<b>14.3</b>	<b>14.3</b>	<b>17.4</b>	<b>24.0</b>	<b>258.2</b>
<b>35-39</b>	<b>12.5</b>	<b>14.3</b>	<b>16.7</b>	<b>25.0</b>	<b>20.0</b>	<b>33.3</b>	<b>25.0</b>	<b>22.2</b>	<b>37.5</b>	<b>28.6</b>	<b>128.8</b>
<b>40-44</b>	<b>-</b>	<b>-</b>	<b>0.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**PERCENT OF PREGNANCIES OCCURRING TO UNWED WOMEN AGES 10-44,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>0.0</b>	<b>50.0</b>	<b>50.0</b>	<b>33.3</b>	<b>33.3</b>	<b>33.3</b>	<b>50.0</b>	<b>0.0</b>	<b>50.0</b>	<b>50.0</b>	-
<b>10-14</b>	-	-	-	-	-	-	-	-	-	-	-
<b>15-17</b>	-	-	<b>100.0</b>	-	<b>100.0</b>	-	<b>100.0</b>	-	-	-	-
<b>18-19</b>	-	-	-	-	-	-	-	-	-	-	-
<b>20-24</b>	-	-	-	<b>0.0</b>	-	-	-	-	-	-	-
<b>25-29</b>	-	<b>0.0</b>	-	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>30-34</b>	-	-	-	-	-	-	-	-	-	-	-
<b>35-39</b>	-	-	-	-	-	-	-	-	-	-	-
<b>40-44</b>	-	-	-	-	-	-	-	-	-	-	-

**PERCENT OF PREGNANCIES OCCURRING TO UNWED WOMEN AGES 10-44,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>17.2</b>	<b>18.3</b>	<b>18.0</b>	<b>22.7</b>	<b>23.3</b>	<b>27.3</b>	<b>26.1</b>	<b>29.9</b>	<b>30.2</b>	<b>27.8</b>	<b>61.6</b>
<b>10-14</b>	<b>100.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>15-17</b>	<b>37.5</b>	<b>35.7</b>	<b>38.5</b>	<b>50.0</b>	<b>64.3</b>	<b>76.9</b>	<b>72.7</b>	<b>75.0</b>	<b>75.0</b>	<b>83.3</b>	<b>122.1</b>
<b>18-19</b>	<b>24.1</b>	<b>26.5</b>	<b>27.3</b>	<b>31.0</b>	<b>30.8</b>	<b>34.8</b>	<b>37.5</b>	<b>47.6</b>	<b>47.4</b>	<b>47.4</b>	<b>96.7</b>
<b>20-24</b>	<b>14.5</b>	<b>17.3</b>	<b>16.9</b>	<b>22.4</b>	<b>19.2</b>	<b>24.6</b>	<b>21.7</b>	<b>29.4</b>	<b>29.2</b>	<b>25.8</b>	<b>77.9</b>
<b>25-29</b>	<b>10.5</b>	<b>8.8</b>	<b>8.2</b>	<b>12.2</b>	<b>12.2</b>	<b>15.1</b>	<b>16.7</b>	<b>20.8</b>	<b>19.1</b>	<b>20.0</b>	<b>90.5</b>
<b>30-34</b>	<b>6.7</b>	<b>11.1</b>	<b>10.5</b>	<b>15.0</b>	<b>15.8</b>	<b>20.0</b>	<b>14.3</b>	<b>14.3</b>	<b>18.2</b>	<b>24.0</b>	<b>258.2</b>
<b>35-39</b>	<b>12.5</b>	<b>14.3</b>	<b>16.7</b>	<b>25.0</b>	<b>20.0</b>	<b>33.3</b>	<b>25.0</b>	<b>22.2</b>	<b>37.5</b>	<b>28.6</b>	<b>128.8</b>
<b>40-44</b>	<b>-</b>	<b>-</b>	<b>0.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY AGE OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>6.3</b>	<b>6.5</b>	<b>6.8</b>	<b>8.4</b>	<b>8.8</b>	<b>8.9</b>	<b>8.0</b>	<b>8.0</b>	<b>7.1</b>	<b>5.6</b>	<b>-11.1</b>
<b>10-14</b>	<b>50.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>15-17</b>	<b>6.5</b>	<b>9.8</b>	<b>12.5</b>	<b>8.1</b>	<b>9.3</b>	<b>5.3</b>	<b>9.4</b>	<b>4.8</b>	<b>8.7</b>	<b>11.8</b>	<b>81.5</b>
<b>18-19</b>	<b>9.9</b>	<b>8.5</b>	<b>5.5</b>	<b>9.5</b>	<b>10.5</b>	<b>11.8</b>	<b>5.9</b>	<b>3.2</b>	<b>5.1</b>	<b>5.0</b>	<b>-49.5</b>
<b>20-24</b>	<b>5.0</b>	<b>5.0</b>	<b>5.0</b>	<b>7.6</b>	<b>8.9</b>	<b>8.9</b>	<b>7.8</b>	<b>7.5</b>	<b>7.0</b>	<b>5.9</b>	<b>18.0</b>
<b>25-29</b>	<b>5.2</b>	<b>6.5</b>	<b>8.5</b>	<b>9.6</b>	<b>9.0</b>	<b>9.6</b>	<b>9.0</b>	<b>10.4</b>	<b>7.5</b>	<b>4.7</b>	<b>-9.6</b>
<b>30-34</b>	<b>9.1</b>	<b>9.4</b>	<b>10.9</b>	<b>8.6</b>	<b>7.7</b>	<b>7.3</b>	<b>8.5</b>	<b>6.8</b>	<b>4.8</b>	<b>3.0</b>	<b>-67.0</b>
<b>35-39</b>	<b>4.2</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>5.9</b>	<b>8.7</b>	<b>16.7</b>	<b>18.2</b>	<b>15.8</b>	<b>276.2</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY AGE OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>6.3</b>	<b>6.5</b>	<b>6.8</b>	<b>8.4</b>	<b>8.8</b>	<b>8.9</b>	<b>8.0</b>	<b>8.0</b>	<b>7.1</b>	<b>5.6</b>	<b>-11.1</b>
<b>10-14</b>	<b>50.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>15-17</b>	<b>6.5</b>	<b>9.8</b>	<b>12.5</b>	<b>8.1</b>	<b>9.3</b>	<b>5.3</b>	<b>9.4</b>	<b>4.8</b>	<b>8.7</b>	<b>11.8</b>	<b>81.5</b>
<b>18-19</b>	<b>9.9</b>	<b>8.5</b>	<b>5.5</b>	<b>9.5</b>	<b>10.5</b>	<b>11.8</b>	<b>5.9</b>	<b>3.2</b>	<b>5.1</b>	<b>5.0</b>	<b>-49.5</b>
<b>20-24</b>	<b>5.0</b>	<b>5.0</b>	<b>5.0</b>	<b>7.6</b>	<b>8.9</b>	<b>8.9</b>	<b>7.8</b>	<b>7.5</b>	<b>7.0</b>	<b>5.9</b>	<b>18.0</b>
<b>25-29</b>	<b>5.2</b>	<b>6.5</b>	<b>8.5</b>	<b>9.6</b>	<b>9.0</b>	<b>9.6</b>	<b>9.0</b>	<b>10.4</b>	<b>7.5</b>	<b>4.7</b>	<b>-9.6</b>
<b>30-34</b>	<b>9.1</b>	<b>9.4</b>	<b>10.9</b>	<b>8.6</b>	<b>7.7</b>	<b>7.3</b>	<b>8.5</b>	<b>6.8</b>	<b>4.8</b>	<b>3.0</b>	<b>-67.0</b>
<b>35-39</b>	<b>4.2</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>5.9</b>	<b>8.7</b>	<b>16.7</b>	<b>18.2</b>	<b>15.8</b>	<b>276.2</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY AGE OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>6.3</b>	<b>6.5</b>	<b>6.9</b>	<b>8.1</b>	<b>8.5</b>	<b>8.5</b>	<b>7.9</b>	<b>7.8</b>	<b>7.2</b>	<b>5.6</b>	<b>-11.1</b>
<b>10-14</b>	<b>50.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>15-17</b>	<b>6.7</b>	<b>10.0</b>	<b>13.2</b>	<b>8.3</b>	<b>9.8</b>	<b>5.4</b>	<b>10.0</b>	<b>5.0</b>	<b>9.1</b>	<b>11.8</b>	<b>76.1</b>
<b>18-19</b>	<b>9.9</b>	<b>8.5</b>	<b>5.5</b>	<b>8.4</b>	<b>9.3</b>	<b>10.4</b>	<b>5.9</b>	<b>3.2</b>	<b>5.2</b>	<b>5.2</b>	<b>-47.5</b>
<b>20-24</b>	<b>5.0</b>	<b>5.0</b>	<b>5.0</b>	<b>7.2</b>	<b>8.5</b>	<b>8.4</b>	<b>7.8</b>	<b>7.6</b>	<b>7.0</b>	<b>5.9</b>	<b>18.0</b>
<b>25-29</b>	<b>5.3</b>	<b>6.6</b>	<b>8.6</b>	<b>9.8</b>	<b>9.1</b>	<b>9.2</b>	<b>8.4</b>	<b>9.8</b>	<b>7.6</b>	<b>4.8</b>	<b>-9.4</b>
<b>30-34</b>	<b>9.1</b>	<b>9.4</b>	<b>10.9</b>	<b>8.6</b>	<b>7.7</b>	<b>7.3</b>	<b>8.5</b>	<b>6.8</b>	<b>4.8</b>	<b>3.0</b>	<b>-67.0</b>
<b>35-39</b>	<b>4.2</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>5.9</b>	<b>8.7</b>	<b>16.7</b>	<b>18.2</b>	<b>15.8</b>	<b>276.2</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>EDUCATION</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL LEVELS</b>	<b>6.3</b>	<b>6.5</b>	<b>6.8</b>	<b>8.4</b>	<b>8.8</b>	<b>8.9</b>	<b>8.0</b>	<b>8.0</b>	<b>7.1</b>	<b>5.6</b>	<b>-11.1</b>
<b>0-8 YEARS</b>	<b>14.3</b>	<b>5.7</b>	<b>6.9</b>	<b>12.5</b>	<b>13.6</b>	<b>16.7</b>	<b>15.0</b>	<b>21.4</b>	<b>7.7</b>	<b>0.0</b>	<b>-100.0</b>
<b>9-11 YEARS</b>	<b>8.0</b>	<b>10.4</b>	<b>10.5</b>	<b>9.2</b>	<b>8.8</b>	<b>8.8</b>	<b>8.7</b>	<b>6.0</b>	<b>7.2</b>	<b>8.1</b>	<b>1.3</b>
<b>12 YEARS</b>	<b>5.3</b>	<b>5.7</b>	<b>5.5</b>	<b>8.2</b>	<b>9.3</b>	<b>9.3</b>	<b>6.6</b>	<b>7.3</b>	<b>5.8</b>	<b>5.2</b>	<b>-1.9</b>
<b>13-15 YEARS</b>	<b>4.1</b>	<b>3.5</b>	<b>4.2</b>	<b>7.8</b>	<b>8.5</b>	<b>6.6</b>	<b>7.9</b>	<b>7.8</b>	<b>10.6</b>	<b>7.0</b>	<b>70.7</b>
<b>16 YEARS</b>	<b>4.2</b>	<b>3.6</b>	<b>5.3</b>	<b>0.0</b>	<b>0.0</b>	<b>3.3</b>	<b>7.7</b>	<b>7.9</b>	<b>5.1</b>	<b>0.0</b>	<b>-100.0</b>
<b>17 OR MORE</b>	<b>0.0</b>	<b>10.0</b>	<b>15.4</b>	<b>14.3</b>	<b>12.5</b>	<b>22.2</b>	<b>23.1</b>	<b>16.7</b>	<b>10.5</b>	<b>5.3</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>EDUCATION</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL LEVELS</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>25.0</b>	<b>28.6</b>	<b>37.5</b>	<b>20.0</b>	<b>25.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>0-8 YEARS</b>	-	-	-	-	-	-	-	-	-	<b>0.0</b>	-
<b>9-11 YEARS</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>12 YEARS</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>28.6</b>	<b>40.0</b>	<b>50.0</b>	<b>100.0</b>	<b>100.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>13-15 YEARS</b>	-	-	-	-	-	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>16 YEARS</b>	-	-	-	-	-	-	-	-	-	-	-
<b>17 OR MORE</b>	-	-	-	-	-	-	-	-	-	-	-

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>EDUCATION</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL LEVELS</b>	<b>6.3</b>	<b>6.5</b>	<b>6.9</b>	<b>8.1</b>	<b>8.5</b>	<b>8.5</b>	<b>7.9</b>	<b>7.8</b>	<b>7.2</b>	<b>5.6</b>	<b>-11.1</b>
<b>0-8 YEARS</b>	<b>14.3</b>	<b>5.7</b>	<b>6.9</b>	<b>12.5</b>	<b>13.6</b>	<b>16.7</b>	<b>15.0</b>	<b>21.4</b>	<b>7.7</b>	<b>0.0</b>	<b>-100.0</b>
<b>9-11 YEARS</b>	<b>8.1</b>	<b>10.4</b>	<b>10.7</b>	<b>9.2</b>	<b>8.9</b>	<b>8.9</b>	<b>8.8</b>	<b>6.1</b>	<b>7.3</b>	<b>8.2</b>	<b>1.2</b>
<b>12 YEARS</b>	<b>5.3</b>	<b>5.7</b>	<b>5.5</b>	<b>7.7</b>	<b>8.7</b>	<b>8.3</b>	<b>6.2</b>	<b>6.9</b>	<b>5.9</b>	<b>5.3</b>	<b>0.0</b>
<b>13-15 YEARS</b>	<b>4.1</b>	<b>3.5</b>	<b>4.2</b>	<b>7.8</b>	<b>8.5</b>	<b>6.7</b>	<b>8.1</b>	<b>8.0</b>	<b>10.9</b>	<b>7.1</b>	<b>73.2</b>
<b>16 YEARS</b>	<b>4.2</b>	<b>3.6</b>	<b>5.3</b>	<b>0.0</b>	<b>0.0</b>	<b>3.3</b>	<b>7.7</b>	<b>7.9</b>	<b>5.1</b>	<b>0.0</b>	<b>-100.0</b>
<b>17 OR MORE</b>	<b>0.0</b>	<b>10.0</b>	<b>15.4</b>	<b>14.3</b>	<b>12.5</b>	<b>22.2</b>	<b>23.1</b>	<b>16.7</b>	<b>10.5</b>	<b>5.3</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY AGE OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>1.2</b>	<b>1.3</b>	<b>0.9</b>	<b>0.9</b>	<b>0.9</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>1.4</b>	<b>1.0</b>	<b>-16.7</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>15-17</b>	<b>2.2</b>	<b>2.4</b>	<b>2.5</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>18-19</b>	<b>2.5</b>	<b>2.1</b>	<b>1.1</b>	<b>2.4</b>	<b>2.6</b>	<b>2.9</b>	<b>0.0</b>	<b>0.0</b>	<b>1.7</b>	<b>1.7</b>	<b>-32.0</b>
<b>20-24</b>	<b>0.5</b>	<b>0.9</b>	<b>0.9</b>	<b>0.9</b>	<b>1.0</b>	<b>0.6</b>	<b>0.5</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>25-29</b>	<b>1.7</b>	<b>1.8</b>	<b>0.7</b>	<b>0.7</b>	<b>0.7</b>	<b>0.6</b>	<b>1.5</b>	<b>2.2</b>	<b>3.0</b>	<b>1.3</b>	<b>-23.5</b>
<b>30-34</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.6</b>	<b>3.0</b>	<b>-</b>
<b>35-39</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>4.3</b>	<b>4.2</b>	<b>4.5</b>	<b>0.0</b>	<b>-</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY AGE OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>12.5</b>	<b>14.3</b>	<b>12.5</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>10-14</b>	-	-	-	-	-	-	-	-	-	-	-
<b>15-17</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-	-
<b>18-19</b>	-	-	-	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	-	-	<b>0.0</b>	<b>0.0</b>	-
<b>20-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>25-29</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>30-34</b>	-	-	-	-	-	-	-	-	<b>0.0</b>	<b>0.0</b>	-
<b>35-39</b>	-	-	-	-	-	-	-	-	-	-	-
<b>40-44</b>	-	-	-	-	-	-	-	-	-	-	-

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY AGE OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>10-44</b>	<b>1.2</b>	<b>1.3</b>	<b>0.9</b>	<b>0.7</b>	<b>0.8</b>	<b>0.6</b>	<b>0.8</b>	<b>0.8</b>	<b>1.4</b>	<b>1.0</b>	<b>-16.7</b>
<b>10-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>15-17</b>	<b>2.2</b>	<b>2.5</b>	<b>2.6</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>18-19</b>	<b>2.5</b>	<b>2.1</b>	<b>1.1</b>	<b>1.2</b>	<b>1.3</b>	<b>1.5</b>	<b>0.0</b>	<b>0.0</b>	<b>1.7</b>	<b>1.7</b>	<b>-32.0</b>
<b>20-24</b>	<b>0.5</b>	<b>0.9</b>	<b>0.9</b>	<b>1.0</b>	<b>1.0</b>	<b>0.6</b>	<b>0.5</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>25-29</b>	<b>1.8</b>	<b>1.8</b>	<b>0.7</b>	<b>0.7</b>	<b>0.7</b>	<b>0.7</b>	<b>1.5</b>	<b>2.3</b>	<b>3.0</b>	<b>1.4</b>	<b>-22.2</b>
<b>30-34</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.6</b>	<b>3.0</b>	<b>-</b>
<b>35-39</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>4.3</b>	<b>4.2</b>	<b>4.5</b>	<b>0.0</b>	<b>-</b>
<b>40-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>EDUCATION</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL LEVELS</b>	<b>1.2</b>	<b>1.3</b>	<b>0.9</b>	<b>0.9</b>	<b>0.9</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>1.4</b>	<b>1.0</b>	<b>-16.7</b>
<b>0-8 YEARS</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>9-11 YEARS</b>	<b>2.2</b>	<b>2.2</b>	<b>0.8</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.2</b>	<b>1.4</b>	<b>-36.4</b>
<b>12 YEARS</b>	<b>0.9</b>	<b>1.2</b>	<b>0.9</b>	<b>1.7</b>	<b>1.9</b>	<b>1.6</b>	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>0.7</b>	<b>-22.2</b>
<b>13-15 YEARS</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>2.6</b>	<b>2.2</b>	<b>3.2</b>	<b>1.0</b>	<b>-</b>
<b>16 YEARS</b>	<b>4.2</b>	<b>3.6</b>	<b>5.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>2.6</b>	<b>2.6</b>	<b>2.6</b>	<b>0.0</b>	<b>-100.0</b>
<b>17 OR MORE</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>5.3</b>	<b>5.3</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>EDUCATION</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL LEVELS</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>12.5</b>	<b>14.3</b>	<b>12.5</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>0-8 YEARS</b>	-	-	-	-	-	-	-	-	-	<b>0.0</b>	-
<b>9-11 YEARS</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>12 YEARS</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>14.3</b>	<b>20.0</b>	<b>16.7</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>13-15 YEARS</b>	-	-	-	-	-	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>16 YEARS</b>	-	-	-	-	-	-	-	-	-	-	-
<b>17 OR MORE</b>	-	-	-	-	-	-	-	-	-	-	-

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1985-1996**

<b>EDUCATION</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL LEVELS</b>	<b>1.2</b>	<b>1.3</b>	<b>0.9</b>	<b>0.7</b>	<b>0.8</b>	<b>0.6</b>	<b>0.8</b>	<b>0.8</b>	<b>1.4</b>	<b>1.0</b>	<b>-16.7</b>
<b>0-8 YEARS</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>9-11 YEARS</b>	<b>2.2</b>	<b>2.2</b>	<b>0.8</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.2</b>	<b>1.4</b>	<b>-36.4</b>
<b>12 YEARS</b>	<b>0.9</b>	<b>1.2</b>	<b>0.9</b>	<b>1.4</b>	<b>1.5</b>	<b>1.2</b>	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>0.8</b>	<b>-11.1</b>
<b>13-15 YEARS</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>2.7</b>	<b>2.3</b>	<b>3.3</b>	<b>1.0</b>	<b>-</b>
<b>16 YEARS</b>	<b>4.2</b>	<b>3.6</b>	<b>5.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>2.6</b>	<b>2.6</b>	<b>2.6</b>	<b>0.0</b>	<b>-100.0</b>
<b>17 OR MORE</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>5.3</b>	<b>5.3</b>	<b>-</b>

**PERCENT OF MOTHERS WITH SELECTED RISK FACTORS  
RESIDENT DATA, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>EDUCATION LT 9 YEARS</b>	6.1	5.8	5.1	4.4	4.1	3.5	3.9	2.9	2.6	2.0	-67.2
<b>EDUCATION 9-11 YEARS</b>	24.1	22.4	23.3	23.9	25.6	24.2	20.4	16.9	16.4	14.7	-39.0
<b>PARITY 4+</b>	1.6	1.3	1.2	1.3	1.3	1.4	1.4	2.0	1.8	1.4	-12.5
<b>PREVIOUS TERMINATION</b>	19.5	19.9	17.3	14.0	16.6	17.1	19.6	17.3	18.8	19.0	-2.6
<b>PREV. LIVE BTH NOW DEAD</b>	1.9	1.7	1.6	1.3	1.7	1.7	1.8	1.2	1.4	1.0	-47.4
<b>PREV. LIVE BTH W/IN LAST 24 MO</b>	13.3	13.5	14.2	14.2	14.2	14.1	14.5	12.9	11.7	9.7	-27.1
<b>ONE OR MORE FACTORS</b>	52.5	51.5	49.9	47.0	49.9	49.2	47.5	41.0	41.0	38.9	-25.9

**PERCENT OF MOTHERS WITH SELECTED RISK FACTORS  
RESIDENT DATA, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>EDUCATION LT 9 YEARS</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	-
<b>EDUCATION 9- 11 YEARS</b>	50.0	20.0	40.0	12.5	28.6	12.5	40.0	-	-	-	-
<b>PARITY 4+</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	-
<b>PREVIOUS TERMINATION</b>	25.0	20.0	20.0	0.0	0.0	0.0	0.0	-	-	-	-
<b>PREV. LIVE BTH NOW DEAD</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	-
<b>PREV. LIVE BTH W/IN LAST 24 MO.</b>	25.0	0.0	0.0	12.5	14.3	12.5	20.0	-	-	-	-
<b>ONE OR MORE FACTORS</b>	75.0	40.0	60.0	25.0	42.9	25.0	40.0	-	-	-	-

**PERCENT OF MOTHERS WITH SELECTED RISK FACTORS  
RESIDENT DATA, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>EDUCATION YEARS LT 9</b>	6.2	5.9	5.1	4.4	4.2	3.5	4.0	2.9	2.6	1.8	-71.0
<b>EDUCATION YEARS 9-11</b>	23.9	22.4	23.1	24.0	25.6	24.4	20.2	16.9	16.4	14.7	-38.5
<b>PARITY 4+</b>	1.6	1.3	1.2	1.3	1.3	1.4	1.4	2.1	1.8	1.4	-12.5
<b>PREVIOUS TERMINATION</b>	19.5	19.9	17.3	14.2	16.9	17.3	19.8	17.5	19.0	18.9	-3.1
<b>PREV. LIVE BTH NOW DEAD</b>	1.9	1.7	1.6	1.3	1.7	1.8	1.8	1.2	1.4	1.0	-47.4
<b>PREV. LIVE BTH W/IN LAST 24 MO.</b>	13.2	13.6	14.3	14.2	14.2	14.2	14.5	12.8	11.6	9.9	-25.0
<b>ONE OR MORE FACTORS</b>	52.4	51.6	49.8	47.3	50.0	49.6	47.5	41.2	41.3	38.8	-26.0

**PERCENT OF LIVE BIRTHS BY GESTATIONAL AGE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>WEEKS</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>LT 36 WKS</b>	<b>4.2</b>	<b>4.5</b>	<b>4.4</b>	<b>5.5</b>	<b>6.9</b>	<b>7.8</b>	<b>7.1</b>	<b>5.7</b>	<b>5.5</b>	<b>4.6</b>	<b>9.5</b>
<b>LT 22</b>	<b>0.2</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>0.2</b>	<b>0.2</b>	<b>0.2</b>	<b>0.0</b>
<b>22-27</b>	<b>0.2</b>	<b>0.2</b>	<b>0.2</b>	<b>0.2</b>	<b>0.4</b>	<b>0.4</b>	<b>1.2</b>	<b>1.0</b>	<b>1.2</b>	<b>0.6</b>	<b>200.0</b>
<b>28-31</b>	<b>1.0</b>	<b>1.3</b>	<b>1.2</b>	<b>0.9</b>	<b>1.1</b>	<b>1.2</b>	<b>1.0</b>	<b>0.6</b>	<b>0.4</b>	<b>0.6</b>	<b>-40.0</b>
<b>32-35</b>	<b>2.8</b>	<b>3.0</b>	<b>3.0</b>	<b>4.4</b>	<b>5.0</b>	<b>5.8</b>	<b>4.5</b>	<b>3.9</b>	<b>3.8</b>	<b>3.2</b>	<b>14.3</b>
<b>36-39</b>	<b>33.7</b>	<b>34.1</b>	<b>36.1</b>	<b>38.3</b>	<b>44.7</b>	<b>46.9</b>	<b>47.8</b>	<b>46.5</b>	<b>47.7</b>	<b>46.2</b>	<b>37.1</b>
<b>40-42</b>	<b>51.1</b>	<b>50.5</b>	<b>49.6</b>	<b>47.0</b>	<b>40.4</b>	<b>37.6</b>	<b>38.2</b>	<b>39.2</b>	<b>37.2</b>	<b>37.1</b>	<b>-27.4</b>
<b>43-46</b>	<b>9.1</b>	<b>9.1</b>	<b>7.9</b>	<b>6.2</b>	<b>5.4</b>	<b>5.2</b>	<b>4.9</b>	<b>5.1</b>	<b>6.1</b>	<b>7.5</b>	<b>-17.6</b>
<b>47 +</b>	<b>1</b>	<b>0.7</b>	<b>0.9</b>	<b>0.9</b>	<b>0.7</b>	<b>0.6</b>	<b>0.2</b>	<b>0.6</b>	<b>0.4</b>	<b>0.6</b>	<b>-40</b>

**PERCENT OF LIVE BIRTHS BY GESTATIONAL AGE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**NONWHITE**

**AREA**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>WEEKS</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>LT 36 WKS</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>12.5</b>	<b>14.3</b>	<b>12.5</b>	<b>20.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>LT 22</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>22-27</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>28-31</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>12.5</b>	<b>14.3</b>	<b>12.5</b>	<b>0.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>32-35</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>20.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>36-39</b>	<b>25.0</b>	<b>20.0</b>	<b>40.0</b>	<b>50.0</b>	<b>57.1</b>	<b>50.0</b>	<b>40.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>40-42</b>	<b>75.0</b>	<b>80.0</b>	<b>60.0</b>	<b>12.5</b>	<b>0.0</b>	<b>12.5</b>	<b>20.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>43-46</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>12.5</b>	<b>14.3</b>	<b>12.5</b>	<b>20</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>47 +</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>

**PERCENT OF LIVE BIRTHS BY GESTATIONAL AGE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>WEEKS</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>LT 36 WKS</b>	4.2	4.5	4.4	5.4	6.8	7.7	6.9	5.6	5.4	4.6	9.5
<b>LT 22</b>	0.2	0.0	0.0	0.0	0.4	0.4	0.4	0.2	0.2	0.2	0.0
<b>22-27</b>	0.2	0.2	0.2	0.2	0.4	0.4	1.2	1.0	1.2	0.6	200.0
<b>28-31</b>	1.1	1.3	1.2	0.7	0.9	1.0	1.0	0.6	0.4	0.6	-45.5
<b>32-35</b>	2.8	3.0	3.0	4.4	5.1	5.9	4.4	3.7	3.6	3.2	14.3
<b>36-39</b>	33.7	34.2	36.0	38.1	44.5	46.9	47.9	46.7	47.7	46.1	36.8
<b>40-42</b>	51.0	50.3	49.5	47.5	40.9	38.0	38.4	39.3	37.7	37.4	-26.7
<b>43-46</b>	9.1	9.2	8	6.1	5.3	5.1	4.8	4.9	5.8	7.2	-20.9
<b>47 +</b>	1.1	0.7	0.9	0.9	0.8	0.6	0.2	0.6	0.4	0.6	-45.5

**PERCENT OF LIVE BIRTHS WITH LATE OR NO PRENATAL CARE, ACCORDING TO MOM'S AGE AND RACE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL RACES ALL AGES</b>	<b>28.7</b>	<b>29.4</b>	<b>24.8</b>	<b>20.6</b>	<b>17.4</b>	<b>15.9</b>	<b>15.7</b>	<b>16.6</b>	<b>19.2</b>	<b>19.0</b>	<b>-33.8</b>
<b>10-17</b>	<b>61.8</b>	<b>52.5</b>	<b>52.2</b>	<b>45.8</b>	<b>45.2</b>	<b>33.3</b>	<b>31.6</b>	<b>37.8</b>	<b>35.9</b>	<b>48.5</b>	<b>-21.5</b>
<b>18-19</b>	<b>47.8</b>	<b>34.9</b>	<b>24.1</b>	<b>19.8</b>	<b>20.2</b>	<b>22.0</b>	<b>19.0</b>	<b>22.4</b>	<b>26.5</b>	<b>27.9</b>	<b>-41.6</b>
<b>NONWHITE: ALL AGES</b>	<b>80.0</b>	<b>87.5</b>	<b>66.7</b>	<b>25.0</b>	<b>20.0</b>	<b>20.0</b>	<b>25.0</b>	<b>28.6</b>	<b>50.0</b>	<b>80.0</b>	<b>0.0</b>
<b>10-17</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>50.0</b>	<b>100.0</b>	<b>100.0</b>	<b>#DIV/0!</b>
<b>18-19</b>	<b>50.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	<b>#VALU</b>
<b>WHITE: ALL AGES</b>	<b>27.7</b>	<b>28.5</b>	<b>24.3</b>	<b>20.6</b>	<b>17.4</b>	<b>15.9</b>	<b>15.5</b>	<b>16.5</b>	<b>18.7</b>	<b>18.4</b>	<b>-33.6</b>
<b>10-17</b>	<b>63.6</b>	<b>53.8</b>	<b>53.3</b>	<b>46.8</b>	<b>46.3</b>	<b>35.0</b>	<b>32.4</b>	<b>37.2</b>	<b>34.2</b>	<b>45.2</b>	<b>-28.9</b>
<b>18-19</b>	<b>47.7</b>	<b>34.9</b>	<b>24.1</b>	<b>19.8</b>	<b>20.2</b>	<b>22.0</b>	<b>19.3</b>	<b>22.7</b>	<b>26.9</b>	<b>27.9</b>	<b>-41.5</b>

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>MOTHER</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL RACES</b>		<b>WAYNE</b>										
<b>10-44</b>												
<b>THREE -YEAR AVERAGES 1988-1999</b>												
<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ONE OR MORE RISK FACTORS</b>		<b>49.8</b>	<b>49.7</b>	<b>49.5</b>	<b>48.2</b>	<b>44.4</b>	<b>45.3</b>	<b>46.3</b>	<b>47.3</b>	<b>40.7</b>	<b>-18.3</b>	
<b>SMOKING</b>		<b>0.5</b>	<b>0.4</b>	<b>0.2</b>	<b>0.2</b>	<b>1.0</b>	<b>1.2</b>	<b>1.2</b>	<b>0.4</b>	<b>0.2</b>	<b>-60.0</b>	
<b>C-SECTION</b>		<b>29.4</b>	<b>28.4</b>	<b>30.6</b>	<b>29.9</b>	<b>26.4</b>	<b>21.4</b>	<b>20.2</b>	<b>20.6</b>	<b>20.8</b>	<b>-29.3</b>	
<b>WT GAIN &lt; 15#</b>		<b>4.5</b>	<b>6.0</b>	<b>5.5</b>	<b>7.3</b>	<b>6.6</b>	<b>8.4</b>	<b>9.0</b>	<b>9.7</b>	<b>8.7</b>	<b>93.3</b>	
<b>ANEMIA</b>		<b>2.0</b>	<b>1.8</b>	<b>1.6</b>	<b>1.7</b>	<b>1.4</b>	<b>2.0</b>	<b>2.0</b>	<b>1.8</b>	<b>1.2</b>	<b>-40.0</b>	
<b>DIABETES</b>		<b>1.5</b>	<b>1.8</b>	<b>1.8</b>	<b>1.9</b>	<b>1.7</b>	<b>2.9</b>	<b>2.9</b>	<b>3.6</b>	<b>2.4</b>	<b>60.0</b>	
<b>HYPERTENSION</b>		<b>5.1</b>	<b>6.0</b>	<b>5.5</b>	<b>6.4</b>	<b>6.6</b>	<b>7.8</b>	<b>7.8</b>	<b>8.5</b>	<b>7.1</b>	<b>39.2</b>	
<b>LABOR/DELIVERY COMPLICATIONS</b>		<b>35.4</b>	<b>31.9</b>	<b>30.6</b>	<b>26.9</b>	<b>24.8</b>	<b>25.3</b>	<b>27.6</b>	<b>27.9</b>	<b>21.8</b>	<b>-38.4</b>	
<b>ALCOHOL OR DRUG USE</b>		<b>1.3</b>	<b>1.1</b>	<b>0.4</b>	<b>0.6</b>	<b>0.8</b>	<b>0.6</b>	<b>0.6</b>	<b>0.4</b>	<b>0.4</b>	<b>-69.2</b>	

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**MOTHER**  
**NONWHITE**  
**10-44**

**AREA**  
**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ONE OR MORE RISK FACTORS</b>		<b>100.0</b>	<b>100.0</b>	<b>80.0</b>	<b>75.0</b>	<b>75.0</b>	<b>66.7</b>	-	-	-	-
<b>SMOKING</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-	-	-	-
<b>C-SECTION</b>		<b>75.0</b>	<b>75.0</b>	<b>60.0</b>	<b>50.0</b>	<b>50.0</b>	<b>33.3</b>	-	-	-	-
<b>WT GAIN &lt; 15#</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-	-	-	-
<b>ANEMIA</b>		<b>25.0</b>	<b>25.0</b>	<b>20.0</b>	<b>25.0</b>	<b>25.0</b>	<b>33.3</b>	-	-	-	-
<b>DIABETES</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-	-	-	-
<b>HYPERTENSION</b>		<b>25.0</b>	<b>25.0</b>	<b>20.0</b>	<b>25.0</b>	<b>25.0</b>	<b>0.0</b>	-	-	-	-
<b>LABOR/DELIVERY COMPLICATIONS</b>		<b>75.0</b>	<b>75.0</b>	<b>40.0</b>	<b>25.0</b>	<b>25.0</b>	<b>0.0</b>	-	-	-	-
<b>ALCOHOL OR DRUG USE</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-	-	-	-

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER	AREA										PERCENT CHANGE 1988-90 TO 1997-99
	WHITE	WAYNE									
10-44	THREE -YEAR AVERAGES 1988-1999										
RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	
ONE OR MORE RISK FACTORS		49.6	49.5	49.4	48.1	44.1	45.1	46.1	47.1	40.6	-18.1
SMOKING		0.5	0.4	0.2	0.2	1.0	1.2	1.2	0.4	0.2	-60.0
C-SECTION		29.1	28.1	30.3	29.7	26.2	21.4	20.2	20.6	20.9	-28.2
WT GAIN < 15#		4.5	6.0	5.5	7.4	6.7	8.5	9.1	9.8	8.9	97.8
ANEMIA		1.8	1.6	1.5	1.5	1.2	1.8	1.9	1.6	1.2	-33.3
DIABETES		1.5	1.8	1.8	1.9	1.8	3.0	2.9	3.6	2.4	60.0
HYPERTENSION		5.0	5.8	5.4	6.3	6.5	7.9	7.8	8.6	7.2	44.0
LABOR/DELIVERY COMPLICATIONS		35.2	31.6	30.7	27.1	24.8	25.3	27.6	27.7	21.5	-38.9
ALCOHOL OR DRUG USE		1.3	1.1	0.4	0.6	0.8	0.6	0.6	0.4	0.4	-69.2

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>MOTHER</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL RACES</b>		<b>WAYNE</b>										
<b>AGE: 10-17</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ONE OR MORE RISK FACTORS</b>		<b>57.1</b>	<b>57.1</b>	<b>39.5</b>	<b>40.0</b>	<b>33.3</b>	<b>36.4</b>	<b>33.3</b>	<b>34.8</b>	<b>35.3</b>	<b>-38.2</b>	
<b>SMOKING</b>		<b>2.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>2.6</b>	<b>3.0</b>	<b>4.8</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>C-SECTION</b>		<b>35.7</b>	<b>42.9</b>	<b>28.9</b>	<b>33.3</b>	<b>23.1</b>	<b>27.3</b>	<b>14.3</b>	<b>13.0</b>	<b>11.8</b>	<b>-66.9</b>	
<b>WT GAIN &lt; 15#</b>		<b>9.5</b>	<b>4.8</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>3.0</b>	<b>9.5</b>	<b>13.0</b>	<b>11.8</b>	<b>24.2</b>	
<b>ANEMIA</b>		<b>4.8</b>	<b>2.4</b>	<b>0.0</b>	<b>0.0</b>	<b>2.6</b>	<b>6.1</b>	<b>14.3</b>	<b>8.7</b>	<b>5.9</b>	<b>22.9</b>	
<b>DIABETES</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>HYPERTENSION</b>		<b>9.5</b>	<b>4.8</b>	<b>2.6</b>	<b>2.2</b>	<b>2.6</b>	<b>3.0</b>	<b>9.5</b>	<b>13.0</b>	<b>23.5</b>	<b>147.4</b>	
<b>LABOR/DELIVERY COMPLICATIONS</b>		<b>52.4</b>	<b>52.4</b>	<b>36.8</b>	<b>35.6</b>	<b>30.8</b>	<b>30.3</b>	<b>23.8</b>	<b>17.4</b>	<b>17.6</b>	<b>-66.4</b>	
<b>ALCOHOL OR DRUG USE</b>		<b>4.8</b>	<b>2.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**MOTHER**  
**NONWHITE**  
**AGE: 10-17**

**AREA**  
**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ONE OR MORE RISK FACTORS</b>	-	-	-	-	-	-	-	-	-	-	-
<b>SMOKING</b>	-	-	-	-	-	-	-	-	-	-	-
<b>C-SECTION</b>	-	-	-	-	-	-	-	-	-	-	-
<b>WT GAIN &lt; 15#</b>	-	-	-	-	-	-	-	-	-	-	-
<b>ANEMIA</b>	-	-	-	-	-	-	-	-	-	-	-
<b>DIABETES</b>	-	-	-	-	-	-	-	-	-	-	-
<b>HYPERTENSION</b>	-	-	-	-	-	-	-	-	-	-	-
<b>LABOR/DELIVERY COMPLICATIONS</b>	-	-	-	-	-	-	-	-	-	-	-
<b>ALCOHOL OR DRUG USE</b>	-	-	-	-	-	-	-	-	-	-	-

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**MOTHER**

**AREA**

**WHITE**

**WAYNE**

**AGE: 10-17**

**THREE -YEAR AVERAGES 1988-1999**

<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ONE OR MORE RISK FACTORS</b>		<b>56.1</b>	<b>55.0</b>	<b>37.8</b>	<b>39.5</b>	<b>34.2</b>	<b>35.5</b>	<b>30.0</b>	<b>31.8</b>	<b>35.3</b>	<b>-37.1</b>
<b>SMOKING</b>		<b>2.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>2.6</b>	<b>3.2</b>	<b>5.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>C-SECTION</b>		<b>34.1</b>	<b>40.0</b>	<b>27.0</b>	<b>32.6</b>	<b>23.7</b>	<b>29.0</b>	<b>15.0</b>	<b>13.6</b>	<b>11.8</b>	<b>-65.4</b>
<b>WT GAIN &lt; 15#</b>		<b>9.8</b>	<b>5.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>3.2</b>	<b>10.0</b>	<b>13.6</b>	<b>11.8</b>	<b>20.4</b>
<b>ANEMIA</b>		<b>2.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>2.6</b>	<b>3.2</b>	<b>10.0</b>	<b>4.5</b>	<b>5.9</b>	<b>145.8</b>
<b>DIABETES</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>HYPERTENSION</b>		<b>7.3</b>	<b>2.5</b>	<b>2.7</b>	<b>2.3</b>	<b>2.6</b>	<b>3.2</b>	<b>10.0</b>	<b>13.6</b>	<b>23.5</b>	<b>221.9</b>
<b>LABOR/DELIVERY COMPLICATIONS</b>		<b>51.2</b>	<b>52.5</b>	<b>37.8</b>	<b>37.2</b>	<b>31.6</b>	<b>32.3</b>	<b>25.0</b>	<b>18.2</b>	<b>17.6</b>	<b>-65.6</b>
<b>ALCOHOL OR DRUG USE</b>		<b>4.9</b>	<b>2.5</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>MOTHER</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL RACES</b>		<b>WAYNE</b>										
<b>AGE: 18-19</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ONE OR MORE RISK FACTORS</b>		<b>48.9</b>	<b>46.2</b>	<b>48.8</b>	<b>44.7</b>	<b>36.8</b>	<b>42.6</b>	<b>49.2</b>	<b>49.2</b>	<b>33.3</b>	<b>-31.9</b>	
<b>SMOKING</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.5</b>	<b>1.5</b>	<b>1.6</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>C-SECTION</b>		<b>27.7</b>	<b>24.2</b>	<b>27.4</b>	<b>26.3</b>	<b>20.6</b>	<b>22.1</b>	<b>22.2</b>	<b>22.0</b>	<b>20.0</b>	<b>-27.8</b>	
<b>WT GAIN &lt; 15#</b>		<b>3.2</b>	<b>4.4</b>	<b>6.0</b>	<b>5.3</b>	<b>4.4</b>	<b>5.9</b>	<b>7.9</b>	<b>10.2</b>	<b>6.7</b>	<b>109.4</b>	
<b>ANEMIA</b>		<b>3.2</b>	<b>3.3</b>	<b>3.6</b>	<b>3.9</b>	<b>1.5</b>	<b>0.0</b>	<b>1.6</b>	<b>3.4</b>	<b>3.3</b>	<b>3.1</b>	
<b>DIABETES</b>		<b>2.1</b>	<b>3.3</b>	<b>2.4</b>	<b>1.3</b>	<b>0.0</b>	<b>1.5</b>	<b>1.6</b>	<b>1.7</b>	<b>0.0</b>	<b>-100.0</b>	
<b>HYPERTENSION</b>		<b>9.6</b>	<b>11.0</b>	<b>8.3</b>	<b>6.6</b>	<b>5.9</b>	<b>4.4</b>	<b>6.3</b>	<b>6.8</b>	<b>3.3</b>	<b>-65.6</b>	
<b>LABOR/DELIVERY COMPLICATIONS</b>		<b>35.1</b>	<b>27.5</b>	<b>32.1</b>	<b>27.6</b>	<b>26.5</b>	<b>30.9</b>	<b>34.9</b>	<b>35.6</b>	<b>25.0</b>	<b>-28.8</b>	
<b>ALCOHOL OR DRUG USE</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**MOTHER**  
**NONWHITE**  
**AGE: 18-19**

**AREA**  
**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ONE OR MORE RISK FACTORS</b>		-	-	-	-	-	-	-	-	-	-
<b>SMOKING</b>		-	-	-	-	-	-	-	-	-	-
<b>C-SECTION</b>		-	-	-	-	-	-	-	-	-	-
<b>WT GAIN &lt; 15#</b>		-	-	-	-	-	-	-	-	-	-
<b>ANEMIA</b>		-	-	-	-	-	-	-	-	-	-
<b>DIABETES</b>		-	-	-	-	-	-	-	-	-	-
<b>HYPERTENSION</b>		-	-	-	-	-	-	-	-	-	-
<b>LABOR/DELIVERY COMPLICATIONS</b>		-	-	-	-	-	-	-	-	-	-
<b>ALCOHOL OR DRUG USE</b>		-	-	-	-	-	-	-	-	-	-

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>MOTHER</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>WHITE</b>		<b>WAYNE</b>										
<b>AGE: 18-19</b>												
<b>THREE -YEAR AVERAGES 1988-1999</b>												
<b>RISK FACTOR</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ONE OR MORE RISK FACTORS</b>		<b>48.9</b>	<b>46.2</b>	<b>48.2</b>	<b>44.0</b>	<b>35.8</b>	<b>42.6</b>	<b>49.2</b>	<b>48.3</b>	<b>32.8</b>	<b>-32.9</b>	
<b>SMOKING</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>1.5</b>	<b>1.5</b>	<b>1.6</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>C-SECTION</b>		<b>27.7</b>	<b>24.2</b>	<b>26.5</b>	<b>25.3</b>	<b>19.4</b>	<b>22.1</b>	<b>22.2</b>	<b>22.4</b>	<b>20.7</b>	<b>-25.3</b>	
<b>WT GAIN &lt; 15#</b>		<b>3.2</b>	<b>4.4</b>	<b>6.0</b>	<b>5.3</b>	<b>4.5</b>	<b>5.9</b>	<b>7.9</b>	<b>10.3</b>	<b>6.9</b>	<b>115.6</b>	
<b>ANEMIA</b>		<b>3.2</b>	<b>3.3</b>	<b>2.4</b>	<b>2.7</b>	<b>0.0</b>	<b>0.0</b>	<b>1.6</b>	<b>3.4</b>	<b>3.4</b>	<b>6.3</b>	
<b>DIABETES</b>		<b>2.1</b>	<b>3.3</b>	<b>2.4</b>	<b>1.3</b>	<b>0.0</b>	<b>1.5</b>	<b>1.6</b>	<b>1.7</b>	<b>0.0</b>	<b>-100.0</b>	
<b>HYPERTENSION</b>		<b>9.6</b>	<b>11.0</b>	<b>7.2</b>	<b>5.3</b>	<b>4.5</b>	<b>4.4</b>	<b>6.3</b>	<b>6.9</b>	<b>3.4</b>	<b>-64.6</b>	
<b>LABOR/DELIVERY COMPLICATIONS</b>		<b>35.1</b>	<b>27.5</b>	<b>32.5</b>	<b>28.0</b>	<b>26.9</b>	<b>30.9</b>	<b>34.9</b>	<b>34.5</b>	<b>24.1</b>	<b>-31.3</b>	
<b>ALCOHOL OR DRUG USE</b>		<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**PERCENT OF LIVE BIRTHS WITH HIGH PARITY, ACCORDING TO MOM'S AGE AND RACE,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>RACE/AGE</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL RACES</b>											
UNDER 30	0.7	0.5	0.8	1.0	1.0	0.4	0.6	0.9	1.1	0.9	28.6
30 AND UP	16.0	16.0	8.7	5.7	3.9	6.7	5.7	4.5	2.8	3.6	-77.5
<b>NONWHITE:</b>											
UNDER 30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	#DIV/0!
30 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	#DIV/0!
<b>WHITE:</b>											
UNDER 30	0.7	0.5	0.8	1.0	1.0	0.4	0.6	0.9	1.1	0.9	28.6
30 AND UP	16.0	16.0	8.7	5.7	3.9	6.7	5.7	4.5	2.8	3.6	-77.5

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**ALL RACES**

**AREA**  
**WAYNE**

**YEAR**  
**1995**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTH</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>893</b>	<b>8</b>	<b>7</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>111</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>112</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>112</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>111</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>112</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>113</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>112</b>	<b>5</b>	<b>4</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**NONWHITE**

**AREA**  
**WAYNE**

**YEAR**  
**1995**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTH</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**WHITE**

**AREA**  
**WAYNE**

**YEAR**  
**1995**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTH</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>879</b>	<b>8</b>	<b>7</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>111</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>110</b>	<b>5</b>	<b>4</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**ALL RACES**

**AREA**  
**WAYNE**

**YEAR**  
**1996**

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
<b>10-17</b>	<b>892</b>	<b>8</b>	<b>7</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>111</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>112</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>111</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>112</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>113</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>113</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**NONWHITE**

**AREA**  
**WAYNE**

**YEAR**  
**1996**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>13</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**WHITE**

**AREA**  
**WAYNE**

**YEAR**  
**1996**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>879</b>	<b>7</b>	<b>7</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>110</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>111</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>111</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**ALL RACES**

**AREA**  
**WAYNE**

**YEAR**  
**1997**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>893</b>	<b>5</b>	<b>3</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>111</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>111</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>111</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>112</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>115</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>113</b>	<b>3</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**NONWHITE**

**AREA**  
**WAYNE**

**YEAR**  
**1997**

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
<b>10-17</b>	<b>12</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**WHITE**

**AREA**  
**WAYNE**

**YEAR**  
**1997**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>881</b>	<b>5</b>	<b>3</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>111</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>112</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>111</b>	<b>3</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**ALL RACES**

**AREA**  
**WAYNE**

**YEAR**  
**1998**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>875</b>	<b>10</b>	<b>10</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>108</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>108</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>108</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>112</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>111</b>	<b>7</b>	<b>7</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**NONWHITE**

**AREA**  
**WAYNE**

**YEAR**  
**1998**

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
<b>10-17</b>	<b>10</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**WHITE**

**AREA**  
**WAYNE**

**YEAR**  
**1998**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>865</b>	<b>10</b>	<b>10</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>107</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>107</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>107</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>107</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>110</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>109</b>	<b>7</b>	<b>7</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**ALL RACES**

**AREA**  
**WAYNE**

**YEAR**  
**1999**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>860</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>107</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>107</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>106</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>106</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>106</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>108</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>110</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>110</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**  
**NONWHITE**

**AREA**  
**WAYNE**

**YEAR**  
**1999**

			<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					
<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	<b>UNK</b>
<b>10-17</b>	<b>10</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>WHITE</b>

<b>AREA</b>
<b>WAYNE</b>

<b>YEAR</b>
<b>1999</b>

<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>PREVIOUS LIVE BIRTHS, NOW LIVING</b>					<b>UNK</b>
			<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	
<b>10-17</b>	<b>850</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>107</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>106</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>105</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>104</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>105</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>107</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>108</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>108</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>ALL RACES</b>

<b>AREA</b>
<b>WAYNE</b>

<b>5 YEAR AVE.</b>
<b>1995-1999</b>

AGE	POP.	#BIRTHS	PREVIOUS LIVE BIRTHS, NOW LIVING					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>883</b>	<b>7</b>	<b>6</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>111</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>113</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>112</b>	<b>4</b>	<b>3</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>NONWHITE</b>

<b>AREA</b>
<b>WAYNE</b>

<b>5 YEAR AVE.</b>
<b>1995-1999</b>

AGE	POP.	#BIRTHS	PREVIOUS LIVE BIRTHS, NOW LIVING					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>12</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>WHITE</b>

<b>AREA</b>
<b>WAYNE</b>

<b>5 YEAR AVE.</b>
<b>1995-1999</b>

AGE	POP.	#BIRTHS	PREVIOUS LIVE BIRTHS, NOW LIVING					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>871</b>	<b>6</b>	<b>6</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>108</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>108</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>108</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>108</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>110</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>110</b>	<b>4</b>	<b>3</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>ALL RACES</b>

<b>AREA</b>
<b>WAYNE</b>

<b>YEAR</b>
<b>1995</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>893</b>	<b>8</b>	<b>7</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>111</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>112</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>112</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>111</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>112</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>113</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>112</b>	<b>5</b>	<b>4</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>NONWHITE</b>

<b>AREA</b>
<b>WAYNE</b>

<b>YEAR</b>
<b>1995</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>WHITE</b>

<b>AREA</b>
<b>WAYNE</b>

<b>YEAR</b>
<b>1995</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>879</b>	<b>8</b>	<b>7</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>111</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>110</b>	<b>5</b>	<b>4</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>ALL RACES</b>

<b>AREA</b>
<b>WAYNE</b>

<b>YEAR</b>
<b>1996</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>892</b>	<b>8</b>	<b>6</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>111</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>112</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>111</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>112</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>113</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>113</b>	<b>3</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>NONWHITE</b>

<b>AREA</b>
<b>WAYNE</b>

<b>YEAR</b>
<b>1996</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>13</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>WHITE</b>

<b>AREA</b>
<b>WAYNE</b>

<b>YEAR</b>
<b>1996</b>

<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>PREVIOUS PREGNANCIES</b>					<b>UNK</b>
			<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	
<b>10-17</b>	<b>879</b>	<b>7</b>	<b>6</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>110</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>111</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>111</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>ALL RACES</b>

<b>AREA</b>
<b>WAYNE</b>

<b>YEAR</b>
<b>1997</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>893</b>	<b>5</b>	<b>3</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>111</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>111</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>111</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>112</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>115</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>113</b>	<b>3</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>NONWHITE</b>

<b>AREA</b>
<b>WAYNE</b>

<b>YEAR</b>
<b>1997</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>12</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>WHITE</b>

<b>AREA</b>
<b>WAYNE</b>

<b>YEAR</b>
<b>1997</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>881</b>	<b>5</b>	<b>3</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>111</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>112</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>111</b>	<b>3</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>ALL RACES</b>

<b>AREA</b>
<b>WAYNE</b>

<b>YEAR</b>
<b>1998</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>875</b>	<b>10</b>	<b>9</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>108</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>108</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>108</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>112</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>111</b>	<b>7</b>	<b>7</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>NONWHITE</b>

<b>AREA</b>
<b>WAYNE</b>

<b>YEAR</b>
<b>1998</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>10</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>WHITE</b>

<b>AREA</b>
<b>WAYNE</b>

<b>YEAR</b>
<b>1998</b>

<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>PREVIOUS PREGNANCIES</b>					<b>UNK</b>
			<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	
<b>10-17</b>	<b>865</b>	<b>10</b>	<b>9</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>107</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>107</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>107</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>107</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>110</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>109</b>	<b>7</b>	<b>7</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>ALL RACES</b>

<b>AREA</b>
<b>WAYNE</b>

<b>YEAR</b>
<b>1999</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>860</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>107</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>107</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>106</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>106</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>106</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>108</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>110</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>110</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>NONWHITE</b>

<b>AREA</b>
<b>WAYNE</b>

<b>YEAR</b>
<b>1999</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>10</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>WHITE</b>

<b>AREA</b>
<b>WAYNE</b>

<b>YEAR</b>
<b>1999</b>

<b>AGE</b>	<b>POP.</b>	<b>#BIRTHS</b>	<b>PREVIOUS PREGNANCIES</b>					<b>UNK</b>
			<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4+</b>	
<b>10-17</b>	<b>850</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>107</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>106</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>105</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>104</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>105</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>107</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>108</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>108</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>ALL RACES</b>

<b>AREA</b>
<b>WAYNE</b>

<b>5 YEAR AVE.</b>
<b>1995-1999</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>883</b>	<b>7</b>	<b>5</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>110</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>111</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>113</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>112</b>	<b>4</b>	<b>3</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>NONWHITE</b>

<b>AREA</b>
<b>WAYNE</b>

<b>5 YEAR AVE.</b>
<b>1995-1999</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>12</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE GROUP</b>
<b>WHITE</b>

<b>AREA</b>
<b>WAYNE</b>

<b>5 YEAR AVE.</b>
<b>1995-1999</b>

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
<b>10-17</b>	<b>871</b>	<b>6</b>	<b>5</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>11</b>	<b>108</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>12</b>	<b>108</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>13</b>	<b>108</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>14</b>	<b>108</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>15</b>	<b>109</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>16</b>	<b>110</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>17</b>	<b>110</b>	<b>4</b>	<b>3</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**NUMBER OF INFANT, NEONATAL, AND POSTNEONATAL DEATHS, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

AGE/RACE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
<u>INFANT:</u> ALL RACES	2	1	1	2	2	2	2	2	3	1	-50.0
NONWHITE	0	0	0	0	0	0	0	0	0	0	-
WHITE	2	1	1	2	2	2	2	2	3	1	-50.0
<u>NEONATAL:</u> ALL RACES	1	1	0	1	1	1	2	2	2	1	0.0
NONWHITE	0	0	0	0	0	0	0	0	0	0	-
WHITE	1	1	0	1	1	1	2	2	2	1	0.0
<u>POSTNEONATAL:</u> ALL RACES	1	0	1	1	1	1	0	0	1	1	0.0
NONWHITE	0	0	0	0	0	0	0	0	0	0	-
WHITE	1	0	1	1	1	1	0	0	1	1	0.0

**INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES (DEATHS PER 1,000 LIVE BIRTHS),  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

AGE/RACE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
<u>INFANT:</u> ALL RACES	8.7	5.0	5.3	9.1	13.1	9.7	13.7	12.2	15.8	7.9	-9.2
NONWHITE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
WHITE	8.8	5.0	5.3	9.2	13.3	9.8	13.9	12.3	16.0	8.0	-9.1
<u>NEONATAL:</u> ALL RACES	5.2	3.3	1.8	5.5	7.5	5.8	11.8	10.2	11.9	4.0	-23.1
NONWHITE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
WHITE	5.3	3.4	1.8	5.5	7.6	5.9	11.9	10.3	12.0	4.0	-24.5
<u>POSTNEONATAL:</u> ALL RACES	3.4	1.7	3.4	3.6	5.7	3.8	2.0	2.0	4.1	3.8	11.8
NONWHITE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
WHITE	3.5	1.7	3.5	3.7	5.7	3.9	2.0	2.1	4.0	4.0	14.3

Note: All rates shown are based on race of mother as denominator

**CRUDE MORTALITY RATES (DEATHS PER 1,000 POPULATION) BY RACE AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**WAYNE**

**THREE -YEAR AVERAGE CRUDE MORTALITY RATES 1988-1999**

<b>RACE/SEX</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>TOTAL</b>	9.5	9.6	9.2	9.1	9.2	9.4	10.7	10.8	11.2	10.1	6.3
<b>NONWHITE</b>	17.3	17.2	11.3	5.5	10.8	10.4	20.4	25.3	25.6	15.4	-11.0
<b>WHITE</b>	9.4	9.5	9.2	9.1	9.2	9.3	10.6	10.6	11.1	10.1	7.4
<b>SEX:</b>											
<b>FEMALE</b>	8.6	8.7	8.7	8.1	8.2	8.5	9.7	9.8	10.0	9.6	11.6
<b>MALE</b>	10.4	10.5	9.6	10.1	10.3	10.2	11.7	11.8	12.4	10.8	3.8
<b>RACE-SEX:</b>											
<b>NONWHITE FEMALE</b>	10.4	10.5	10.4	0.0	10.1	9.8	19.4	28.8	-	-	-
<b>WHITE FEMALE</b>	8.4	8.6	8.8	8.1	8.2	8.5	9.6	9.6	9.9	9.4	11.9
<b>NONWHITE MALE</b>	25.6	12.8	12.3	11.9	11.5	11.0	21.5	21.3	21.3	10.5	-59.0
<b>WHITE MALE</b>	10.2	10.5	9.6	10.1	10.2	10.2	11.6	11.7	12.3	10.8	5.9

**AGE AND RACE SPECIFIC CRUDE MORTALITY RATES PER 1,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>9.5</b>	<b>9.6</b>	<b>9.2</b>	<b>9.1</b>	<b>9.2</b>	<b>9.4</b>	<b>10.7</b>	<b>10.8</b>	<b>11.2</b>	<b>10.1</b>	<b>6.3</b>
<b>UNDER 1</b>	<b>8.9</b>	<b>5.4</b>	<b>5.2</b>	<b>8.4</b>	<b>11.4</b>	<b>8.0</b>	<b>11.0</b>	<b>9.3</b>	<b>12.3</b>	<b>6.1</b>	<b>-31.5</b>
<b>1-4</b>	<b>1.4</b>	<b>0.9</b>	<b>0.9</b>	<b>1.3</b>	<b>2.0</b>	<b>1.6</b>	<b>0.8</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.1</b>	<b>0.4</b>	<b>0.6</b>	<b>0.4</b>	<b>-</b>
<b>15-24</b>	<b>1.8</b>	<b>1.8</b>	<b>1.8</b>	<b>1.6</b>	<b>1.1</b>	<b>0.9</b>	<b>1.5</b>	<b>1.7</b>	<b>1.8</b>	<b>1.1</b>	<b>-38.9</b>
<b>25-44</b>	<b>1.9</b>	<b>1.9</b>	<b>1.6</b>	<b>1.6</b>	<b>1.6</b>	<b>1.8</b>	<b>2.1</b>	<b>2.8</b>	<b>2.6</b>	<b>2.6</b>	<b>36.8</b>
<b>45-64</b>	<b>9.8</b>	<b>8.6</b>	<b>7.8</b>	<b>6.7</b>	<b>7.1</b>	<b>7.8</b>	<b>8.8</b>	<b>8.3</b>	<b>8.0</b>	<b>7.7</b>	<b>-21.4</b>
<b>65 AND UP</b>	<b>44.2</b>	<b>46.6</b>	<b>44.9</b>	<b>45.3</b>	<b>45.0</b>	<b>44.8</b>	<b>50.3</b>	<b>50.1</b>	<b>52.9</b>	<b>47.3</b>	<b>7.0</b>

**AGE AND RACE SPECIFIC CRUDE MORTALITY RATES PER 1,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	17.3	15.4	11.3	7.4	10.8	10.4	18.7	25.3	25.6	17.1	-1.2
<b>UNDER 1</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
<b>1-4</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
<b>5-14</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
<b>15-24</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
<b>25-44</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
<b>45-64</b>	22.0	22.0	33.0	10.9	10.6	0.0	9.0	8.5	8.3	0.0	-100.0
<b>65 AND UP</b>	69.3	58.8	29.1	28.3	45.9	51.7	84.7	117.6	120.7	85.5	23.4

**AGE AND RACE SPECIFIC CRUDE MORTALITY RATES PER 1,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>9.4</b>	<b>9.5</b>	<b>9.2</b>	<b>9.1</b>	<b>9.2</b>	<b>9.3</b>	<b>10.6</b>	<b>10.6</b>	<b>11.1</b>	<b>10.1</b>	<b>7.4</b>
<b>UNDER 1</b>	<b>9.1</b>	<b>5.5</b>	<b>5.3</b>	<b>8.6</b>	<b>11.6</b>	<b>8.1</b>	<b>11.1</b>	<b>9.4</b>	<b>12.5</b>	<b>6.2</b>	<b>-31.9</b>
<b>1-4</b>	<b>1.4</b>	<b>0.9</b>	<b>0.9</b>	<b>1.3</b>	<b>2.0</b>	<b>1.6</b>	<b>0.8</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.1</b>	<b>0.4</b>	<b>0.6</b>	<b>0.4</b>	<b>-</b>
<b>15-24</b>	<b>1.8</b>	<b>1.8</b>	<b>1.8</b>	<b>1.6</b>	<b>1.1</b>	<b>0.9</b>	<b>1.6</b>	<b>1.7</b>	<b>1.9</b>	<b>1.1</b>	<b>-38.9</b>
<b>25-44</b>	<b>1.9</b>	<b>1.9</b>	<b>1.6</b>	<b>1.6</b>	<b>1.6</b>	<b>1.8</b>	<b>2.1</b>	<b>2.9</b>	<b>2.6</b>	<b>2.6</b>	<b>36.8</b>
<b>45-64</b>	<b>9.6</b>	<b>8.4</b>	<b>7.6</b>	<b>6.7</b>	<b>7.0</b>	<b>7.8</b>	<b>8.8</b>	<b>8.3</b>	<b>8.0</b>	<b>7.8</b>	<b>-18.8</b>
<b>65 AND UP</b>	<b>43.8</b>	<b>46.4</b>	<b>45.2</b>	<b>45.6</b>	<b>44.9</b>	<b>44.7</b>	<b>49.7</b>	<b>49.0</b>	<b>51.8</b>	<b>46.8</b>	<b>6.8</b>

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
<b>1-4 YEARS</b>	<b>WAYNE</b>										
	THREE -YEAR AVERAGES 1988-1999										
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	90.3	45.2	87.7	126.4	201.9	157.8	77.2	0.0	0.0	0.0	<b>-100.0</b>
CONGENITAL ANOMALIES	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
STATEWIDE FEWER THAN 10 DEATHS IN EACH REMAINING CAUSE											

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**AGE GROUP**  
**5-14 YEARS**

**AREA**  
**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>CAUSE</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>
<b>ACCIDENTS AND ADVERSE EFFECTS</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>14.7</b>	<b>43.7</b>	<b>43.6</b>	<b>29.1</b>
<b>MALIGNANT NEOPLASMS</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>14.5</b>	<b>14.6</b>
<b>HOMICIDE</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>
<b>SUICIDE</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>
<b>STATEWIDE FEWER THAN 10 DEATHS IN EACH REMAINING CAUSE</b>										

**PERCENT CHANGE  
1988-90 TO  
1997-99**

-  
-  
-  
-

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
<b>15-24 YEARS</b>	<b>WAYNE</b>										
<b>THREE -YEAR AVERAGES 1988-1999</b>											
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	145.9	147.7	129.3	126.5	61.7	46.1	61.2	76.5	92.4	62.3	-57.3
HOMICIDE	0.0	0.0	0.0	0.0	15.4	15.4	30.6	15.3	15.4	0.0	-
SUICIDE	16.2	16.4	16.2	0.0	15.4	15.4	30.6	15.3	30.8	15.6	-3.7
MALIGNANT NEOPLASMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
DISEASES OF THE HEART	0.0	0.0	0.0	0.0	0.0	15.4	15.3	15.3	0.0	0.0	-
REMAINING CAUSES HAVE FEWER THAN 10 CASES STATEWIDE.											

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
<b>25-44 YEARS</b>	<b>WAYNE</b>										
THREE -YEAR AVERAGES 1988-1999											
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	67.0	50.0	40.6	55.2	53.6	45.5	37.5	74.6	82.1	97.5	45.5
MALIGNANT NEOPLASMS	58.6	66.7	56.8	31.6	7.7	15.2	22.5	52.2	44.8	45.0	-23.2
DISEASES OF THE HEART	8.4	16.7	16.2	15.8	15.3	22.7	37.5	44.8	37.3	30.0	257.1
HIV / AIDS											
SUICIDE	16.7	16.7	8.1	7.9	7.7	15.2	22.5	37.3	37.3	37.5	124.6
HOMICIDE	0.0	0.0	8.1	15.8	23.0	15.2	7.5	0.0	7.5	7.5	-
CEREBROVASCULAR DISEASE	0.0	0.0	0.0	7.9	7.7	7.6	7.5	7.5	7.5	0.0	-
CHRONIC LIVER DISEASE & CIRRHOSIS	8.4	8.3	0.0	0.0	0.0	0.0	7.5	7.5	7.5	0.0	-100.0
DIABETES MELLITUS	0.0	8.3	16.2	15.8	15.3	22.7	22.5	14.9	0.0	0.0	-

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
45-64 YEARS	WAYNE										
THREE -YEAR AVERAGES 1988-1999											
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
MALIGNANT NEOPLASMS	378.8	326.4	300.8	245.0	232.3	261.9	325.6	342.4	300.4	261.6	-30.9
DISEASES OF THE HEART	241.1	191.3	182.6	173.6	174.2	271.2	298.5	307.3	248.9	253.2	5.0
CEREBROVASCULAR DISEASE	23.0	11.3	10.7	10.2	38.7	28.1	45.2	17.6	34.3	16.9	-26.5
ACCIDENTS AND ADVERSE EFFECTS	80.4	78.8	64.4	51.0	48.4	46.8	27.1	17.6	42.9	59.1	-26.5
CHRONIC OBSTRUCTIVE PULMONARY DISEASE	91.8	78.8	75.2	61.3	38.7	18.7	9.0	8.8	8.6	8.4	-90.8
DIABETES MELLITUS	11.5	11.3	10.7	10.2	38.7	37.4	36.2	26.3	25.7	25.3	120.0
CHRONIC LIVER DISEASE & CIRRHOSIS	45.9	33.8	21.5	0.0	9.7	9.4	27.1	17.6	17.2	0.0	-100.0
SUICIDE	0.0	0.0	0.0	0.0	0.0	0.0	18.1	26.3	25.7	16.9	-
PNEUMONIA & INFLUENZA	0.0	0.0	0.0	0.0	9.7	9.4	9.0	0.0	0.0	8.4	-

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
<b>65 YEARS +</b>	<b>WAYNE</b>										
THREE -YEAR AVERAGES 1988-1999											
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
DISEASES OF THE HEART	1,533.4	1,602.5	1,476.8	1,491.4	1,527.0	1,822.7	2,079.4	2,065.8	1,960.0	1,695.6	10.6
MALIGNANT NEOPLASMS	923.3	922.6	901.6	939.6	941.9	890.5	964.9	986.3	1,131.3	1,004.3	8.8
CEREBROVASCULAR DISEASE	511.1	534.2	481.9	522.0	428.1	347.9	394.1	413.2	486.7	417.4	-18.3
CHRONIC OBSTRUCTIVE PULMONARY DISEASE	214.3	161.9	155.4	149.1	199.8	222.6	339.8	306.5	328.9	221.7	27.1
PNEUMONIA AND INFLUENZA	148.4	242.8	279.8	298.3	242.6	167.0	203.9	239.9	289.4	300.0	102.2
DIABETES MELLITUS	82.4	113.3	108.8	89.5	71.4	111.3	108.7	106.6	92.1	91.3	10.8
ACCIDENTS AND ADVERSE EFFECTS	164.9	145.7	124.4	119.3	99.9	55.7	122.3	106.6	131.5	39.1	-76.3
ALZHEIMER'S DISEASE	33.0	32.4	46.6	44.7	85.6	83.5	81.5	53.3	39.5	13.0	-60.6
ATHEROSCLEROSIS	197.9	242.8	310.9	343.0	342.5	236.5	217.5	186.6	210.5	195.6	-1.2

**AGE-ADJUSTED MORTALITY RATES BY RACE AND SEX, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**WAYNE**

**THREE -YEAR AVERAGE AGE-ADJUSTED MORTALITY RATES 1988-1999**

RACE/SEX	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE
<b>WHITE:</b>											1988-90 TO 1997-99
MALES	713.9	687.2	600.7	636.0	644.3	652.2	728.8	739.7	777.8	684.1	-4.2
FEMALES	452.6	450.9	392.0	372.9	380.8	372.9	344.3	391.8	391.2	341.6	-24.5
<b>NONWHITE:</b>											1985-87 TO 1994-96
MALES	605.3	302.7	605.3	1,123.5	842.0	936.6	799.4	1,150.1	1,282.1	252.2	-58.3
FEMALES	1,678.7	987.9	261.7	760.9	764.5	537.6	46.2	445.0	427.0	346.2	-79.4

**YEARS OF POTENTIAL LIFE LOST, BY RACE AND SEX, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**AREA**

<b>WAYNE</b>
--------------

**THREE -YEAR AVERAGE YEARS OF POTENTIAL LIFE LOST 1988-1999**

<b>RACE/SEX</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b><u>RACE:</u></b>											
<b>ALL RACES</b>	781	706	686	730	782	755	912	979	1,019	821	5.1
<b>NONWHITE</b>	7	7	8	2	2	0	2	2	2	-	-
<b>WHITE</b>	775	699	678	728	781	755	910	977	1,017	821	5.9
<b><u>SEX:</u></b>											
<b>FEMALE</b>	228	263	288	265	244	220	304	316	348	243	6.6
<b>MALE</b>	553	443	398	465	538	536	608	663	671	578	4.5
<b><u>RACE-SEX:</u></b>											
<b>NONWHITE FEMALE</b>	5	5	5	0	0	0	0	-	-	-	-
<b>WHITE FEMALE</b>	223	258	283	265	244	220	304	316	348	243	9.0
<b>NONWHITE MALE</b>	2	2	3	2	2	0	2	2	2	-	-
<b>WHITE MALE</b>	552	441	395	463	536	536	606	661	669	578	4.7

**LEADING CAUSES OF DEATH BASED ON YEARS OF PRODUCTIVE LIFE LOST  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**WAYNE**

**THREE -YEAR AVERAGE YEARS OF PRODUCTIVE LIFE LOST 1988-1999**

CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	288	241	233	304	303	256	201	237	272	247	-14.2
MALIGNANT NEOPLASMS	167	176	155	117	82	100	132	170	157	147	-12.0
DISEASES OF THE HEART.	63	65	68	68	67	125	158	195	152	148	134.9
BIRTH TRAUMA*	0	0	22	22	22	0	65	65	86	43	-
HOMICIDE	0	0	22	33	57	35	38	15	27	12	-
SUICIDE	35	35	27	12	27	35	68	75	93	73	108.6
CONGENITAL ANOMALIES	86	43	15	58	80	76	88	75	93	38	-55.8
AIDS	0	0	0	0	0	0	0	-	-	-	-
CEREBROVASCULAR DISEASE	3	2	2	10	18	17	20	12	18	7	133.3

\*Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome.

**BREAST CANCER MORTALITY RATES PER 100,000 FEMALES, SPECIFIC AGE GROUPS,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

**WAYNE**

**THREE -YEAR AVERAGE MORTALITY RATES 1988-1999**

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
WOMEN 40+	52.7	51.7	59.4	56.8	36.1	43.8	51.2	66.6	73.6	72.8	38.1
WOMEN 50+	73.0	57.4	68.6	65.4	49.7	48.2	46.7	68.2	89.1	87.9	20.4

**NUMBER OF MOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	7	6	6	7	6	5	4	5	5	5	<b>-28.6</b>
<b>UNDER 1</b>	0	0	0	0	0	0	0	0	0	0	<b>-</b>
<b>1-4</b>	0	0	0	1	1	1	0	0	0	0	<b>-</b>
<b>5-14</b>	0	0	0	0	0	0	0	1	1	1	<b>-</b>
<b>15-24</b>	2	3	3	3	1	1	1	1	1	1	<b>-50.0</b>
<b>25-44</b>	2	1	1	2	2	1	1	2	2	2	<b>0.0</b>
<b>45-64</b>	1	1	1	1	2	2	1	0	0	1	<b>0.0</b>
<b>65 AND UP</b>	1	1	1	1	0	0	1	1	1	0	<b>-100.0</b>

**NUMBER OF MOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>UNDER 1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>1-4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>
<b>5-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>
<b>15-24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>
<b>25-44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>
<b>45-64</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>
<b>65 AND UP</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>

**NUMBER OF MOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	7	6	6	7	6	5	4	5	5	5	<b>-28.6</b>
<b>UNDER 1</b>	0	0	0	0	0	0	0	0	0	0	<b>-</b>
<b>1-4</b>	0	0	0	1	1	1	0	0	0	0	<b>-</b>
<b>5-14</b>	0	0	0	0	0	0	0	1	1	1	<b>-</b>
<b>15-24</b>	2	3	3	3	1	1	1	1	1	1	<b>-50.0</b>
<b>25-44</b>	2	1	1	2	2	1	1	2	2	2	<b>0.0</b>
<b>45-64</b>	1	1	1	1	2	2	1	0	0	1	<b>0.0</b>
<b>65 AND UP</b>	1	1	1	1	0	0	1	1	1	0	<b>-100.0</b>

**MOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>50.3</b>	<b>42.8</b>	<b>39.2</b>	<b>49.0</b>	<b>38.6</b>	<b>29.5</b>	<b>22.8</b>	<b>32.7</b>	<b>28.4</b>	<b>28.3</b>	<b>-43.7</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>45.2</b>	<b>0.0</b>	<b>43.8</b>	<b>126.4</b>	<b>121.2</b>	<b>78.9</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>14.7</b>	<b>43.7</b>	<b>43.6</b>	<b>29.1</b>	<b>-</b>
<b>15-24</b>	<b>113.5</b>	<b>131.3</b>	<b>129.3</b>	<b>126.5</b>	<b>61.7</b>	<b>46.1</b>	<b>45.9</b>	<b>61.2</b>	<b>46.2</b>	<b>31.2</b>	<b>-72.5</b>
<b>25-44</b>	<b>50.2</b>	<b>33.3</b>	<b>24.3</b>	<b>39.5</b>	<b>38.3</b>	<b>30.3</b>	<b>22.5</b>	<b>44.8</b>	<b>37.3</b>	<b>52.5</b>	<b>4.6</b>
<b>45-64</b>	<b>45.9</b>	<b>45.0</b>	<b>32.2</b>	<b>40.8</b>	<b>48.4</b>	<b>46.8</b>	<b>18.1</b>	<b>8.8</b>	<b>8.6</b>	<b>25.3</b>	<b>-44.9</b>
<b>65 AND UP</b>	<b>49.5</b>	<b>32.4</b>	<b>31.1</b>	<b>29.8</b>	<b>14.3</b>	<b>0.0</b>	<b>27.2</b>	<b>26.7</b>	<b>26.3</b>	<b>0.0</b>	<b>-100.0</b>

**MOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-

**MOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>50.9</b>	<b>43.4</b>	<b>39.7</b>	<b>49.6</b>	<b>39.1</b>	<b>29.8</b>	<b>23.0</b>	<b>33.1</b>	<b>28.7</b>	<b>28.6</b>	<b>-43.8</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>45.8</b>	<b>0.0</b>	<b>44.3</b>	<b>127.8</b>	<b>122.4</b>	<b>79.7</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>14.8</b>	<b>44.0</b>	<b>43.9</b>	<b>29.3</b>	<b>-</b>
<b>15-24</b>	<b>115.2</b>	<b>133.2</b>	<b>131.1</b>	<b>128.3</b>	<b>62.6</b>	<b>46.7</b>	<b>46.5</b>	<b>62.0</b>	<b>46.8</b>	<b>31.6</b>	<b>-72.6</b>
<b>25-44</b>	<b>50.7</b>	<b>33.7</b>	<b>24.6</b>	<b>39.9</b>	<b>38.8</b>	<b>30.7</b>	<b>22.8</b>	<b>45.4</b>	<b>37.8</b>	<b>53.3</b>	<b>5.1</b>
<b>45-64</b>	<b>46.4</b>	<b>45.5</b>	<b>32.5</b>	<b>41.2</b>	<b>48.8</b>	<b>47.2</b>	<b>18.3</b>	<b>8.9</b>	<b>8.7</b>	<b>25.6</b>	<b>-44.8</b>
<b>65 AND UP</b>	<b>50.3</b>	<b>32.9</b>	<b>31.6</b>	<b>30.3</b>	<b>14.5</b>	<b>0.0</b>	<b>27.6</b>	<b>27.1</b>	<b>26.7</b>	<b>0.0</b>	<b>-100.0</b>

**NUMBER OF NONMOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE, RESIDENT DATA, SELECTED  
GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	5	5	4	3	4	3	5	4	7	5	0.0
<b>UNDER 1</b>	0	0	0	0	1	1	0	0	0	0	-
<b>1-4</b>	0	0	0	0	1	1	1	0	0	0	-
<b>5-14</b>	0	0	0	0	0	0	0	0	0	0	-
<b>15-24</b>	1	0	0	0	0	0	0	0	1	1	0.0
<b>25-44</b>	1	1	1	1	1	1	1	1	2	2	100.0
<b>45-64</b>	1	1	1	0	0	0	0	0	1	1	0.0
<b>65 AND UP</b>	2	2	2	2	2	1	2	2	3	1	-50.0

**NUMBER OF NONMOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE, RESIDENT DATA, SELECTED  
GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-
<b>UNDER 1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-
<b>1-4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-
<b>5-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-
<b>15-24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-
<b>25-44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-
<b>45-64</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-
<b>65 AND UP</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-

**NUMBER OF NONMOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE, RESIDENT DATA, SELECTED  
GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**WHITE**

**AREA**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1999-99</b>
<b>ALL AGES</b>	5	5	4	3	4	3	5	4	7	5	0.0
<b>UNDER 1</b>	0	0	0	0	1	1	0	0	0	0	-
<b>1-4</b>	0	0	0	0	1	1	1	0	0	0	-
<b>5-14</b>	0	0	0	0	0	0	0	0	0	0	-
<b>15-24</b>	1	0	0	0	0	0	0	0	1	1	0.0
<b>25-44</b>	1	1	1	1	1	1	1	1	2	2	100.0
<b>45-64</b>	1	1	1	0	0	0	0	0	1	1	0.0
<b>65 AND UP</b>	2	2	2	2	2	1	2	2	3	1	-50.0

**NONMOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>35.9</b>	<b>33.3</b>	<b>27.7</b>	<b>22.3</b>	<b>25.7</b>	<b>21.1</b>	<b>29.0</b>	<b>24.5</b>	<b>42.5</b>	<b>30.3</b>	<b>-15.6</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>168.9</b>	<b>324.7</b>	<b>319.0</b>	<b>156.7</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>45.2</b>	<b>45.2</b>	<b>43.8</b>	<b>0.0</b>	<b>80.8</b>	<b>78.9</b>	<b>77.2</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-24</b>	<b>32.4</b>	<b>16.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>15.3</b>	<b>15.3</b>	<b>46.2</b>	<b>31.2</b>	<b>-3.7</b>
<b>25-44</b>	<b>16.7</b>	<b>16.7</b>	<b>16.2</b>	<b>15.8</b>	<b>15.3</b>	<b>15.2</b>	<b>15.0</b>	<b>29.8</b>	<b>44.8</b>	<b>45.0</b>	<b>169.5</b>
<b>45-64</b>	<b>34.4</b>	<b>33.8</b>	<b>32.2</b>	<b>10.2</b>	<b>0.0</b>	<b>0.0</b>	<b>9.0</b>	<b>8.8</b>	<b>34.3</b>	<b>33.8</b>	<b>-1.7</b>
<b>65 AND UP</b>	<b>115.4</b>	<b>113.3</b>	<b>93.3</b>	<b>89.5</b>	<b>85.6</b>	<b>55.7</b>	<b>95.1</b>	<b>80.0</b>	<b>105.2</b>	<b>39.1</b>	<b>-66.1</b>

**NONMOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-

**NONMOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>36.4</b>	<b>33.7</b>	<b>28.0</b>	<b>22.5</b>	<b>26.1</b>	<b>21.3</b>	<b>29.3</b>	<b>24.8</b>	<b>43.1</b>	<b>30.7</b>	<b>-15.7</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>171.8</b>	<b>330.0</b>	<b>323.6</b>	<b>159.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>45.8</b>	<b>45.7</b>	<b>44.3</b>	<b>0.0</b>	<b>81.6</b>	<b>79.7</b>	<b>78.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-24</b>	<b>32.9</b>	<b>16.7</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>15.5</b>	<b>15.5</b>	<b>46.8</b>	<b>31.6</b>	<b>-4.0</b>
<b>25-44</b>	<b>16.9</b>	<b>16.9</b>	<b>16.4</b>	<b>16.0</b>	<b>15.5</b>	<b>15.4</b>	<b>15.2</b>	<b>30.3</b>	<b>45.4</b>	<b>45.7</b>	<b>170.4</b>
<b>45-64</b>	<b>34.8</b>	<b>34.1</b>	<b>32.5</b>	<b>10.3</b>	<b>0.0</b>	<b>0.0</b>	<b>9.1</b>	<b>8.9</b>	<b>34.7</b>	<b>34.1</b>	<b>-2.0</b>
<b>65 AND UP</b>	<b>117.4</b>	<b>115.2</b>	<b>94.8</b>	<b>90.9</b>	<b>87.0</b>	<b>56.6</b>	<b>96.7</b>	<b>81.3</b>	<b>106.9</b>	<b>39.7</b>	<b>-66.2</b>

**NUMBER OF VIOLENT DEATHS, BY AGE AND RACE, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	2	2	2	2	3	3	4	5	5	4	<b>100.0</b>
<b>UNDER 1</b>	0	0	0	0	0	0	0	0	0	0	-
<b>1-4</b>	0	0	0	0	0	0	0	0	0	0	-
<b>5-14</b>	0	0	0	0	0	0	0	0	0	0	-
<b>15-24</b>	0	0	0	0	1	1	1	1	1	0	-
<b>25-44</b>	1	1	1	1	1	1	1	2	2	2	<b>100.0</b>
<b>45-64</b>	0	0	1	1	1	0	1	1	1	1	-
<b>65 AND UP</b>	1	1	0	1	1	1	1	1	1	1	<b>0.0</b>

**NUMBER OF VIOLENT DEATHS, BY AGE AND RACE, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>85-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-
<b>UNDER 1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-
<b>1-4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-
<b>5-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-
<b>15-24</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-
<b>25-44</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-
<b>45-64</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-
<b>65 AND UP</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	-

**NUMBER OF VIOLENT DEATHS, BY AGE AND RACE, RESIDENT DATA,  
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	2	2	2	2	3	3	4	5	5	4	100.0
<b>UNDER 1</b>	0	0	0	0	0	0	0	0	0	0	-
<b>1-4</b>	0	0	0	0	0	0	0	0	0	0	-
<b>5-14</b>	0	0	0	0	0	0	0	0	0	0	-
<b>15-24</b>	0	0	0	0	1	1	1	1	1	0	-
<b>25-44</b>	1	1	1	1	1	1	1	2	2	2	100.0
<b>45-64</b>	0	0	1	1	1	0	1	1	1	1	-
<b>65 AND UP</b>	1	1	0	1	1	1	1	1	1	1	0.0

**VIOLENT DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**ALL RACES**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>12.0</b>	<b>11.9</b>	<b>13.8</b>	<b>15.6</b>	<b>21.5</b>	<b>16.8</b>	<b>24.8</b>	<b>28.6</b>	<b>32.4</b>	<b>22.2</b>	<b>85.0</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-24</b>	<b>16.2</b>	<b>16.4</b>	<b>16.2</b>	<b>0.0</b>	<b>30.8</b>	<b>30.7</b>	<b>61.2</b>	<b>30.6</b>	<b>46.2</b>	<b>15.6</b>	<b>-3.7</b>
<b>25-44</b>	<b>16.7</b>	<b>16.7</b>	<b>16.2</b>	<b>23.7</b>	<b>30.6</b>	<b>30.3</b>	<b>30.0</b>	<b>37.3</b>	<b>44.8</b>	<b>45.0</b>	<b>169.5</b>
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>21.5</b>	<b>20.4</b>	<b>19.4</b>	<b>0.0</b>	<b>18.1</b>	<b>26.3</b>	<b>25.7</b>	<b>16.9</b>	<b>-</b>
<b>65 AND UP</b>	<b>33.0</b>	<b>32.4</b>	<b>15.5</b>	<b>29.8</b>	<b>28.5</b>	<b>27.8</b>	<b>27.2</b>	<b>53.3</b>	<b>52.6</b>	<b>26.1</b>	<b>-20.9</b>

**VIOLENT DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**NONWHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-

**VIOLENT DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

**RACE GROUP**

**AREA**

**WHITE**

**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	12.1	12.0	14.0	15.8	21.7	17.1	25.1	28.9	32.8	22.5	86.0
<b>UNDER 1</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
<b>1-4</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
<b>5-14</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
<b>15-24</b>	16.5	16.7	16.4	0.0	31.3	31.1	62.0	31.0	46.8	15.8	-4.2
<b>25-44</b>	16.9	16.9	16.4	24.0	31.0	30.7	30.4	37.8	45.4	45.7	170.4
<b>45-64</b>	0.0	0.0	21.7	20.6	19.5	0.0	18.3	26.6	26.0	17.1	-
<b>65 AND UP</b>	33.5	32.9	15.8	30.3	29.0	28.3	27.6	54.2	53.4	26.5	-20.9

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL RACES</b>		<b>WAYNE</b>										
<b>BOTH SEXES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>									<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>WAYNE</b>									
<b>FEMALE</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>									
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>									<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>WAYNE</b>									
<b>MALE</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>									
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>									
<b>WHITE</b>		<b>WAYNE</b>									
<b>FEMALE</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>									
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>									
<b>WHITE</b>		<b>WAYNE</b>									
<b>MALE</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>									
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL RACES</b>		<b>WAYNE</b>										
<b>BOTH SEXES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>2.4</b>	<b>2.4</b>	<b>6.9</b>	<b>17.8</b>	<b>32.2</b>	<b>56.9</b>	<b>74.5</b>	<b>85.7</b>	<b>77.0</b>	<b>74.8</b>	<b>3,016.7</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>16.0</b>	<b>15.5</b>	<b>15.1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>16.2</b>	<b>16.4</b>	<b>32.3</b>	<b>110.7</b>	<b>185.1</b>	<b>368.4</b>	<b>458.9</b>	<b>550.9</b>	<b>477.3</b>	<b>498.8</b>	<b>2,979.0</b>	
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>15.3</b>	<b>15.2</b>	<b>37.5</b>	<b>37.3</b>	<b>52.2</b>	<b>37.5</b>	<b>-</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>13.9</b>	<b>13.6</b>	<b>13.3</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>WAYNE</b>										
<b>FEMALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>320.5</b>	<b>327.9</b>	<b>335.6</b>	<b>-</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>2,439.0</b>	<b>2,564.1</b>	<b>2,631.6</b>	<b>-</b>	
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>									<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>WAYNE</b>									
<b>MALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>									
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										
<b>WHITE</b>		<b>WAYNE</b>										
<b>FEMALES</b>												
<b>THREE -YEAR AVERAGES 1988-1999</b>												
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>	
<b>ALL AGES</b>	<b>4.8</b>	<b>4.7</b>	<b>13.7</b>	<b>26.5</b>	<b>46.8</b>	<b>96.0</b>	<b>135.3</b>	<b>157.7</b>	<b>132.3</b>	<b>128.0</b>	<b>2,566.7</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>33.3</b>	<b>32.3</b>	<b>31.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>34.0</b>	<b>34.4</b>	<b>67.6</b>	<b>165.1</b>	<b>289.3</b>	<b>670.5</b>	<b>888.3</b>	<b>1,044.3</b>	<b>825.7</b>	<b>865.9</b>	<b>2,446.8</b>	
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>15.6</b>	<b>15.5</b>	<b>61.4</b>	<b>76.5</b>	<b>107.3</b>	<b>77.2</b>	<b>-</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>23.8</b>	<b>23.1</b>	<b>22.6</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>									<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>WHITE</b>		<b>WAYNE</b>									
<b>MALES</b>											
<b>THREE -YEAR AVERAGES 1988-1999</b>											
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>8.9</b>	<b>8.7</b>	<b>12.9</b>	<b>8.5</b>	<b>16.8</b>	<b>16.8</b>	<b>-</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>30.5</b>	<b>30.4</b>	<b>60.6</b>	<b>60.8</b>	<b>122.5</b>	<b>124.3</b>	<b>-</b>
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>15.4</b>	<b>15.2</b>	<b>15.1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL RACES</b>		<b>WAYNE</b>										
<b>BOTH SEXES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>12.0</b>	<b>14.3</b>	<b>11.5</b>	<b>11.1</b>	<b>10.7</b>	<b>8.4</b>	<b>8.3</b>	<b>8.2</b>	<b>8.1</b>	<b>6.1</b>	<b>-49.2</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>32.4</b>	<b>49.2</b>	<b>48.5</b>	<b>63.2</b>	<b>61.7</b>	<b>46.1</b>	<b>45.9</b>	<b>61.2</b>	<b>61.6</b>	<b>46.8</b>	<b>44.4</b>	
<b>25-44</b>	<b>25.1</b>	<b>25.0</b>	<b>16.2</b>	<b>7.9</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>9.7</b>	<b>9.4</b>	<b>9.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>WAYNE</b>										
<b>FEMALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>696.9</b>	<b>1,049.0</b>	<b>694.4</b>	<b>342.5</b>	<b>0.0</b>	<b>0.0</b>	<b>323.6</b>	<b>641.0</b>	<b>655.7</b>	<b>335.6</b>	<b>-51.8</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>4,545.5</b>	<b>4,651.2</b>	<b>2,325.6</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>2,325.6</b>	<b>4,878.0</b>	<b>5,128.2</b>	<b>2,631.6</b>	<b>-42.1</b>	
<b>25-44</b>	<b>0.0</b>	<b>1,754.4</b>	<b>1,639.3</b>	<b>1,538.5</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>WAYNE</b>										
<b>MALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>0.0</b>	<b>425.5</b>	<b>826.4</b>	<b>1,195.2</b>	<b>1,149.4</b>	<b>729.9</b>	<b>357.1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>0.0</b>	<b>2,222.2</b>	<b>4,347.8</b>	<b>6,383.0</b>	<b>6,383.0</b>	<b>4,347.8</b>	<b>2,222.2</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>WHITE</b>		<b>WAYNE</b>										
<b>FEMALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>4.8</b>	<b>4.7</b>	<b>4.6</b>	<b>4.4</b>	<b>8.5</b>	<b>8.3</b>	<b>8.2</b>	<b>8.1</b>	<b>8.0</b>	<b>8.0</b>	<b>66.7</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>33.0</b>	<b>32.1</b>	<b>31.9</b>	<b>31.7</b>	<b>63.3</b>	<b>63.5</b>	<b>64.1</b>	<b>-</b>	
<b>25-44</b>	<b>16.9</b>	<b>16.9</b>	<b>16.5</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>19.1</b>	<b>18.5</b>	<b>17.9</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,  
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>WHITE</b>		<b>WAYNE</b>										
<b>MALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>12.0</b>	<b>14.3</b>	<b>11.5</b>	<b>11.1</b>	<b>10.7</b>	<b>8.4</b>	<b>8.3</b>	<b>8.2</b>	<b>8.1</b>	<b>6.1</b>	<b>-49.2</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>32.4</b>	<b>49.2</b>	<b>48.5</b>	<b>63.2</b>	<b>61.7</b>	<b>46.1</b>	<b>45.9</b>	<b>61.2</b>	<b>61.6</b>	<b>46.8</b>	<b>44.4</b>	
<b>25-44</b>	<b>25.1</b>	<b>25.0</b>	<b>16.2</b>	<b>7.9</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>9.7</b>	<b>9.4</b>	<b>9.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,  
TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL RACES</b>		<b>WAYNE</b>										
<b>BOTH SEXES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	12.0	14.3	4.6	13.4	15.0	23.2	14.5	12.2	8.1	12.1	0.8	
<b>UNDER 1</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
<b>1-4</b>	45.2	45.2	0.0	42.1	40.4	39.4	0.0	0.0	0.0	0.0	-100.0	
<b>5-14</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
<b>15-24</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.6	-	
<b>25-44</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
<b>45-64</b>	11.5	22.5	10.7	30.6	19.4	18.7	0.0	8.8	8.6	16.9	47.0	
<b>65 AND UP</b>	49.5	48.6	15.5	29.8	57.1	111.3	95.1	66.6	39.5	39.1	-21.0	

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,  
TENNESSEE**

**RACE/SEX**  
**NONWHITE**  
**FEMALES**

**AREA**  
**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,  
TENNESSEE**

**RACE/SEX**  
**NONWHITE**  
**MALES**

**AREA**  
**WAYNE**

**THREE -YEAR AVERAGES 1988-1999**

<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,  
TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>WHITE</b>		<b>WAYNE</b>										
<b>FEMALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>13.3</b>	<b>12.8</b>	<b>12.5</b>	<b>4.1</b>	<b>4.0</b>	<b>8.0</b>	<b>8.0</b>	-	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-	
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>87.6</b>	<b>84.0</b>	<b>82.1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-	
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-	
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-	
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>20.1</b>	<b>19.1</b>	<b>18.5</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>16.8</b>	-	
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>25.7</b>	<b>24.5</b>	<b>23.8</b>	<b>23.1</b>	<b>22.6</b>	<b>44.4</b>	<b>21.9</b>	-	

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,  
TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>WHITE</b>		<b>WAYNE</b>										
<b>MALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>24.7</b>	<b>29.5</b>	<b>9.5</b>	<b>13.8</b>	<b>17.7</b>	<b>34.9</b>	<b>25.7</b>	<b>21.1</b>	<b>8.4</b>	<b>16.8</b>	<b>-32.0</b>	
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>1-4</b>	<b>89.2</b>	<b>89.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>	
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>31.1</b>	<b>-</b>	
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>	
<b>45-64</b>	<b>24.0</b>	<b>46.8</b>	<b>22.3</b>	<b>42.2</b>	<b>20.0</b>	<b>19.3</b>	<b>0.0</b>	<b>18.1</b>	<b>17.6</b>	<b>17.3</b>	<b>-27.9</b>	
<b>65 AND UP</b>	<b>120.6</b>	<b>119.1</b>	<b>38.4</b>	<b>37.0</b>	<b>106.8</b>	<b>244.5</b>	<b>205.9</b>	<b>135.3</b>	<b>33.6</b>	<b>66.9</b>	<b>-44.5</b>	

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>									<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>ALL RACES</b>		<b>WAYNE</b>									
<b>BOTH SEXES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>									
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	
<b>ALL AGES</b>	<b>4.8</b>	<b>4.8</b>	<b>2.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>5-14</b>	<b>16.4</b>	<b>16.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>65 AND UP</b>	<b>16.5</b>	<b>16.2</b>	<b>15.5</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>									<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>WAYNE</b>									
<b>FEMALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>									
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>									<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>NONWHITE</b>		<b>WAYNE</b>									
<b>MALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>									
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>	
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>WHITE</b>		<b>WAYNE</b>										
<b>FEMALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>5-14</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	-

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),  
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

<b>RACE/SEX</b>		<b>AREA</b>										<b>PERCENT CHANGE 1988-90 TO 1997-99</b>
<b>WHITE</b>		<b>WAYNE</b>										
<b>MALES</b>		<b>THREE -YEAR AVERAGES 1988-1999</b>										
<b>AGE GROUP</b>	<b>88-90</b>	<b>89-91</b>	<b>90-92</b>	<b>91-93</b>	<b>92-94</b>	<b>93-95</b>	<b>94-96</b>	<b>95-97</b>	<b>96-98</b>	<b>97-99</b>		
<b>ALL AGES</b>	<b>4.9</b>	<b>4.9</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>UNDER 1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>1-4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>5-14</b>	<b>32.2</b>	<b>32.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-100.0</b>
<b>15-24</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>25-44</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>45-64</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>
<b>65 AND UP</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>-</b>

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.