

**AVERAGE NUMBER OF FEMALES BY AGE GROUP, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	17,357	17,344	17,399	17,448	17,433	17,350	17,256	17,128	16,943	16,733	-3.6
10-14	2,296	2,292	2,308	2,336	2,355	2,365	2,374	2,378	2,375	2,369	3.2
15-17	1,384	1,373	1,376	1,386	1,391	1,391	1,390	1,387	1,379	1,369	-1.1
18-19	905	892	890	893	894	891	888	882	874	864	-4.5
20-24	2,144	2,094	2,071	2,067	2,054	2,034	2,012	1,986	1,954	1,919	-10.5
25-29	2,575	2,536	2,509	2,483	2,448	2,402	2,355	2,303	2,244	2,180	-15.3
30-34	2,744	2,745	2,739	2,716	2,682	2,638	2,592	2,541	2,480	2,417	-11.9
35-39	2,744	2,769	2,796	2,812	2,817	2,811	2,804	2,791	2,769	2,742	-0.1
40-44	2,563	2,641	2,707	2,753	2,789	2,815	2,839	2,857	2,866	2,872	12.1

**AVERAGE NUMBER OF FEMALES BY AGE GROUP, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

NONWHITE

AREA

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	1,061	1,072	1,085	1,094	1,098	1,099	1,099	1,098	1,093	1,086	2.4
10-14	162	163	164	165	165	165	164	164	163	162	0.0
15-17	85	86	87	88	89	90	91	92	93	93	9.4
18-19	54	54	55	56	57	58	59	59	60	60	11.1
20-24	133	130	131	133	134	135	136	137	137	138	3.8
25-29	155	152	152	152	152	152	151	150	149	147	-5.2
30-34	171	174	174	172	170	167	164	161	156	152	-11.1
35-39	177	183	185	184	182	179	176	173	169	165	-6.8
40-44	122	129	135	140	146	151	155	160	164	168	37.7

**AVERAGE NUMBER OF FEMALES BY AGE GROUP, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	16,296	16,272	16,314	16,354	16,334	16,251	16,156	16,030	15,850	15,647	-4.0
10-14	2,134	2,129	2,144	2,170	2,189	2,200	2,209	2,214	2,212	2,207	3.4
15-17	1,299	1,287	1,289	1,298	1,302	1,300	1,299	1,294	1,286	1,275	-1.8
18-19	850	838	835	837	837	833	829	823	814	804	-5.4
20-24	2,011	1,963	1,940	1,933	1,920	1,898	1,876	1,849	1,816	1,781	-11.4
25-29	2,419	2,383	2,357	2,331	2,295	2,250	2,204	2,153	2,095	2,033	-16.0
30-34	2,573	2,571	2,564	2,543	2,512	2,471	2,428	2,380	2,324	2,265	-12.0
35-39	2,567	2,586	2,610	2,627	2,634	2,632	2,627	2,618	2,600	2,577	0.4
40-44	2,440	2,512	2,572	2,612	2,643	2,664	2,683	2,697	2,702	2,704	10.8

**AVERAGE ANNUAL NUMBER OF RESIDENT BIRTHS, ACCORDING TO MOTHER'S AGE,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	846	881	907	896	837	794	791	787	807	794	-6.1
10-14	1	1	2	2	2	1	1	1	1	1	0.0
15-17	46	44	48	44	43	42	43	40	41	41	-10.9
18-19	90	96	89	85	80	88	98	92	81	69	-23.3
20-24	245	254	267	276	260	241	238	232	244	239	-2.4
25-29	246	261	267	265	241	213	207	213	226	219	-11.0
30-34	150	158	161	155	147	146	137	136	139	148	-1.3
35-39	57	57	61	58	53	53	57	61	63	65	14.0
40-44	8	8	10	10	10	8	9	8	9	11	37.5

**AVERAGE ANNUAL NUMBER OF RESIDENT BIRTHS, ACCORDING TO MOTHER'S AGE,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	64	68	71	62	55	51	53	52	52	50	-21.9
10-14	0	0	0	0	0	0	0	0	0	0	-
15-17	5	3	3	3	3	5	6	5	4	3	-40.0
18-19	7	9	8	9	6	5	5	6	7	5	-28.6
20-24	21	22	22	20	17	15	15	14	15	15	-28.6
25-29	16	19	19	17	14	11	11	11	13	12	-25.0
30-34	10	10	12	7	8	9	8	8	7	8	-20.0
35-39	4	3	5	4	4	4	5	5	4	4	0.0
40-44	0	0	0	0	0	0	0	0	0	1	-

**AVERAGE ANNUAL NUMBER OF RESIDENT BIRTHS, ACCORDING TO MOTHER'S AGE,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	729	741	763	782	813	835	834	782	743	738	1.2
10-14	1	2	2	2	1	2	2	2	1	1	0.0
15-17	34	39	38	41	41	45	41	40	36	37	8.8
18-19	67	70	80	83	87	81	76	74	83	92	37.3
20-24	243	240	231	225	233	245	256	243	227	223	-8.2
25-29	220	214	226	231	242	248	248	227	202	195	-11.4
30-34	116	124	133	140	148	148	147	139	137	128	10.3
35-39	40	45	45	53	54	56	54	48	48	52	30.0
40-44	7	8	8	9	8	10	10	10	8	9	28.6

**NUMBER OF LIVE BIRTHS PER 1,000 FEMALES, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	48.7	50.8	52.1	51.4	48.0	45.8	45.8	45.9	47.6	47.5	-2.5
10-14	0.4	0.4	0.9	0.9	0.8	0.4	0.4	0.4	0.4	0.4	0.0
15-17	33.2	32.0	34.9	31.7	30.9	30.2	30.9	28.8	29.7	29.9	-9.9
18-19	99.4	107.6	100.0	95.2	89.5	98.8	110.4	104.3	92.7	79.9	-19.6
20-24	114.3	121.3	128.9	133.5	126.6	118.5	118.3	116.8	124.9	124.5	8.9
25-29	95.5	102.9	106.4	106.7	98.4	88.7	87.9	92.5	100.7	100.5	5.2
30-34	54.7	57.6	58.8	57.1	54.8	55.3	52.9	53.5	56.0	61.2	11.9
35-39	20.8	20.6	21.8	20.6	18.8	18.9	20.3	21.9	22.8	23.7	13.9
40-44	3.1	3.0	3.7	3.6	3.6	2.8	3.2	2.8	3.1	3.8	22.6

**NUMBER OF LIVE BIRTHS PER 1,000 FEMALES, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	60.3	63.4	65.4	56.7	50.1	46.4	48.2	47.4	47.6	46.0	-23.7
10-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
15-17	58.8	34.9	34.5	34.1	33.7	55.6	65.9	54.3	43.0	32.3	-45.1
18-19	129.6	166.7	145.5	160.7	105.3	86.2	84.7	101.7	116.7	83.3	-35.7
20-24	157.9	169.2	167.9	150.4	126.9	111.1	110.3	102.2	109.5	108.7	-31.2
25-29	103.2	125.0	125.0	111.8	92.1	72.4	72.8	73.3	87.2	81.6	-20.9
30-34	58.5	57.5	69.0	40.7	47.1	53.9	48.8	49.7	44.9	52.6	-10.1
35-39	22.6	16.4	27.0	21.7	22.0	22.3	28.4	28.9	23.7	24.2	7.1
40-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	-

**NUMBER OF LIVE BIRTHS PER 1,000 FEMALES, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	48.0	50.0	51.1	50.9	47.9	45.7	45.7	45.9	47.6	47.5	-1.0
10-14	0.5	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0
15-17	31.6	31.1	34.9	31.6	30.7	27.7	28.5	26.3	28.8	29.0	-8.2
18-19	97.6	103.8	97.0	90.8	87.2	99.6	111.0	104.5	90.9	78.4	-19.7
20-24	111.4	118.2	126.3	132.4	126.6	119.1	118.9	117.4	126.1	125.8	12.9
25-29	95.1	101.6	105.2	106.0	98.5	89.8	88.5	93.8	101.7	101.3	6.5
30-34	54.0	57.6	57.7	57.8	55.3	55.4	52.7	53.4	56.4	61.8	14.4
35-39	20.6	20.5	21.5	20.2	18.2	18.2	19.8	21.4	22.7	23.3	13.1
40-44	3.3	3.2	3.5	3.4	3.4	3.0	3.4	3.0	3.0	3.7	12.1

**PERCENT OF LIVE BIRTHS OCCURRING TO UNWED MOTHERS AGES 10-44,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

ANDERSON

THREE - YEAR AVERAGES 1988 - 1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	21.9	23.0	24.6	24.7	25.6	25.8	26.9	27.1	27.8	28.6	30.6
10-14	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	0.0
15-17	67.4	61.4	66.7	63.6	72.1	71.4	76.7	77.5	82.9	80.5	19.4
18-19	40.0	41.7	43.8	44.7	45.0	45.5	48.0	52.2	51.9	55.1	37.8
20-24	25.7	27.6	30.7	30.1	32.7	32.4	32.8	31.9	33.2	36.0	40.1
25-29	13.4	15.3	15.7	15.8	16.2	16.0	16.9	16.0	17.3	16.4	22.4
30-34	8.7	10.1	9.3	11.6	8.8	9.6	8.8	11.8	12.2	13.5	55.2
35-39	8.8	10.5	11.5	12.1	9.4	9.4	8.8	9.8	9.5	12.3	39.8
40-44	0.0	0.0	10.0	10.0	10.0	12.5	0.0	25.0	22.2	27.3	-

**PERCENT OF LIVE BIRTHS OCCURRING TO UNWED MOTHERS AGES 10-44,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

NON-WHITE

AREA

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	57.8	60.3	59.2	61.3	58.2	58.8	58.5	61.5	59.6	62.0	7.3
10-14	-	-	-	-	-	-	-	-	-	-	-
15-17	100.0	100.0	100.0	100.0	100.0	100.0	83.3	100.0	100.0	100.0	0.0
18-19	100.0	88.9	87.5	88.9	100.0	80.0	100.0	83.3	85.7	80.0	-20.0
20-24	66.7	63.6	68.2	65.0	70.6	73.3	73.3	71.4	66.7	73.3	9.9
25-29	37.5	52.6	52.6	52.9	42.9	45.5	54.5	54.5	46.2	50.0	33.3
30-34	20.0	30.0	33.3	42.9	37.5	22.2	25.0	37.5	28.6	25.0	25.0
35-39	25.0	33.3	20.0	25.0	25.0	0.0	0.0	0.0	25.0	25.0	0.0
40-44	-	-	-	-	-	-	-	-	-	0.0	-

**PERCENT OF LIVE BIRTHS OCCURRING TO UNWED MOTHERS AGES 10-44,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	18.9	19.8	21.6	21.8	23.3	23.6	24.5	24.6	25.5	26.4	39.7
10-14	100.0	-	100.0	100.0	100.0	0.0	0.0	100.0	100.0	100.0	0.0
15-17	63.4	57.5	64.4	61.0	70.0	66.7	73.0	73.5	81.1	81.1	27.9
18-19	34.9	36.8	38.3	39.5	41.1	43.4	45.7	48.8	47.3	52.4	50.1
20-24	21.4	23.7	27.3	27.3	30.0	29.2	30.0	29.0	31.0	33.0	54.2
25-29	11.3	12.4	12.9	13.4	14.2	14.4	14.9	13.4	15.0	14.1	24.8
30-34	7.2	8.8	7.4	9.5	7.2	8.8	7.8	10.2	10.7	12.1	68.1
35-39	7.5	9.4	10.7	9.4	8.3	8.3	7.7	10.7	8.5	11.7	56.0
40-44	0.0	0.0	11.1	11.1	11.1	12.5	0.0	12.5	25.0	20.0	-

**NUMBER OF OTHER TERMINATION'S ACCORDING TO WOMAN'S AGE AND PLACE OF RESIDENCE,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

ALL RACES

AREA

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	228	231	226	209	193	181	169	154	151	148	-35.1
10-14	4	4	3	2	2	2	2	2	1	1	-75.0
15-17	26	24	24	19	25	24	23	17	15	17	-34.6
18-19	36	35	33	29	23	22	20	21	21	22	-38.9
20-24	74	76	72	63	55	48	48	42	42	40	-45.9
25-29	42	43	42	41	36	35	32	34	34	33	-21.4
30-34	20	23	26	31	31	28	23	18	16	17	-15.0
35-39	19	20	20	18	16	14	12	13	12	12	-36.8
40-44	3	4	3	3	4	5	8	6	7	4	33.3

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S ACCORDING TO WOMAN'S AGE AND PLACE OF RESIDENCE,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

NONWHITE

AREA

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	24	25	23	21	18	18	17	16	17	20	-16.7
10-14	0	1	1	1	1	0	0	0	0	0	-
15-17	4	3	2	2	3	3	3	3	2	2	-50.0
18-19	2	3	3	2	2	2	2	3	4	4	100.0
20-24	8	8	7	7	4	3	4	3	3	4	-50.0
25-29	5	5	3	2	2	2	2	2	3	5	0.0
30-34	1	2	2	3	2	3	2	1	0	1	0.0
35-39	2	2	2	2	2	1	1	1	1	1	-50.0
40-44	0	0	0	0	0	0	0	0	0	0	-

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S ACCORDING TO WOMAN'S AGE AND PLACE OF RESIDENCE,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	202	205	203	186	174	161	151	137	133	127	-37.1
10-14	3	3	2	1	1	2	2	2	0	0	-100.0
15-17	22	20	21	16	21	20	19	13	13	14	-36.4
18-19	34	32	30	27	21	19	17	17	17	18	-47.1
20-24	66	68	64	56	50	44	43	39	39	36	-45.5
25-29	37	38	39	38	34	32	29	31	30	27	-27.0
30-34	19	20	24	27	28	25	20	16	15	15	-21.1
35-39	16	17	17	15	13	12	10	11	11	11	-31.3
40-44	3	4	3	3	4	4	7	6	6	3	0.0

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S PER 1,000 LIVE BIRTHS, ACCORDING TO WOMAN'S AGE
AND PLACE OF RESIDENCE, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	280.8	287.1	267.3	269.3	262.5	249.9	233.1	231.2	227.9	214.4	-23.6
10-14	2,000.0	1,571.4	2,600.0	2,600.0	4,666.7	1,666.7	1,166.7	1,000.0	2,000.0	1,400.0	-30.0
15-17	754.4	694.0	651.2	572.5	548.9	503.4	436.1	572.5	571.4	542.6	-28.1
18-19	390.9	432.3	391.6	404.4	368.1	376.9	345.1	294.6	249.1	207.5	-46.9
20-24	295.3	300.9	287.0	303.9	298.4	270.2	230.4	212.8	200.0	201.4	-31.8
25-29	146.3	167.4	166.9	173.0	167.1	158.2	156.0	150.8	167.2	157.8	7.9
30-34	233.1	200.5	149.3	135.3	145.3	165.6	199.6	210.4	196.3	167.9	-28.0
35-39	364.3	312.9	308.2	339.2	354.7	338.8	314.3	301.9	270.4	210.5	-42.2
40-44	450.0	478.3	560.0	423.1	480.0	333.3	354.8	419.4	615.4	857.1	90.5

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S PER 1,000 LIVE BIRTHS, ACCORDING TO WOMAN'S AGE
AND PLACE OF RESIDENCE, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	375.0	367.6	323.9	338.7	327.3	352.9	320.8	307.7	326.9	400.0	6.7
10-14	-	-	-	-	-	-	-	-	-	-	-
15-17	800.0	1,000.0	666.7	666.7	1,000.0	600.0	500.0	600.0	500.0	666.7	-16.7
18-19	285.7	333.3	375.0	222.2	333.3	400.0	400.0	500.0	571.4	800.0	180.0
20-24	381.0	363.6	318.2	350.0	235.3	200.0	266.7	214.3	200.0	266.7	-30.0
25-29	312.5	263.2	157.9	117.6	142.9	181.8	181.8	181.8	230.8	416.7	33.3
30-34	100.0	200.0	166.7	428.6	250.0	333.3	250.0	125.0	0.0	125.0	25.0
35-39	500.0	666.7	400.0	500.0	500.0	250.0	200.0	200.0	250.0	250.0	-50.0
40-44	-	-	-	-	-	-	-	-	-	0.0	-

Note: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF OTHER TERMINATION'S PER 1,000 LIVE BIRTHS, ACCORDING TO WOMAN'S AGE
AND PLACE OF RESIDENCE, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-96	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	272.2	276.5	255.2	259.1	252.6	243.2	223.5	223.4	217.2	205.0	-24.7
10-14	2,000.0	1,000.0	2,000.0	2,200.0	5,500.0	1,200.0	600.0	600.0	2,000.0	2,000.0	0.0
15-17	776.7	715.5	631.6	536.6	508.2	474.1	403.2	541.7	559.6	531.5	-31.6
18-19	410.9	459.7	414.2	409.6	371.6	378.6	355.3	285.1	236.0	191.3	-53.4
20-24	288.1	290.3	281.4	296.7	292.3	263.9	219.8	208.5	195.6	195.5	-32.1
25-29	135.1	154.2	150.7	161.8	159.6	158.6	156.1	150.0	161.7	151.9	12.5
30-34	235.0	194.1	142.5	136.0	139.6	161.8	185.5	206.2	184.9	161.0	-31.5
35-39	305.8	283.6	266.7	308.2	323.0	315.5	291.9	282.8	255.2	205.1	-32.9
40-44	400.0	434.8	520.0	423.1	500.0	344.8	379.3	413.8	583.3	814.8	103.7

NOTE: Other termination's include reported fetal deaths and induced abortions

**PERCENT OF OTHER TERMINATION'S TO UNWED FEMALES AGES 10-44, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	75.9	74.9	73.9	72.2	74.1	76.8	81.7	81.2	80.1	75.0	-1.2
10-14	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	0.0
15-17	96.2	95.8	95.8	100.0	96.0	100.0	100.0	94.1	100.0	100.0	4.0
18-19	91.7	91.4	93.9	93.1	95.7	90.9	95.0	90.5	90.5	86.4	-5.8
20-24	81.1	80.3	80.6	81.0	81.8	83.3	83.3	85.7	88.1	80.0	-1.4
25-29	61.9	58.1	57.1	65.9	72.2	77.1	78.1	76.5	76.5	69.7	12.6
30-34	70.0	69.6	61.5	48.4	48.4	57.1	65.2	61.1	62.5	58.8	-16.0
35-39	42.1	50.0	45.0	38.9	31.3	42.9	58.3	61.5	66.7	50.0	18.8
40-44	0.0	0.0	0.0	33.3	50.0	40.0	62.5	66.7	57.1	25.0	-

NOTE: Other termination's include reported fetal deaths and induced abortions

**PERCENT OF OTHER TERMINATION'S TO UNWED FEMALES AGES 10-44, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	75.0	76.0	78.3	81.0	83.3	83.3	82.4	87.5	88.2	85.0	13.3
10-14	-	100.0	100.0	100.0	100.0	-	-	-	-	-	-
15-17	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	0.0
18-19	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	0.0
20-24	87.5	87.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	14.3
25-29	40.0	60.0	66.7	100.0	100.0	100.0	100.0	100.0	100.0	80.0	100.0
30-34	0.0	50.0	50.0	33.3	50.0	33.3	50.0	100.0	-	0.0	-
35-39	0.0	0.0	0.0	0.0	50.0	0.0	0.0	0.0	0.0	100.0	-
40-44	-	-	-	-	-	-	-	-	-	-	-

NOTE: Other termination's include reported fetal deaths and induced abortions

**PERCENT OF OTHER TERMINATION'S TO UNWED FEMALES AGES 10-44, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	76.7	74.6	72.9	71.5	73.0	77.0	81.5	81.0	78.9	73.2	-4.6
10-14	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	-	-	-
15-17	95.5	95.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	4.7
18-19	91.2	90.6	93.3	88.9	90.5	89.5	94.1	88.2	88.2	83.3	-8.7
20-24	80.3	79.4	79.7	78.6	80.0	81.8	83.7	84.6	84.6	77.8	-3.1
25-29	64.9	57.9	56.4	65.8	70.6	78.1	79.3	77.4	76.7	70.4	8.5
30-34	73.7	70.0	58.3	48.1	50.0	56.0	65.0	62.5	60.0	60.0	-18.6
35-39	43.8	58.8	47.1	40.0	30.8	41.7	70.0	63.6	63.6	45.5	3.9
40-44	0.0	0.0	0.0	33.3	50.0	50.0	57.1	66.7	50.0	33.3	-

NOTE: Other termination's include reported fetal deaths and induced abortions

**NUMBER OF PREGNANCIES ACCORDING TO WOMAN'S AGE, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	1,074	1,112	1,133	1,105	1,031	975	961	941	958	942	-12.3
10-14	6	5	5	4	4	4	4	4	2	2	-66.7
15-17	72	68	72	63	68	66	66	57	56	58	-19.4
18-19	127	131	123	114	104	110	118	113	103	91	-28.3
20-24	320	330	340	340	315	290	286	274	287	280	-12.5
25-29	289	305	310	306	277	249	239	248	260	252	-12.8
30-34	170	181	187	186	178	174	160	154	155	165	-2.9
35-39	76	77	81	76	69	67	69	74	76	77	1.3
40-44	12	12	13	14	14	14	17	15	16	15	25.0

**NUMBER OF PREGNANCIES ACCORDING TO WOMAN'S AGE, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

NONWHITE

AREA

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-97	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	89	93	94	84	73	70	70	68	69	70	-21.3
10-14	0	1	1	1	1	1	1	0	1	0	-
15-17	9	7	6	5	6	9	9	9	6	6	-33.3
18-19	10	12	11	11	9	7	8	9	12	9	-10.0
20-24	29	30	30	27	21	18	19	17	19	20	-31.0
25-29	21	24	22	19	16	14	14	14	16	17	-19.0
30-34	11	12	15	11	10	12	11	10	8	9	-18.2
35-39	6	6	7	7	7	6	6	6	5	5	-16.7
40-44	0	0	0	0	1	1	1	1	1	1	-

**NUMBER OF PREGNANCIES ACCORDING TO WOMAN'S AGE, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	985	1,018	1,037	1,020	956	904	889	872	888	871	-11.6
10-14	5	4	3	2	2	3	3	3	1	1	-80.0
15-17	63	61	66	58	61	56	56	48	50	52	-17.5
18-19	117	119	111	103	94	103	110	104	91	81	-30.8
20-24	291	300	309	312	293	271	267	256	268	260	-10.7
25-29	268	281	287	286	260	234	225	233	244	234	-12.7
30-34	158	168	172	174	167	162	149	144	147	156	-1.3
35-39	69	71	73	69	62	60	62	68	70	71	2.9
40-44	12	12	13	13	13	12	16	14	15	13	8.3

**NUMBER OF PREGNANCIES PER 1,000 WOMEN, BY AGE GROUP, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	61.9	64.1	65.1	63.3	59.1	56.2	55.7	54.9	56.5	56.3	-9.0
10-14	2.6	2.2	2.2	1.7	1.7	1.7	1.7	1.7	0.8	0.8	-69.2
15-17	52.0	49.5	52.3	45.5	48.9	47.4	47.5	41.1	40.6	42.4	-18.5
18-19	140.3	146.9	138.2	127.7	116.3	123.5	132.9	128.1	117.8	105.3	-24.9
20-24	149.3	157.6	164.2	164.5	153.4	142.6	142.1	138.0	146.9	145.9	-2.3
25-29	112.2	120.3	123.6	123.2	113.2	103.7	101.5	107.7	115.9	115.6	3.0
30-34	62.0	65.9	68.3	68.5	66.4	66.0	61.7	60.6	62.5	68.3	10.2
35-39	27.7	27.8	29.0	27.0	24.5	23.8	24.6	26.5	27.4	28.1	1.4
40-44	4.7	4.5	4.8	5.1	5.0	5.0	6.0	5.3	5.6	5.2	10.6

**NUMBER OF PREGNANCIES PER 1,000 WOMEN, BY AGE GROUP, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

NONWHITE

AREA

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	83.9	86.8	86.6	76.8	66.5	63.7	63.7	61.9	63.1	64.5	-23.1
10-14	0.0	6.1	6.1	6.1	6.1	6.1	6.1	0.0	6.1	0.0	-
15-17	105.9	81.4	69.0	56.8	67.4	100.0	98.9	97.8	64.5	64.5	-39.1
18-19	185.2	222.2	200.0	196.4	157.9	120.7	135.6	152.5	200.0	150.0	-19.0
20-24	218.0	230.8	229.0	203.0	156.7	133.3	139.7	124.1	138.7	144.9	-33.5
25-29	135.5	157.9	144.7	125.0	105.3	92.1	92.7	93.3	107.4	115.6	-14.7
30-34	64.3	69.0	86.2	64.0	58.8	71.9	67.1	62.1	51.3	59.2	-7.9
35-39	33.9	32.8	37.8	38.0	38.5	33.5	34.1	34.7	29.6	30.3	-10.6
40-44	0.0	0.0	0.0	0.0	6.8	6.6	6.5	6.3	6.1	6.0	-

**NUMBER OF PREGNANCIES PER 1,000 WOMEN, BY AGE GROUP, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

WHITE

AREA

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-97	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	60.4	62.6	63.6	62.4	58.5	55.6	55.0	54.4	56.0	55.7	-7.8
10-14	2.3	1.9	1.4	0.9	0.9	1.4	1.4	1.4	0.5	0.5	-78.3
15-17	48.5	47.4	51.2	44.7	46.9	43.1	43.1	37.1	38.9	40.8	-15.9
18-19	137.6	142.0	132.9	123.1	112.3	123.6	132.7	126.4	111.8	100.7	-26.8
20-24	144.7	152.8	159.3	161.4	152.6	142.8	142.3	138.5	147.6	146.0	0.9
25-29	110.8	117.9	121.8	122.7	113.3	104.0	102.1	108.2	116.5	115.1	3.9
30-34	61.4	65.3	67.1	68.4	66.5	65.6	61.4	60.5	63.3	68.9	12.2
35-39	26.9	27.5	28.0	26.3	23.5	22.8	23.6	26.0	26.9	27.6	2.6
40-44	4.9	4.8	5.1	5.0	4.9	4.5	6.0	5.2	5.6	4.8	-2.0

**PERCENT OF PREGNANCIES OCCURRING TO UNWED WOMEN AGES 10-44,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	33.4	33.8	34.4	33.7	34.6	35.4	36.5	35.9	36.0	35.9	7.5
10-14	83.3	100.0	100.0	100.0	100.0	75.0	75.0	75.0	100.0	100.0	20.0
15-17	79.2	73.5	77.8	74.6	82.4	81.8	84.8	82.5	87.5	87.9	11.0
18-19	55.1	55.7	57.7	57.0	55.8	54.5	55.9	59.3	59.2	63.7	15.6
20-24	38.4	39.7	41.2	39.4	41.3	40.7	41.6	40.1	41.1	42.1	9.6
25-29	20.8	21.3	21.6	22.9	23.5	24.9	25.1	24.2	25.0	23.4	12.5
30-34	16.5	17.7	16.6	17.7	15.7	17.8	16.9	18.2	17.4	18.2	10.3
35-39	18.4	22.1	19.8	18.4	15.9	16.4	17.4	18.9	18.4	19.5	6.0
40-44	8.3	0.0	15.4	21.4	21.4	21.4	29.4	40.0	37.5	26.7	221.7

**PERCENT OF PREGNANCIES OCCURRING TO UNWED WOMEN AGES 10-44,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	62.9	65.6	64.9	66.7	64.4	64.3	65.7	67.6	68.1	68.6	9.1
10-14	-	100.0	100.0	100.0	100.0	100.0	100.0	-	100.0	-	-
15-17	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	0.0
18-19	100.0	91.7	90.9	90.9	88.9	85.7	87.5	100.0	91.7	88.9	-11.1
20-24	72.4	70.0	73.3	74.1	76.2	83.3	78.9	76.5	73.7	75.0	3.6
25-29	42.9	54.2	54.5	57.9	50.0	50.0	57.1	57.1	56.3	58.8	37.1
30-34	27.3	33.3	40.0	45.5	40.0	25.0	27.3	40.0	25.0	33.3	22.0
35-39	16.7	33.3	28.6	28.6	28.6	16.7	16.7	0.0	20.0	40.0	139.5
40-44	-	-	-	-	0.0	0.0	0.0	0.0	0.0	100.0	-

**PERCENT OF PREGNANCIES OCCURRING TO UNWED WOMEN AGES 10-44,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	30.8	30.9	31.7	31.0	32.4	33.1	34.2	33.5	33.4	33.2	7.8
10-14	100.0	100.0	100.0	100.0	100.0	66.7	66.7	100.0	100.0	100.0	0.0
15-17	74.6	70.5	75.8	72.4	80.3	80.4	82.1	79.2	86.0	84.6	13.4
18-19	51.3	52.1	54.1	53.4	53.2	52.4	52.7	54.8	54.9	60.5	17.9
20-24	34.7	36.3	38.2	36.5	38.6	37.6	38.6	37.9	38.8	39.6	14.1
25-29	18.7	18.5	18.8	20.3	21.5	23.1	23.1	22.3	22.5	20.5	9.6
30-34	15.2	16.7	14.5	16.1	14.4	16.7	15.4	16.7	16.3	17.3	13.8
35-39	17.4	21.1	19.2	17.4	14.5	16.7	17.7	20.6	17.1	16.9	-2.9
40-44	8.3	0.0	15.4	23.1	23.1	25.0	31.3	35.7	33.3	23.1	178.3

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY AGE OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	7.5	7.3	7.5	7.7	7.0	6.9	6.9	7.5	8.0	8.2	9.3
10-14	20.0	0.0	33.3	50.0	50.0	25.0	20.0	40.0	50.0	33.3	66.5
15-17	10.9	9.8	10.3	10.5	12.2	9.5	10.1	9.9	11.3	11.4	4.6
18-19	3.7	5.6	4.9	5.9	4.6	7.2	7.5	9.4	9.4	10.1	173.0
20-24	7.7	6.8	7.8	7.8	7.7	7.4	5.6	4.6	5.3	7.2	-6.5
25-29	6.9	6.5	7.2	8.4	6.4	6.3	5.2	5.6	5.4	5.0	-27.5
30-34	8.6	8.2	6.8	5.8	6.6	5.3	7.5	10.5	12.2	11.0	27.9
35-39	8.8	11.0	10.4	8.0	6.3	7.5	10.5	11.9	13.1	11.8	34.1
40-44	11.5	8.0	3.3	3.2	3.2	11.5	21.4	19.2	10.7	6.1	-47.0

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY AGE OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

NONWHITE

AREA

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	7.5	7.3	7.5	7.7	7.0	6.9	6.9	7.5	8.0	8.2	9.3
10-14	20.0	0.0	33.3	50.0	50.0	25.0	20.0	40.0	50.0	33.3	66.5
15-17	10.9	9.8	10.3	10.5	12.2	9.5	10.1	9.9	11.3	11.4	4.6
18-19	3.7	5.6	4.9	5.9	4.6	7.2	7.5	9.4	9.4	10.1	173.0
20-24	7.7	6.8	7.8	7.8	7.7	7.4	5.6	4.6	5.3	7.2	-6.5
25-29	6.9	6.5	7.2	8.4	6.4	6.3	5.2	5.6	5.4	5.0	-27.5
30-34	8.6	8.2	6.8	5.8	6.6	5.3	7.5	10.5	12.2	11.0	27.9
35-39	8.8	11.0	10.4	8.0	6.3	7.5	10.5	11.9	13.1	11.8	34.1
40-44	11.5	8.0	3.3	3.2	3.2	11.5	21.4	19.2	10.7	6.1	-47.0

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY AGE OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	7.3	6.9	7.1	7.5	6.8	6.7	6.5	7.3	7.7	8.1	11.0
10-14	20.0	0.0	40.0	60.0	60.0	33.3	33.3	50.0	66.7	33.3	66.5
15-17	11.4	10.7	11.1	11.3	12.5	9.2	9.9	8.7	10.8	10.7	-6.1
18-19	3.2	5.0	4.5	6.1	5.0	7.6	7.2	8.1	7.2	8.4	162.5
20-24	7.4	6.2	7.3	7.5	7.8	7.5	5.4	4.6	5.4	7.6	2.7
25-29	6.5	6.2	7.1	8.5	6.5	6.1	4.9	5.3	5.1	4.8	-26.2
30-34	8.8	8.1	5.8	5.0	5.0	4.4	6.8	10.7	12.2	10.9	23.9
35-39	8.2	10.6	10.1	8.1	5.5	6.9	9.6	11.8	12.8	12.6	53.7
40-44	11.5	8.3	3.4	3.4	3.4	12.5	22.2	20.0	11.5	3.3	-71.3

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

ANDERSON

THREE -YEAR AVERAGES 1988-1999

EDUCATION	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL LEVELS	7.5	7.3	7.5	7.7	7.0	6.9	6.9	7.5	8.0	8.2	9.3
0-8 YEARS	9.0	8.7	11.8	12.3	14.3	9.8	13.6	14.3	10.6	7.1	-21.1
9-11 YEARS	11.9	10.1	8.7	9.0	8.6	9.0	8.6	8.7	11.2	11.4	-4.2
12 YEARS	6.8	6.7	7.6	7.6	6.6	6.9	6.5	7.1	6.7	7.6	11.8
13-15 YEARS	6.2	6.5	7.1	7.5	6.5	5.8	5.1	6.9	8.4	8.7	40.3
16 YEARS	5.3	5.6	6.6	5.6	5.5	3.9	5.7	7.1	6.9	5.5	3.8
17 OR MORE	4.4	5.3	3.4	5.3	5.3	6.0	8.5	7.8	8.7	6.7	52.3

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

EDUCATION	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL LEVELS	10.4	11.2	11.6	9.6	9.7	9.6	11.9	11.5	12.7	9.9	-4.8
0-8 YEARS	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	-
9-11 YEARS	10.3	3.6	0.0	0.0	6.7	8.1	14.3	20.7	25.0	21.7	110.7
12 YEARS	11.1	12.2	15.0	11.8	10.1	9.4	6.7	6.3	7.2	8.6	-22.5
13-15 YEARS	11.4	18.4	15.7	15.9	9.4	12.1	15.2	13.8	17.2	8.6	-24.6
16 YEARS	4.8	0.0	0.0	0.0	6.3	6.7	8.3	14.3	10.5	9.5	97.9
17 OR MORE	11.1	6.7	10.0	8.3	17.6	12.5	22.2	10.5	15.4	0.0	-100.0

**PERCENT OF LIVE BIRTHS CLASSIFIED AS LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

EDUCATION	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL LEVELS	7.3	6.9	7.1	7.5	6.8	6.7	6.5	7.2	7.7	8.1	11.0
0-8 YEARS	9.0	8.8	11.9	12.5	14.3	10.0	14.3	15.4	11.4	7.5	-16.7
9-11 YEARS	12.0	10.5	9.1	9.4	8.7	9.1	8.2	7.9	10.4	10.8	-10.0
12 YEARS	6.4	6.2	6.9	7.2	6.3	6.7	6.5	7.1	6.6	7.6	18.8
13-15 YEARS	5.8	5.2	6.1	6.7	6.3	5.3	4.3	6.5	7.8	8.7	50.0
16 YEARS	5.3	5.9	7.0	5.9	5.4	3.7	5.6	6.7	6.6	5.2	-1.9
17 OR MORE	3.4	5.2	2.4	5.0	3.5	5.1	6.1	7.2	7.7	7.5	120.6

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY AGE OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	1.1	1.2	1.4	1.6	1.3	1.0	1.1	1.6	1.6	1.6	45.5
10-14	0.0	0.0	0.0	16.7	16.7	25.0	20.0	20.0	25.0	0.0	-
15-17	2.2	2.3	2.1	2.3	1.5	2.4	1.6	2.5	2.4	3.3	50.0
18-19	0.7	1.7	1.5	2.4	1.2	0.8	0.7	1.8	2.5	2.9	314.3
20-24	1.5	1.3	2.0	1.7	1.3	0.7	0.7	0.7	0.5	0.8	-46.7
25-29	0.9	0.6	0.9	1.1	1.1	1.1	0.8	0.8	1.0	1.2	33.3
30-34	0.9	1.1	1.0	0.9	1.1	0.9	1.9	2.9	2.9	2.2	144.4
35-39	0.0	1.2	1.6	2.9	1.9	1.3	1.8	3.2	3.1	1.5	-
40-44	3.8	4.0	0.0	0.0	3.2	3.8	3.6	0.0	0.0	3.0	-21.1

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY AGE OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	2.6	2.9	1.9	2.7	1.8	2.6	1.9	3.2	3.2	3.9	50.0
10-14	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-
15-17	0.0	0.0	0.0	0.0	0.0	5.9	5.6	5.9	0.0	0.0	-
18-19	4.3	3.7	0.0	0.0	0.0	0.0	0.0	5.6	4.5	6.3	46.5
20-24	4.8	4.5	4.4	3.3	0.0	0.0	2.2	2.3	2.2	2.1	-56.3
25-29	2.1	1.8	0.0	2.0	2.4	2.9	0.0	2.9	5.1	5.4	157.1
30-34	0.0	3.2	2.7	4.3	4.2	3.7	3.8	4.0	4.5	4.0	-
35-39	0.0	0.0	0.0	7.1	7.1	7.1	0.0	0.0	0.0	0.0	-
40-44	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33.3	-

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY AGE OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

WHITE

AREA

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
10-44	1.0	1.0	1.4	1.5	1.3	0.9	1.1	1.5	1.5	1.4	40.0
10-14	0.0	0.0	0.0	20.0	20.0	33.3	33.3	25.0	33.3	0.0	-
15-17	2.4	2.5	2.2	2.4	1.7	1.8	0.9	1.9	2.7	3.6	50.0
18-19	0.4	1.5	1.6	2.6	1.4	0.8	0.7	1.5	2.3	2.6	550.0
20-24	1.2	1.0	1.8	1.6	1.4	0.7	0.6	0.6	0.4	0.7	-41.7
25-29	0.9	0.6	0.9	1.1	1.0	1.0	0.9	0.7	0.8	1.0	11.1
30-34	1.0	0.9	0.9	0.7	1.0	0.7	1.8	2.9	2.8	2.1	110.0
35-39	0.0	1.2	1.8	2.5	1.4	0.7	1.9	3.5	3.4	1.6	-
40-44	3.8	4.2	0.0	0.0	3.4	4.2	3.7	0.0	0.0	0.0	-100.0

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

ANDERSON

THREE -YEAR AVERAGES 1988-1999

EDUCATION	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL LEVELS	1.1	1.2	1.4	1.6	1.3	1.0	1.1	1.6	1.6	1.6	45.5
0-8 YEARS	1.5	1.4	1.5	1.5	2.0	2.4	6.8	7.1	4.3	0.0	-100.0
9-11 YEARS	2.5	2.0	1.8	2.4	1.8	1.6	0.8	2.0	2.1	3.0	20.0
12 YEARS	0.4	0.5	1.2	1.4	1.2	0.8	1.0	1.0	1.0	1.1	175.0
13-15 YEARS	1.6	1.7	1.6	1.6	1.7	1.6	1.1	2.0	2.1	2.3	43.8
16 YEARS	0.4	1.6	1.8	1.4	0.4	0.0	1.1	1.8	2.1	1.1	175.0
17 OR MORE	0.7	0.8	0.0	0.0	0.8	0.8	1.7	0.9	1.0	0.0	-100.0

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

EDUCATION	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL LEVELS	2.6	2.9	1.9	2.7	1.8	2.6	1.9	3.2	3.2	3.9	50.0
0-8 YEARS	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	-
9-11 YEARS	6.9	3.6	0.0	0.0	0.0	2.7	2.9	10.3	8.3	13.0	88.4
12 YEARS	1.1	2.0	2.0	3.5	1.4	1.9	0.0	0.0	0.0	1.7	54.5
13-15 YEARS	5.7	6.1	3.9	4.5	6.3	6.1	6.1	3.4	6.9	2.9	-49.1
16 YEARS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	5.3	4.8	-
17 OR MORE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-

**PERCENT OF LIVE BIRTHS CLASSIFIED AS VERY LOW BIRTHWEIGHT, BY EDUCATION OF MOTHER,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

WHITE

AREA

ANDERSON

THREE -YEAR AVERAGES 1985-1996

EDUCATION	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL LEVELS	1.0	1.0	1.4	1.5	1.3	0.9	1.1	1.4	1.5	1.4	40.0
0-8 YEARS	1.5	1.5	1.5	1.6	2.0	2.5	7.1	7.7	4.5	0.0	-100.0
9-11 YEARS	2.2	1.9	1.9	2.5	1.9	1.5	0.6	1.4	1.7	2.4	9.1
12 YEARS	0.4	0.4	1.1	1.2	1.2	0.7	1.1	1.1	1.1	1.1	175.0
13-15 YEARS	1.2	1.2	1.4	1.3	1.4	1.2	0.7	1.9	1.8	2.2	83.3
16 YEARS	0.4	1.7	1.9	1.5	0.4	0.0	1.2	1.5	1.8	0.8	100.0
17 OR MORE	0.8	0.9	0.0	0.0	0.9	0.9	2.0	1.0	1.1	0.0	-100.0

**PERCENT OF MOTHERS WITH SELECTED RISK FACTORS
RESIDENT DATA, TENNESSEE**

RACE GROUP

ALL RACES

AREA

ANDERSON

THREE -YEAR AVERAGES 1988-1999

RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
EDUCATION LT 9 YEARS	2.6	2.6	2.5	2.4	1.9	1.7	1.9	1.8	1.9	1.8	-30.8
EDUCATION 9-11 YEARS	20.5	20.6	20.3	20.3	20.4	21.5	21.5	19.4	18.0	16.9	-17.6
PARITY 4+	1.9	1.9	1.9	1.7	1.6	1.3	1.5	1.4	1.7	1.8	-5.3
PREVIOUS TERMINATION	22.5	21.4	22.2	22.4	21.6	20.9	18.9	18.0	17.0	18.0	-20.0
PREV. LIVE BTH NOW DEAD	1.8	1.4	1.1	1.0	0.9	1.2	0.8	0.9	0.7	1.1	-38.9
PREV. LIVE BTH W/IN LAST 24 MO	13.6	14.4	14.1	14.2	13.2	11.8	11.2	10.7	11.3	10.9	-19.9
ONE OR MORE FACTORS	49.4	48.8	49.2	49.0	48.1	47.2	45.5	42.9	42.3	41.9	-15.2

**PERCENT OF MOTHERS WITH SELECTED RISK FACTORS
RESIDENT DATA, TENNESSEE**

RACE GROUP

NONWHITE

AREA

ANDERSON

THREE -YEAR AVERAGES 1988-1999

RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
EDUCATION LT 9 YEARS	0.0	0.5	0.5	0.5	0.0	0.6	1.3	1.9	1.9	1.3	-
EDUCATION 9- 11 YEARS	15.0	13.7	13.0	15.0	18.2	23.7	21.9	18.5	15.3	15.1	0.7
PARITY 4+	2.6	2.9	4.7	4.8	4.8	3.8	4.4	4.5	5.1	4.6	76.9
PREVIOUS TERMINATION	28.5	25.4	24.7	23.5	23.0	20.5	15.0	17.8	15.3	18.4	-35.4
PREV. LIVE BTH NOW DEAD	0.5	0.5	0.0	0.0	0.0	0.6	0.6	1.9	1.9	2.0	300.0
PREV. LIVE BTH W/IN LAST 24 MO.	20.2	23.4	20.5	21.9	18.2	16.7	13.8	10.8	12.7	9.9	-51.0
ONE OR MORE FACTORS	49.2	51.2	52.1	53.5	53.3	51.3	45.0	43.9	42.0	42.1	-14.4

**PERCENT OF MOTHERS WITH SELECTED RISK FACTORS
RESIDENT DATA, TENNESSEE**

RACE GROUP

AREA

WHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
EDUCATION LT 9 YEARS	2.9	2.8	2.7	2.6	2.1	1.8	1.9	1.8	1.9	1.8	-37.9
EDUCATION 9-11 YEARS	20.9	21.2	21.0	20.7	20.6	21.3	21.4	19.4	18.2	17.0	-18.7
PARITY 4+	1.8	1.8	1.7	1.4	1.4	1.1	1.3	1.2	1.5	1.7	-5.6
PREVIOUS TERMINATION	22.0	21.1	22.0	22.3	21.5	20.9	19.2	18.0	17.2	18.0	-18.2
PREV. LIVE BTH NOW DEAD	1.9	1.5	1.2	1.1	1.0	1.2	0.9	0.8	0.6	1.1	-42.1
PREV. LIVE BTH W/IN LAST 24 MO.	13.1	13.6	13.6	13.6	12.8	11.5	11.0	10.7	11.2	10.9	-16.8
ONE OR MORE FACTORS	49.4	48.6	48.9	48.7	47.7	46.9	45.5	42.9	42.3	41.9	-15.2

**PERCENT OF LIVE BIRTHS BY GESTATIONAL AGE,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

ANDERSON

THREE -YEAR AVERAGES 1988-1999

WEEKS	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
LT 36 WKS	5.9	6.1	6.2	6.1	5.8	6.0	6.1	6.8	6.9	7.1	20.3
LT 22	0.2	0.3	0.2	0.2	0.1	0.1	0.3	0.4	0.4	0.2	0.0
22-27	0.4	0.4	0.5	0.7	0.8	0.6	0.4	0.6	0.6	0.8	100.0
28-31	0.8	0.7	0.9	0.7	0.6	0.9	1.1	1.5	1.2	1.3	62.5
32-35	4.5	4.7	4.6	4.5	4.4	4.4	4.3	4.3	4.6	4.8	6.7
36-39	35.8	37.3	36.0	37.9	38.8	40.6	41.7	44.3	46.4	48.7	36.0
40-42	48.2	46.4	47.3	45.5	46.2	44.6	43.7	40.7	39.3	38.3	-20.5
43-46	8	8.1	7.9	7.8	6.8	6.6	6.1	5.6	5	4	-50
47 +	1.1	1.2	1.4	1.2	1	0.8	0.7	0.6	0.7	0.7	-36.4

**PERCENT OF LIVE BIRTHS BY GESTATIONAL AGE,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

WEEKS	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
LT 36 WKS	10.9	14.1	13.0	12.8	10.3	11.5	13.1	14.6	13.4	10.5	-3.7
LT 22	0.5	1.5	1.4	1.6	0.6	1.3	2.5	2.5	1.9	0.0	-100.0
22-27	1.0	1.0	0.9	1.6	1.8	1.9	1.3	1.9	1.9	2.6	160.0
28-31	1.6	1.5	0.9	0.5	0.6	1.9	1.9	2.5	1.3	1.3	-18.8
32-35	7.8	10.2	9.8	9.1	7.3	6.4	7.5	7.6	8.3	6.6	-15.4
36-39	38.3	40.5	34.9	33.2	35.8	37.8	39.4	40.1	43.9	44.1	15.1
40-42	40.4	33.7	39.1	41.2	43.0	43.6	39.4	35.7	33.1	38.2	-5.4
43-46	8.3	9.3	10.7	11.2	10.3	5.8	6.9	8.3	8.3	6.6	-20.5
47 +	1	2	1.9	1.1	0	0	0.6	0.6	1.3	0.7	-30

**PERCENT OF LIVE BIRTHS BY GESTATIONAL AGE,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

WEEKS	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
LT 36 WKS	5.5	5.4	5.6	5.6	5.5	5.6	5.6	6.3	6.4	6.9	25.5
LT 22	0.2	0.2	0.1	0.1	0.1	0.0	0.2	0.3	0.3	0.2	0.0
22-27	0.4	0.3	0.5	0.7	0.7	0.5	0.4	0.5	0.5	0.7	75.0
28-31	0.7	0.7	0.9	0.7	0.6	0.8	1.0	1.4	1.2	1.3	85.7
32-35	4.3	4.2	4.1	4.2	4.2	4.2	4.1	4.1	4.4	4.7	9.3
36-39	35.6	37.0	36.2	38.2	39.0	40.8	41.8	44.6	46.6	49.0	37.6
40-42	48.8	47.5	48.0	45.8	46.3	44.6	44.0	41.1	39.8	38.3	-21.5
43-46	7.9	8	7.7	7.5	6.6	6.6	6	5.4	4.8	3.8	-51.9
47 +	1.1	1.2	1.3	1.2	1.1	0.9	0.7	0.6	0.7	0.7	-36.4

**PERCENT OF LIVE BIRTHS WITH LATE OR NO PRENATAL CARE, ACCORDING TO MOM'S AGE AND RACE,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL RACES ALL AGES	24.2	25.5	24.6	22.7	21.5	19.8	17.5	15.7	14.8	13.4	-44.6
10-17	47.1	50.4	53.7	57.3	50.7	43.0	36.7	35.0	30.0	29.1	-38.2
18-19	50.0	48.5	43.7	40.8	41.3	38.8	30.2	22.4	15.1	15.3	-69.4
NONWHITE: ALL AGES	36.4	41.9	43.5	40.4	41.0	36.7	36.4	26.7	27.6	25.0	-31.3
10-17	46.2	66.7	66.7	66.7	58.3	54.5	70.0	58.3	66.7	50.0	8.2
18-19	61.1	72.2	62.5	69.6	59.3	52.0	44.4	40.0	33.3	17.6	-71.2
WHITE: ALL AGES	23.4	24.3	23.2	21.3	19.8	18.3	16.1	15.0	13.9	12.6	-46.2
10-17	47.2	48.0	52.1	56.3	50.0	42.1	34.1	32.8	24.1	25.4	-46.2
18-19	49.0	46.4	41.8	38.2	39.5	37.4	28.5	20.8	14.0	15.2	-69.0

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER		AREA										PERCENT CHANGE 1988-90 TO 1997-99
ALL RACES		ANDERSON										
10-44												
THREE -YEAR AVERAGES 1988-1999												
RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ONE OR MORE RISK FACTORS		64.6	62.6	61.3	59.1	57.4	55.7	54.1	53.7	54.9	-15.0	
SMOKING		1.0	1.0	1.0	0.8	0.3	0.4	0.6	0.9	1.0	0.0	
C-SECTION		29.8	29.0	28.2	26.3	25.3	24.9	24.7	24.7	24.9	-16.4	
WT GAIN < 15#		6.1	6.6	6.7	6.7	6.5	6.7	7.6	8.1	8.2	34.4	
ANEMIA		2.6	1.6	1.9	2.3	2.6	2.4	1.7	1.9	2.3	-11.5	
DIABETES		3.0	3.2	3.2	3.5	3.3	2.9	2.2	2.6	3.1	3.3	
HYPERTENSION		5.6	4.6	4.4	4.5	4.5	4.3	4.6	5.2	7.0	25.0	
LABOR/DELIVERY COMPLICATIONS		49.0	47.7	46.5	44.2	41.5	39.6	38.3	37.3	37.2	-24.1	
ALCOHOL OR DRUG USE		2.4	1.9	1.7	1.4	1.6	1.7	1.8	1.8	1.7	-29.2	

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER	AREA										PERCENT CHANGE 1988-90 TO 1997-99
	ANDERSON										
	THREE -YEAR AVERAGES 1988-1999										
RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	
ONE OR MORE RISK FACTORS		72.0	67.4	68.7	61.7	56.4	55.8	57.0	62.9	61.8	-14.2
SMOKING		1.8	1.1	0.7	0.0	0.0	0.0	0.8	0.7	1.3	-27.8
C-SECTION		36.9	34.9	33.3	26.7	25.5	29.2	27.3	29.4	27.6	-25.2
WT GAIN < 15#		9.5	9.1	8.7	11.7	10.0	8.8	9.4	14.7	14.5	52.6
ANEMIA		4.8	1.7	2.7	3.3	2.7	1.8	0.0	3.5	4.6	-4.2
DIABETES		1.8	1.1	1.3	2.5	3.6	2.7	0.8	0.0	1.3	-27.8
HYPERTENSION		4.8	4.0	4.7	4.2	4.5	1.8	3.1	3.5	6.6	37.5
LABOR/DELIVERY COMPLICATIONS		48.2	44.6	47.3	45.8	41.8	40.7	43.8	42.0	40.8	-15.4
ALCOHOL OR DRUG USE		3.6	4.6	5.3	5.0	3.6	6.2	5.5	4.9	2.6	-27.8

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER	AREA										PERCENT CHANGE 1988-90 TO 1997-99
	WHITE	ANDERSON									
10-44	THREE -YEAR AVERAGES 1988-1999										
RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	
ONE OR MORE RISK FACTORS		64.0	62.1	60.7	58.9	57.5	55.9	54.1	53.2	54.5	-14.8
SMOKING		1.0	1.0	1.0	0.8	0.3	0.4	0.6	0.9	1.0	0.0
C-SECTION		29.3	28.5	27.8	26.1	25.3	24.7	24.7	24.5	24.7	-15.7
WT GAIN < 15#		5.9	6.4	6.6	6.5	6.4	6.7	7.6	7.8	7.8	32.2
ANEMIA		2.5	1.6	1.8	2.3	2.6	2.4	1.8	1.8	2.1	-16.0
DIABETES		3.0	3.4	3.3	3.5	3.1	2.8	2.3	2.7	3.3	10.0
HYPERTENSION		5.7	4.7	4.4	4.5	4.5	4.4	4.7	5.3	7.0	22.8
LABOR/DELIVERY COMPLICATIONS		49.0	47.8	46.4	44.2	41.6	39.7	38.0	37.0	37.0	-24.5
ALCOHOL OR DRUG USE		2.3	1.8	1.6	1.2	1.5	1.4	1.5	1.6	1.6	-30.4

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER		AREA										
ALL RACES		ANDERSON										
AGE: 10-17												
THREE -YEAR AVERAGES 1988-1999												
RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99	
ONE OR MORE RISK FACTORS		59.6	58.3	58.3	59.1	49.2	45.5	42.1	46.9	49.2	-17.4	
SMOKING		0.7	2.0	1.4	1.5	0.0	0.0	0.8	0.8	1.6	128.6	
C-SECTION		20.6	19.9	21.6	24.8	19.2	14.9	13.5	19.5	19.8	-3.9	
WT GAIN < 15#		6.6	6.6	7.2	3.6	1.5	3.0	4.8	4.7	3.2	-51.5	
ANEMIA		2.9	0.7	0.7	2.9	3.8	3.0	0.8	2.3	4.0	37.9	
DIABETES		2.9	3.3	2.2	2.2	1.5	0.7	0.0	0.0	0.0	-100.0	
HYPERTENSION		7.4	7.3	7.2	5.8	5.4	3.7	4.8	4.7	7.1	-4.1	
LABOR/DELIVERY COMPLICATIONS		47.8	47.7	49.6	49.6	38.5	33.6	32.5	36.7	36.5	-23.6	
ALCOHOL OR DRUG USE		1.5	1.3	1.4	0.7	0.8	1.5	0.8	0.8	0.0	-100.0	

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER		AREA										PERCENT CHANGE 1988-90 TO 1997-99
NONWHITE		ANDERSON										
AGE: 10-17		THREE -YEAR AVERAGES 1988-1999										
RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ONE OR MORE RISK FACTORS		66.7	63.6	60.0	50.0	33.3	40.0	50.0	78.6	72.7	9.0	
SMOKING		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
C-SECTION		41.7	45.5	40.0	33.3	22.2	15.0	16.7	21.4	27.3	-34.5	
WT GAIN < 15#		8.3	9.1	10.0	0.0	0.0	0.0	5.6	7.1	9.1	9.6	
ANEMIA		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
DIABETES		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
HYPERTENSION		0.0	0.0	10.0	8.3	5.6	5.0	5.6	7.1	9.1	-	
LABOR/DELIVERY COMPLICATIONS		58.3	54.5	50.0	50.0	33.3	40.0	50.0	78.6	63.6	9.1	
ALCOHOL OR DRUG USE		0.0	0.0	0.0	0.0	0.0	5.0	5.6	7.1	0.0	-	

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER

AREA

WHITE

ANDERSON

AGE: 10-17

THREE -YEAR AVERAGES 1988-1999

RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ONE OR MORE RISK FACTORS		58.9	57.9	58.1	60.0	51.8	46.5	40.7	43.0	47.0	-20.2
SMOKING		0.8	2.1	1.6	1.6	0.0	0.0	0.9	0.9	1.7	112.5
C-SECTION		18.5	17.9	20.2	24.0	18.8	14.9	13.0	19.3	19.1	3.2
WT GAIN < 15#		6.5	6.4	7.0	4.0	1.8	3.5	4.6	4.4	2.6	-60.0
ANEMIA		3.2	0.7	0.8	3.2	4.5	3.5	0.9	2.6	4.3	34.4
DIABETES		3.2	3.6	2.3	2.4	1.8	0.9	0.0	0.0	0.0	-100.0
HYPERTENSION		8.1	7.9	7.0	5.6	5.4	3.5	4.6	4.4	7.0	-13.6
LABOR/DELIVERY COMPLICATIONS		46.8	47.1	49.6	49.6	39.3	32.5	29.6	31.6	33.9	-27.6
ALCOHOL OR DRUG USE		1.6	1.4	1.6	0.8	0.9	0.9	0.0	0.0	0.0	-100.0

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER	AREA										PERCENT CHANGE 1988-90 TO 1997-99
	ALL RACES	ANDERSON									
AGE: 18-19	THREE -YEAR AVERAGES 1988-1999										
RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	
ONE OR MORE RISK FACTORS		60.1	55.2	51.8	51.0	55.1	54.8	49.3	45.5	40.6	-32.4
SMOKING		1.4	0.7	0.0	0.0	0.0	0.3	0.7	1.6	1.4	0.0
C-SECTION		25.7	23.9	24.7	21.2	22.3	21.1	18.0	15.6	10.6	-58.8
WT GAIN < 15#		6.3	3.7	3.9	3.3	3.8	5.4	6.5	6.6	3.9	-38.1
ANEMIA		3.1	1.1	1.6	2.1	1.9	2.0	1.8	2.9	2.4	-22.6
DIABETES		0.0	0.7	1.2	2.1	2.3	2.0	1.8	1.6	1.4	-
HYPERTENSION		6.9	4.5	3.9	4.1	4.9	4.8	4.3	4.1	6.8	-1.4
LABOR/DELIVERY COMPLICATIONS		49.3	46.6	43.1	40.7	44.9	44.6	41.0	36.5	31.4	-36.3
ALCOHOL OR DRUG USE		0.0	0.0	0.8	1.7	2.3	2.4	1.8	1.2	1.4	-

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER		AREA										PERCENT CHANGE 1988-90 TO 1997-99
NONWHITE		ANDERSON										
AGE: 18-19		THREE -YEAR AVERAGES 1988-1999										
RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ONE OR MORE RISK FACTORS		66.7	60.0	59.3	60.0	53.3	70.6	72.2	68.2	43.8	-34.3	
SMOKING		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
C-SECTION		33.3	28.0	25.9	20.0	13.3	29.4	27.8	22.7	0.0	-100.0	
WT GAIN < 15#		11.1	4.0	7.4	10.0	13.3	17.6	22.2	22.7	12.5	12.6	
ANEMIA		11.1	4.0	3.7	0.0	0.0	0.0	0.0	9.1	12.5	12.6	
DIABETES		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
HYPERTENSION		7.4	4.0	7.4	5.0	13.3	5.9	11.1	4.5	6.3	-14.9	
LABOR/DELIVERY COMPLICATIONS		51.9	44.0	44.4	55.0	46.7	58.8	61.1	59.1	37.5	-27.7	
ALCOHOL OR DRUG USE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

**PERCENT OF LIVE BIRTHS WITH SELECTED MATERNAL RISK FACTORS, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

MOTHER

AREA

WHITE

ANDERSON

AGE: 18-19

THREE -YEAR AVERAGES 1988-1999

RISK FACTOR	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ONE OR MORE RISK FACTORS		59.4	54.7	50.9	50.2	55.2	53.8	47.7	43.2	40.3	-32.2
SMOKING		1.5	0.8	0.0	0.0	0.0	0.4	0.8	1.8	1.6	6.7
C-SECTION		24.9	23.5	24.6	21.3	22.8	20.6	17.3	14.9	11.5	-53.8
WT GAIN < 15#		5.7	3.7	3.5	2.7	3.2	4.7	5.4	5.0	3.1	-45.6
ANEMIA		2.3	0.8	1.3	2.3	2.0	2.2	1.9	2.3	1.6	-30.4
DIABETES		0.0	0.8	1.3	2.3	2.4	2.2	1.9	1.8	1.6	-
HYPERTENSION		6.9	4.5	3.5	4.1	4.4	4.7	3.8	4.1	6.8	-1.4
LABOR/DELIVERY COMPLICATIONS		49.0	46.9	43.0	39.4	44.8	43.7	39.6	34.2	30.9	-36.9
ALCOHOL OR DRUG USE		0.0	0.0	0.9	1.8	2.4	2.5	1.9	1.4	1.6	-

**PERCENT OF LIVE BIRTHS WITH HIGH PARITY, ACCORDING TO MOM'S AGE AND RACE,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

ANDERSON

THREE -YEAR AVERAGES 1988-1999

RACE/AGE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL RACES											
UNDER 30	1.2	0.9	0.9	0.7	0.8	0.8	0.7	0.7	0.6	0.8	-33.3
30 AND UP	6.4	5.8	6.1	5.1	5.2	5.0	4.5	4.3	3.2	3.6	-43.8
NONWHITE:											
UNDER 30	4.0	2.9	2.8	2.7	3.7	3.7	3.4	3.2	4.5	5.1	27.5
30 AND UP	7.1	5.6	6.1	2.3	0.0	7.5	10.3	10.0	2.3	2.3	-67.6
WHITE:											
UNDER 30	0.9	0.8	0.7	0.6	0.5	0.6	0.5	0.5	0.4	0.5	-44.4
30 AND UP	6.3	5.9	6.1	5.3	5.6	4.8	4.1	3.9	3.3	3.7	-41.3

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
ALL RACES

AREA
ANDERSON

YEAR
1995

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTH	0	1	2	3	4+	UNK
10-17	3,767	47	47	0	0	0	0	0
10	480	0	0	0	0	0	0	0
11	478	0	0	0	0	0	0	0
12	476	0	0	0	0	0	0	0
13	473	0	0	0	0	0	0	0
14	469	1	1	0	0	0	0	0
15	466	9	9	0	0	0	0	0
16	465	10	10	0	0	0	0	0
17	460	27	27	0	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
ANDERSON

YEAR
1995

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTH	0	1	2	3	4+	UNK
10-17	256	7	7	0	0	0	0	0
10	35	0	0	0	0	0	0	0
11	33	0	0	0	0	0	0	0
12	33	0	0	0	0	0	0	0
13	32	0	0	0	0	0	0	0
14	32	0	0	0	0	0	0	0
15	31	2	2	0	0	0	0	0
16	30	1	1	0	0	0	0	0
17	30	4	4	0	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP		AREA				YEAR		
WHITE		ANDERSON				1995		
		PREVIOUS LIVE BIRTHS, NOW LIVING						
AGE	POP.	#BIRTH	0	1	2	3	4+	UNK
10-17	3,511	40	40	0	0	0	0	0
10	445	0	0	0	0	0	0	0
11	445	0	0	0	0	0	0	0
12	443	0	0	0	0	0	0	0
13	441	0	0	0	0	0	0	0
14	437	1	1	0	0	0	0	0
15	435	7	7	0	0	0	0	0
16	435	9	9	0	0	0	0	0
17	430	23	23	0	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
ALL RACES

AREA
ANDERSON

YEAR
1996

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
10-17	3,771	41	39	2	0	0	0	0
10	483	0	0	0	0	0	0	0
11	480	0	0	0	0	0	0	0
12	477	0	0	0	0	0	0	0
13	474	1	1	0	0	0	0	0
14	468	1	1	0	0	0	0	0
15	466	5	5	0	0	0	0	0
16	465	11	11	0	0	0	0	0
17	458	23	21	2	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
ANDERSON

YEAR
1996

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
10-17	256	6	6	0	0	0	0	0
10	36	0	0	0	0	0	0	0
11	33	0	0	0	0	0	0	0
12	32	0	0	0	0	0	0	0
13	32	0	0	0	0	0	0	0
14	31	1	1	0	0	0	0	0
15	31	1	1	0	0	0	0	0
16	31	2	2	0	0	0	0	0
17	30	2	2	0	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP		AREA		YEAR				
WHITE		ANDERSON		1996				
			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
10-17	3,515	35	33	2	0	0	0	0
10	447	0	0	0	0	0	0	0
11	447	0	0	0	0	0	0	0
12	445	0	0	0	0	0	0	0
13	442	1	1	0	0	0	0	0
14	437	0	0	0	0	0	0	0
15	435	4	4	0	0	0	0	0
16	434	9	9	0	0	0	0	0
17	428	21	19	2	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
ALL RACES

AREA
ANDERSON

YEAR
1997

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
10-17	3,759	38	34	4	0	0	0	0
10	482	0	0	0	0	0	0	0
11	481	0	0	0	0	0	0	0
12	477	0	0	0	0	0	0	0
13	472	1	1	0	0	0	0	0
14	466	1	1	0	0	0	0	0
15	463	7	6	1	0	0	0	0
16	462	8	8	0	0	0	0	0
17	456	21	18	3	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
ANDERSON

YEAR
1997

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
10-17	258	5	4	1	0	0	0	0
10	36	0	0	0	0	0	0	0
11	34	0	0	0	0	0	0	0
12	32	0	0	0	0	0	0	0
13	31	0	0	0	0	0	0	0
14	31	0	0	0	0	0	0	0
15	31	0	0	0	0	0	0	0
16	32	1	1	0	0	0	0	0
17	31	4	3	1	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP		AREA		YEAR				
WHITE		ANDERSON		1997				
			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
10-17	3,501	33	30	3	0	0	0	0
10	446	0	0	0	0	0	0	0
11	447	0	0	0	0	0	0	0
12	445	0	0	0	0	0	0	0
13	441	1	1	0	0	0	0	0
14	435	1	1	0	0	0	0	0
15	432	7	6	1	0	0	0	0
16	430	7	7	0	0	0	0	0
17	425	17	15	2	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
ALL RACES

AREA
ANDERSON

YEAR
1998

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
10-17	3,733	49	47	2	0	0	0	0
10	481	0	0	0	0	0	0	0
11	478	0	0	0	0	0	0	0
12	475	0	0	0	0	0	0	0
13	469	0	0	0	0	0	0	0
14	463	0	0	0	0	0	0	0
15	459	10	10	0	0	0	0	0
16	458	20	19	1	0	0	0	0
17	450	19	18	1	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
ANDERSON

YEAR
1998

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
10-17	255	3	3	0	0	0	0	0
10	36	0	0	0	0	0	0	0
11	33	0	0	0	0	0	0	0
12	32	0	0	0	0	0	0	0
13	30	0	0	0	0	0	0	0
14	31	0	0	0	0	0	0	0
15	31	2	2	0	0	0	0	0
16	32	0	0	0	0	0	0	0
17	30	1	1	0	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP		AREA		YEAR				
WHITE		ANDERSON		1998				
			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
10-17	3,478	46	44	2	0	0	0	0
10	445	0	0	0	0	0	0	0
11	445	0	0	0	0	0	0	0
12	443	0	0	0	0	0	0	0
13	439	0	0	0	0	0	0	0
14	432	0	0	0	0	0	0	0
15	428	8	8	0	0	0	0	0
16	426	20	19	1	0	0	0	0
17	420	18	17	1	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
ALL RACES

AREA
ANDERSON

YEAR
1999

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
10-17	3,722	39	36	3	0	0	0	0
10	481	0	0	0	0	0	0	0
11	478	0	0	0	0	0	0	0
12	474	0	0	0	0	0	0	0
13	468	0	0	0	0	0	0	0
14	462	1	1	0	0	0	0	0
15	457	3	3	0	0	0	0	0
16	455	11	9	2	0	0	0	0
17	447	24	23	1	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
ANDERSON

YEAR
1999

			PREVIOUS LIVE BIRTHS, NOW LIVING					
AGE	POP.	#BIRTHS	0	1	2	3	4+	UNK
10-17	254	3	3	0	0	0	0	0
10	36	0	0	0	0	0	0	0
11	33	0	0	0	0	0	0	0
12	31	0	0	0	0	0	0	0
13	29	0	0	0	0	0	0	0
14	31	0	0	0	0	0	0	0
15	31	0	0	0	0	0	0	0
16	32	2	2	0	0	0	0	0
17	31	1	1	0	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
WHITE

AREA
ANDERSON

YEAR
1999

AGE	POP.	#BIRTHS	PREVIOUS LIVE BIRTHS, NOW LIVING					UNK
			0	1	2	3	4+	
10-17	3,468	36	33	3	0	0	0	0
10	445	0	0	0	0	0	0	0
11	445	0	0	0	0	0	0	0
12	443	0	0	0	0	0	0	0
13	439	0	0	0	0	0	0	0
14	431	1	1	0	0	0	0	0
15	426	3	3	0	0	0	0	0
16	423	9	7	2	0	0	0	0
17	416	23	22	1	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
ALL RACES

AREA
ANDERSON

5 YEAR AVE.
1995-1999

AGE	POP.	#BIRTHS	PREVIOUS LIVE BIRTHS, NOW LIVING					UNK
			0	1	2	3	4+	
10-17	3,750	43	41	2	0	0	0	0
10	481	0	0	0	0	0	0	0
11	479	0	0	0	0	0	0	0
12	476	0	0	0	0	0	0	0
13	471	0	0	0	0	0	0	0
14	466	1	1	0	0	0	0	0
15	462	7	7	0	0	0	0	0
16	461	12	11	1	0	0	0	0
17	454	23	21	1	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
ANDERSON

5 YEAR AVE.
1995-1999

AGE	POP.	#BIRTHS	PREVIOUS LIVE BIRTHS, NOW LIVING					UNK
			0	1	2	3	4+	
10-17	256	5	5	0	0	0	0	0
10	36	0	0	0	0	0	0	0
11	33	0	0	0	0	0	0	0
12	32	0	0	0	0	0	0	0
13	31	0	0	0	0	0	0	0
14	31	0	0	0	0	0	0	0
15	31	1	1	0	0	0	0	0
16	31	1	1	0	0	0	0	0
17	30	2	2	0	0	0	0	0

**NUMBER OF LIVE BIRTHS OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
WHITE

AREA
ANDERSON

5 YEAR AVE.
1995-1999

AGE	POP.	#BIRTHS	PREVIOUS LIVE BIRTHS, NOW LIVING					UNK
			0	1	2	3	4+	
10-17	3,495	38	36	2	0	0	0	0
10	446	0	0	0	0	0	0	0
11	446	0	0	0	0	0	0	0
12	444	0	0	0	0	0	0	0
13	440	0	0	0	0	0	0	0
14	434	1	1	0	0	0	0	0
15	431	6	6	0	0	0	0	0
16	430	11	10	1	0	0	0	0
17	424	20	19	1	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
ALL RACES

AREA
ANDERSON

YEAR
1995

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	3,767	47	46	1	0	0	0	0
10	480	0	0	0	0	0	0	0
11	478	0	0	0	0	0	0	0
12	476	0	0	0	0	0	0	0
13	473	0	0	0	0	0	0	0
14	469	1	1	0	0	0	0	0
15	466	9	9	0	0	0	0	0
16	465	10	10	0	0	0	0	0
17	460	27	26	1	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
ANDERSON

YEAR
1995

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	256	7	6	1	0	0	0	0
10	35	0	0	0	0	0	0	0
11	33	0	0	0	0	0	0	0
12	33	0	0	0	0	0	0	0
13	32	0	0	0	0	0	0	0
14	32	0	0	0	0	0	0	0
15	31	2	2	0	0	0	0	0
16	30	1	1	0	0	0	0	0
17	30	4	3	1	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
WHITE

AREA
ANDERSON

YEAR
1995

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	3,511	40	40	0	0	0	0	0
10	445	0	0	0	0	0	0	0
11	445	0	0	0	0	0	0	0
12	443	0	0	0	0	0	0	0
13	441	0	0	0	0	0	0	0
14	437	1	1	0	0	0	0	0
15	435	7	7	0	0	0	0	0
16	435	9	9	0	0	0	0	0
17	430	23	23	0	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
ALL RACES

AREA
ANDERSON

YEAR
1996

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	3,771	41	35	5	1	0	0	0
10	483	0	0	0	0	0	0	0
11	480	0	0	0	0	0	0	0
12	477	0	0	0	0	0	0	0
13	474	1	0	1	0	0	0	0
14	468	1	1	0	0	0	0	0
15	466	5	5	0	0	0	0	0
16	465	11	11	0	0	0	0	0
17	458	23	18	4	1	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
ANDERSON

YEAR
1996

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	256	6	5	1	0	0	0	0
10	36	0	0	0	0	0	0	0
11	33	0	0	0	0	0	0	0
12	32	0	0	0	0	0	0	0
13	32	0	0	0	0	0	0	0
14	31	1	1	0	0	0	0	0
15	31	1	1	0	0	0	0	0
16	31	2	2	0	0	0	0	0
17	30	2	1	1	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
WHITE

AREA
ANDERSON

YEAR
1996

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	3,515	35	30	4	1	0	0	0
10	447	0	0	0	0	0	0	0
11	447	0	0	0	0	0	0	0
12	445	0	0	0	0	0	0	0
13	442	1	0	1	0	0	0	0
14	437	0	0	0	0	0	0	0
15	435	4	4	0	0	0	0	0
16	434	9	9	0	0	0	0	0
17	428	21	17	3	1	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
ALL RACES

AREA
ANDERSON

YEAR
1997

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	3,759	38	32	5	1	0	0	0
10	482	0	0	0	0	0	0	0
11	481	0	0	0	0	0	0	0
12	477	0	0	0	0	0	0	0
13	472	1	1	0	0	0	0	0
14	466	1	1	0	0	0	0	0
15	463	7	6	1	0	0	0	0
16	462	8	7	1	0	0	0	0
17	456	21	17	3	1	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
ANDERSON

YEAR
1997

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	258	5	4	1	0	0	0	0
10	36	0	0	0	0	0	0	0
11	34	0	0	0	0	0	0	0
12	32	0	0	0	0	0	0	0
13	31	0	0	0	0	0	0	0
14	31	0	0	0	0	0	0	0
15	31	0	0	0	0	0	0	0
16	32	1	1	0	0	0	0	0
17	31	4	3	1	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
WHITE

AREA
ANDERSON

YEAR
1997

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	3,501	33	28	4	1	0	0	0
10	446	0	0	0	0	0	0	0
11	447	0	0	0	0	0	0	0
12	445	0	0	0	0	0	0	0
13	441	1	1	0	0	0	0	0
14	435	1	1	0	0	0	0	0
15	432	7	6	1	0	0	0	0
16	430	7	6	1	0	0	0	0
17	425	17	14	2	1	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
ALL RACES

AREA
ANDERSON

YEAR
1998

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	3,733	49	44	5	0	0	0	0
10	481	0	0	0	0	0	0	0
11	478	0	0	0	0	0	0	0
12	475	0	0	0	0	0	0	0
13	469	0	0	0	0	0	0	0
14	463	0	0	0	0	0	0	0
15	459	10	9	1	0	0	0	0
16	458	20	17	3	0	0	0	0
17	450	19	18	1	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
ANDERSON

YEAR
1998

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	255	3	3	0	0	0	0	0
10	36	0	0	0	0	0	0	0
11	33	0	0	0	0	0	0	0
12	32	0	0	0	0	0	0	0
13	30	0	0	0	0	0	0	0
14	31	0	0	0	0	0	0	0
15	31	2	2	0	0	0	0	0
16	32	0	0	0	0	0	0	0
17	30	1	1	0	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
WHITE

AREA
ANDERSON

YEAR
1998

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	3,478	46	41	5	0	0	0	0
10	445	0	0	0	0	0	0	0
11	445	0	0	0	0	0	0	0
12	443	0	0	0	0	0	0	0
13	439	0	0	0	0	0	0	0
14	432	0	0	0	0	0	0	0
15	428	8	7	1	0	0	0	0
16	426	20	17	3	0	0	0	0
17	420	18	17	1	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
ALL RACES

AREA
ANDERSON

YEAR
1999

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	3,722	39	34	4	1	0	0	0
10	481	0	0	0	0	0	0	0
11	478	0	0	0	0	0	0	0
12	474	0	0	0	0	0	0	0
13	468	0	0	0	0	0	0	0
14	462	1	1	0	0	0	0	0
15	457	3	3	0	0	0	0	0
16	455	11	9	1	1	0	0	0
17	447	24	21	3	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
ANDERSON

YEAR
1999

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	254	3	3	0	0	0	0	0
10	36	0	0	0	0	0	0	0
11	33	0	0	0	0	0	0	0
12	31	0	0	0	0	0	0	0
13	29	0	0	0	0	0	0	0
14	31	0	0	0	0	0	0	0
15	31	0	0	0	0	0	0	0
16	32	2	2	0	0	0	0	0
17	31	1	1	0	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
WHITE

AREA
ANDERSON

YEAR
1999

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	3,468	36	31	4	1	0	0	0
10	445	0	0	0	0	0	0	0
11	445	0	0	0	0	0	0	0
12	443	0	0	0	0	0	0	0
13	439	0	0	0	0	0	0	0
14	431	1	1	0	0	0	0	0
15	426	3	3	0	0	0	0	0
16	423	9	7	1	1	0	0	0
17	416	23	20	3	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP		AREA		5 YEAR AVE.				
ALL RACES		ANDERSON		1995-1999				
AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					
			0	1	2	3	4+	UNK
10-17	3,750	43	38	4	1	0	0	0
10	481	0	0	0	0	0	0	0
11	479	0	0	0	0	0	0	0
12	476	0	0	0	0	0	0	0
13	471	0	0	0	0	0	0	0
14	466	1	1	0	0	0	0	0
15	462	7	6	0	0	0	0	0
16	461	12	11	1	0	0	0	0
17	454	23	20	2	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP
NONWHITE

AREA
ANDERSON

5 YEAR AVE.
1995-1999

AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	256	5	4	1	0	0	0	0
10	36	0	0	0	0	0	0	0
11	33	0	0	0	0	0	0	0
12	32	0	0	0	0	0	0	0
13	31	0	0	0	0	0	0	0
14	31	0	0	0	0	0	0	0
15	31	1	1	0	0	0	0	0
16	31	1	1	0	0	0	0	0
17	30	2	2	1	0	0	0	0

**NUMBER OF PREVIOUS PREGNANCIES OCCURRING TO WOMEN AGES 10-17, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP		AREA		5 YEAR AVE.				
WHITE		ANDERSON		1995-1999				
AGE	POP.	#BIRTHS	PREVIOUS PREGNANCIES					UNK
			0	1	2	3	4+	
10-17	3,495	38	34	3	1	0	0	0
10	446	0	0	0	0	0	0	0
11	446	0	0	0	0	0	0	0
12	444	0	0	0	0	0	0	0
13	440	0	0	0	0	0	0	0
14	434	1	1	0	0	0	0	0
15	431	6	5	0	0	0	0	0
16	430	11	10	1	0	0	0	0
17	424	20	18	2	0	0	0	0

**NUMBER OF INFANT, NEONATAL, AND POSTNEONATAL DEATHS, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE/RACE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
<u>INFANT:</u> ALL RACES	7	9	10	9	6	4	5	4	5	3	-57.1
NONWHITE	1	2	1	1	1	1	0	0	1	1	0.0
WHITE	6	7	9	8	5	3	4	4	4	2	-66.7
<u>NEONATAL:</u> ALL RACES	4	6	6	5	3	3	4	4	4	2	-50.0
NONWHITE	1	2	1	1	1	1	0	0	1	1	0.0
WHITE	3	5	5	4	2	2	3	4	3	1	-66.7
<u>POSTNEONATAL:</u> ALL RACES	3	3	4	3	3	1	1	0	1	1	-66.7
NONWHITE	0	0	0	0	0	0	0	0	0	0	-
WHITE	3	3	4	3	3	1	1	0	1	1	-66.7

**INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES (DEATHS PER 1,000 LIVE BIRTHS),
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE/RACE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
<u>INFANT:</u> ALL RACES	8.3	10.2	11.4	9.7	6.8	5.0	5.9	5.5	5.8	3.4	-59.0
NONWHITE	15.5	24.4	14.0	16.0	12.1	12.8	6.3	6.4	12.7	13.2	-14.8
WHITE	7.7	9.0	11.2	9.2	6.4	4.5	5.9	5.4	5.3	2.7	-64.9
<u>NEONATAL:</u> ALL RACES	5.1	7.2	7.0	5.9	3.2	3.4	4.6	5.1	5.0	2.5	-51.0
NONWHITE	15.5	24.4	14.0	16.0	12.1	12.8	6.3	6.4	12.7	13.2	-14.8
WHITE	4.3	5.7	6.4	5.2	2.6	2.7	4.5	5.0	4.4	1.8	-58.1
<u>POSTNEONATAL:</u> ALL RACES	3.2	3.1	4.4	3.6	3.5	1.7	1.3	0.4	0.9	0.8	-75.0
NONWHITE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
WHITE	3.4	3.3	4.8	4.0	3.8	1.8	1.4	0.5	0.9	0.9	-73.5

Note: All rates shown are based on race of mother as denominator

**CRUDE MORTALITY RATES (DEATHS PER 1,000 POPULATION) BY RACE AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

ANDERSON

THREE -YEAR AVERAGE CRUDE MORTALITY RATES 1988-1999

RACE/SEX	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
TOTAL	9.5	9.2	9.3	9.5	9.8	10.3	10.6	10.9	10.8	10.7	12.6
NONWHITE	5.9	6.0	6.4	7.6	8.2	8.1	7.0	6.4	5.9	6.1	3.4
WHITE	9.7	9.4	9.5	9.6	9.9	10.4	10.8	11.2	11.1	11.0	13.4
SEX:											
FEMALE	8.5	8.6	8.8	9.0	9.2	9.8	10.2	10.5	10.6	10.6	24.7
MALE	10.5	9.9	9.9	10.0	10.4	10.7	10.9	11.4	11.1	10.9	3.8
RACE-SEX:											
NONWHITE FEMALE	5.9	6.3	7.2	7.5	6.9	6.3	6.2	6.1	6.5	6.4	8.5
WHITE FEMALE	8.6	8.7	8.9	9.1	9.3	10.1	10.5	10.8	10.8	10.8	25.6
NONWHITE MALE	5.9	5.8	5.6	8.3	9.7	10.1	7.9	6.8	5.2	5.6	-5.1
WHITE MALE	10.8	10.2	10.2	10.1	10.4	10.8	11.1	11.6	11.5	11.2	3.7

**AGE AND RACE SPECIFIC CRUDE MORTALITY RATES PER 1,000 POPULATION,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	9.5	9.2	9.4	9.5	9.8	10.3	10.6	10.9	10.8	10.7	12.6
UNDER 1	8.8	11.3	12.9	10.7	6.9	4.9	5.6	5.2	5.6	3.2	-63.6
1-4	0.3	0.2	0.3	0.3	0.5	0.6	0.5	0.5	0.4	0.4	33.3
5-14	0.4	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.2	0.3	-25.0
15-24	1.3	1.5	1.2	0.9	0.9	0.8	0.7	0.7	1.0	1.1	-15.4
25-44	1.6	1.6	1.4	1.4	1.3	1.5	1.7	1.8	1.7	1.8	12.5
45-64	7.3	7.0	7.0	6.8	6.6	6.9	7.1	7.6	7.8	7.7	5.5
65 AND UP	47.1	44.9	45.4	46.3	48.4	50.3	51.3	51.8	50.6	49.6	5.3

**AGE AND RACE SPECIFIC CRUDE MORTALITY RATES PER 1,000 POPULATION,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	5.9	6.0	6.4	7.7	8.2	8.0	7.1	6.4	5.9	6.1	3.4
UNDER 1	17.5	29.4	17.5	17.1	11.2	10.9	5.4	5.3	10.5	10.5	-40.0
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.1	2.0	-
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	-
15-24	0.6	0.6	0.6	0.5	1.1	1.1	1.1	1.0	1.6	1.0	66.7
25-44	1.7	1.4	0.8	1.1	1.7	2.5	2.5	2.5	2.0	2.3	35.3
45-64	7.1	10.1	10.2	13.7	14.0	13.1	8.3	5.5	5.3	6.0	-15.5
65 AND UP	49.9	43.6	52.9	59.6	62.9	58.3	58.7	54.6	48.8	48.1	-3.6

**AGE AND RACE SPECIFIC CRUDE MORTALITY RATES PER 1,000 POPULATION,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	9.7	9.4	9.5	9.6	9.9	10.4	10.8	11.2	11.1	11.0	13.4
UNDER 1	8.2	10.0	12.6	10.2	6.6	4.4	5.7	5.2	5.2	2.6	-68.3
1-4	0.3	0.2	0.3	0.3	0.5	0.6	0.5	0.4	0.2	0.2	-33.3
5-14	0.4	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.3	0.3	-25.0
15-24	1.4	1.5	1.2	1.0	0.9	0.8	0.7	0.6	0.9	1.1	-21.4
25-44	1.6	1.6	1.4	1.4	1.2	1.5	1.6	1.8	1.6	1.7	6.2
45-64	7.3	6.8	6.9	6.5	6.3	6.6	7.0	7.8	7.9	7.8	6.8
65 AND UP	47.0	44.9	45.2	46.0	48.0	50.1	51.1	51.7	50.7	49.6	5.5

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
1-4 YEARS	ANDERSON										
THREE -YEAR AVERAGES 1988-1999											
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	9.7	0.0	0.0	0.0	0.0	0.0	0.0	27.3	27.2	27.2	180.4
CONGENITAL ANOMALIES	0.0	0.0	9.6	18.8	18.6	9.2	9.1	9.1	9.1	0.0	-
STATEWIDE FEWER THAN 10 DEATHS IN EACH REMAINING CAUSE											

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
5-14 YEARS	ANDERSON										
THREE -YEAR AVERAGES 1988-1999											
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	32.1	14.2	7.1	13.9	13.8	13.7	6.8	10.2	6.8	6.8	-78.8
MALIGNANT NEOPLASMS	0.0	3.6	3.5	3.5	3.4	6.9	10.2	6.8	3.4	3.4	-
HOMICIDE	0.0	0.0	0.0	0.0	0.0	6.9	6.8	6.8	0.0	0.0	-
SUICIDE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
STATEWIDE FEWER THAN 10 DEATHS IN EACH REMAINING CAUSE											

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
15-24 YEARS	ANDERSON										
THREE -YEAR AVERAGES 1988-1999											
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	63.2	83.0	79.6	75.7	53.0	41.9	26.8	42.5	58.6	79.2	25.3
HOMICIDE	3.7	3.8	3.8	0.0	3.8	7.6	15.3	11.6	15.6	7.9	113.5
SUICIDE	18.6	22.6	15.2	11.3	11.4	11.4	11.5	7.7	7.8	0.0	-100.0
MALIGNANT NEOPLASMS	11.1	7.5	7.6	3.8	3.8	0.0	0.0	0.0	3.9	4.0	-64.0
DISEASES OF THE HEART	3.7	3.8	3.8	0.0	7.6	7.6	7.7	0.0	0.0	4.0	8.1
REMAINING CAUSES HAVE FEWER THAN 10 CASES STATEWIDE.											

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
25-44 YEARS	ANDERSON										
THREE -YEAR AVERAGES 1988-1999											
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	40.5	38.7	28.9	24.1	20.9	22.7	29.5	38.0	45.3	47.7	17.8
MALIGNANT NEOPLASMS	27.5	29.0	20.9	27.3	19.3	32.5	24.5	29.8	26.8	32.4	17.8
DISEASES OF THE HEART	24.3	22.6	12.8	16.0	16.1	27.6	26.2	26.5	10.1	13.6	-44.0
HIV / AIDS	4.9	6.4	6.4	6.4	8.1	8.1	11.5	6.6	5.0	0.0	-100.0
SUICIDE	14.6	19.3	20.9	19.3	17.7	17.8	19.6	16.5	16.8	18.7	28.1
HOMICIDE	11.3	9.7	12.8	12.8	11.3	11.4	6.5	6.6	3.4	6.8	-39.8
CEREBROVASCULAR DISEASE	1.6	3.2	4.8	6.4	4.8	3.2	3.3	1.7	3.4	1.7	6.2
CHRONIC LIVER DISEASE & CIRRHOSIS	4.9	3.2	3.2	3.2	1.6	3.2	4.9	5.0	1.7	3.4	-30.6
DIABETES MELLITUS	0.0	0.0	1.6	1.6	1.6	0.0	1.6	1.7	1.7	3.4	-

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
45-64 YEARS	ANDERSON										
THREE -YEAR AVERAGES 1988-1999											
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
MALIGNANT NEOPLASMS	317.4	274.2	262.2	249.2	264.6	268.1	267.6	267.5	286.1	273.5	-13.8
DISEASES OF THE HEART	168.8	173.9	161.7	149.1	137.5	149.4	160.9	166.5	168.5	164.9	-2.3
CEREBROVASCULAR DISEASE	24.8	20.1	24.0	25.6	22.9	14.3	16.1	19.8	17.6	17.5	-29.4
ACCIDENTS AND ADVERSE EFFECTS	22.5	22.3	19.7	27.7	22.9	22.5	14.1	17.8	19.6	29.1	29.3
CHRONIC OBSTRUCTIVE PULMONARY DISEASE	24.8	26.7	39.3	31.9	22.9	18.4	30.2	43.6	45.1	33.0	33.1
DIABETES MELLITUS	18.0	20.1	30.6	40.5	29.2	22.5	16.1	17.8	13.7	17.5	-2.8
CHRONIC LIVER DISEASE & CIRRHOSIS	22.5	20.1	21.8	8.5	16.7	18.4	26.2	33.7	31.3	29.1	29.3
SUICIDE	13.5	8.9	10.9	10.6	18.8	24.6	22.1	25.8	21.6	23.3	72.6
PNEUMONIA & INFLUENZA	18.0	20.1	10.9	6.4	4.2	8.2	8.0	9.9	11.8	15.5	-13.9

**AGE-SPECIFIC LEADING CAUSES OF DEATHS WITH MORTALITY RATES PER 100,000 POPULATION,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AGE GROUP	AREA										
65 YEARS +	ANDERSON										
	THREE -YEAR AVERAGES 1988-1999										
CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
DISEASES OF THE HEART	1,436.4	1,343.8	1,489.4	1,440.6	1,544.6	1,550.4	1,665.3	1,567.3	1,530.6	1,430.6	-0.4
MALIGNANT NEOPLASMS	1,063.4	1,057.2	1,073.6	1,091.1	1,129.3	1,235.0	1,187.8	1,253.3	1,144.4	1,160.4	9.1
CEREBROVASCULAR DISEASE	402.4	414.0	446.8	489.3	478.0	459.8	471.6	452.3	460.6	420.9	4.6
CHRONIC OBSTRUCTIVE PULMONARY DISEASE	261.8	238.8	235.8	307.0	322.7	321.3	267.8	256.4	306.1	347.0	14.1
PNEUMONIA AND INFLUENZA	215.9	203.8	207.9	179.3	185.2	176.9	206.7	210.3	226.0	187.7	-13.1
DIABETES MELLITUS	91.6	89.2	93.1	112.4	116.5	115.0	133.9	146.9	154.5	133.7	46.0
ACCIDENTS AND ADVERSE EFFECTS	91.6	89.2	80.7	91.2	86.6	103.2	90.3	109.5	103.0	108.1	18.0
ALZHEIMER'S DISEASE	45.8	41.4	49.6	54.7	56.8	67.8	72.8	103.7	103.0	105.2	129.7
ATHEROSCLEROSIS	160.3	121.0	83.8	69.9	83.7	91.4	90.3	74.9	62.9	54.0	-66.3

**AGE-ADJUSTED MORTALITY RATES BY RACE AND SEX, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

ANDERSON

THREE -YEAR AVERAGE AGE-ADJUSTED MORTALITY RATES 1988-1999

RACE/SEX	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE
WHITE:											1988-90 TO 1997-99
MALES	680.3	646.0	630.8	609.5	606.7	620.7	627.9	658.4	636.6	628.7	-7.6
FEMALES	413.2	422.0	384.6	375.8	362.2	364.2	357.3	396.3	400.4	384.5	-6.9
NONWHITE:											1985-87 TO 1994-96
MALES	1,024.8	927.0	782.4	649.8	601.6	598.2	855.2	689.2	531.7	573.4	-44.0
FEMALES	414.3	466.3	472.7	481.5	578.3	618.8	614.0	435.9	512.4	493.0	19.0

**YEARS OF POTENTIAL LIFE LOST, BY RACE AND SEX, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

ANDERSON

THREE -YEAR AVERAGE YEARS OF POTENTIAL LIFE LOST 1988-1999

RACE/SEX	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
<u>RACE:</u>											
ALL RACES	3,055	3,199	3,064	2,899	2,622	2,717	2,801	2,945	2,922	2,911	-4.7
NONWHITE	168	229	165	200	216	246	198	223	236	251	49.4
WHITE	2,887	2,969	2,899	2,700	2,406	2,471	2,603	2,722	2,686	2,660	-7.9
<u>SEX:</u>											
FEMALE	1,249	1,180	1,202	1,063	1,015	1,104	1,232	1,232	1,228	1,117	-10.6
MALE	1,807	2,018	1,861	1,837	1,607	1,614	1,569	1,713	1,694	1,795	-0.7
<u>RACE-SEX:</u>											
NONWHITE FEMALE	70	100	88	78	97	85	78	67	110	129	84.3
WHITE FEMALE	1,179	1,081	1,114	984	919	1,019	1,154	1,165	1,118	988	-16.2
NONWHITE MALE	98	130	77	121	120	162	120	156	126	122	24.5
WHITE MALE	1,708	1,889	1,785	1,716	1,487	1,452	1,449	1,558	1,568	1,673	-2.0

**LEADING CAUSES OF DEATH BASED ON YEARS OF PRODUCTIVE LIFE LOST
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

ANDERSON

THREE -YEAR AVERAGE YEARS OF PRODUCTIVE LIFE LOST 1988-1999

CAUSE	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ACCIDENTS AND ADVERSE EFFECTS	765	720	646	663	543	488	390	574	660	759	-0.8
MALIGNANT NEOPLASMS	602	547	494	497	488	565	528	545	560	621	3.2
DISEASES OF THE HEART.	348	348	293	288	333	412	439	401	313	348	0.0
BIRTH TRAUMA*	172	237	215	237	129	108	172	169	169	61	-64.5
HOMICIDE	102	92	108	97	100	147	138	123	82	70	-31.4
SUICIDE	193	233	210	180	182	190	200	165	152	132	-31.6
CONGENITAL ANOMALIES	184	235	301	227	173	122	109	122	135	93	-49.5
AIDS	32	40	45	50	67	63	75	47	33	10	-68.8
CEREBROVASCULAR DISEASE	40	60	78	107	75	57	55	50	57	33	-17.5

*Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome.

**BREAST CANCER MORTALITY RATES PER 100,000 FEMALES, SPECIFIC AGE GROUPS,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

AREA

ANDERSON

THREE -YEAR AVERAGE MORTALITY RATES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
WOMEN 40+	56.7	57.5	60.1	56.8	51.9	56.6	64.7	63.8	70.2	64.4	13.6
WOMEN 50+	76.2	75.0	78.8	74.3	70.2	71.6	80.6	79.5	91.1	80.5	5.6

**NUMBER OF MOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	18	18	15	15	13	12	11	14	16	17	-5.6
UNDER 1	1	1	1	1	0	0	0	0	0	0	-100.0
1-4	0	0	0	0	0	0	0	0	0	0	-
5-14	2	1	1	1	1	1	1	1	0	0	-100.0
15-24	5	6	6	6	4	3	2	3	3	4	-20.0
25-44	5	5	4	4	3	4	5	5	6	6	20.0
45-64	2	2	2	3	2	2	1	1	2	1	-50.0
65 AND UP	3	3	2	2	2	2	2	4	4	5	66.7

**NUMBER OF MOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	0	0	0	0	1	1	1	0	1	0	-
UNDER 1	0	0	0	0	0	0	0	0	0	0	-
1-4	0	0	0	0	0	0	0	0	0	0	-
5-14	0	0	0	0	0	0	0	0	0	0	0.0
15-24	0	0	0	0	0	0	0	0	0	0	0.0
25-44	0	0	0	0	0	0	0	0	0	0	0.0
45-64	0	0	0	0	0	0	0	0	0	0	0.0
65 AND UP	0	0	0	0	0	0	0	0	0	0	-

**NUMBER OF MOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	18	18	15	15	12	11	10	14	15	16	-11.1
UNDER 1	1	1	1	1	0	0	0	0	0	0	-100.0
1-4	0	0	0	0	0	0	0	0	0	0	-
5-14	2	1	1	1	1	1	1	1	0	0	-100.0
15-24	5	6	6	6	3	3	2	3	3	4	-20.0
25-44	5	5	4	4	3	3	5	5	6	5	0.0
45-64	2	2	2	3	2	2	1	1	2	1	-50.0
65 AND UP	3	3	2	2	2	2	2	4	4	5	66.7

**MOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	26.9	26.8	22.1	21.9	17.9	16.9	15.9	20.1	22.4	23.4	-13.0
UNDER 1	84.1	84.1	83.3	82.2	40.7	40.5	0.0	0.0	0.0	0.0	-100.0
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	9.1	9.1	-
5-14	25.0	14.2	7.1	10.4	10.3	10.3	6.8	6.8	3.4	3.4	-86.4
15-24	52.0	71.7	68.3	64.3	41.7	34.3	23.0	30.9	39.1	51.5	-1.0
25-44	25.9	25.8	19.3	17.6	16.1	17.8	24.5	26.5	31.9	29.0	12.0
45-64	15.8	13.4	10.9	17.0	14.6	12.3	8.0	7.9	9.8	7.8	-50.6
65 AND UP	29.4	25.5	21.7	15.2	17.9	17.7	20.4	34.6	34.3	39.8	35.4

**MOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

NONWHITE

AREA

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	9.3	0.0	0.0	0.0	17.1	16.9	25.0	8.2	16.3	8.1	-12.9
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
15-24	0.0	0.0	0.0	0.0	54.1	53.5	52.9	0.0	0.0	0.0	-
25-44	0.0	0.0	0.0	0.0	27.9	28.0	28.1	0.0	28.4	28.8	-
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
65 AND UP	124.7	0.0	0.0	0.0	0.0	0.0	108.7	107.1	106.2	0.0	-100.0

**MOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	27.9	28.3	23.4	23.1	18.0	16.9	15.3	20.8	22.8	24.4	-12.5
UNDER 1	90.6	90.5	89.7	88.6	43.9	43.7	0.0	0.0	0.0	0.0	-100.0
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.9	9.9	9.9	-
5-14	26.9	15.4	7.6	11.3	11.2	11.1	7.4	7.4	3.7	3.7	-86.2
15-24	55.6	76.8	73.2	69.1	40.7	32.8	20.7	33.4	42.2	55.7	0.2
25-44	27.4	27.3	20.4	18.7	15.4	17.2	24.3	28.1	32.1	29.0	5.8
45-64	16.4	14.0	11.4	17.8	15.3	12.9	8.4	8.3	10.3	8.2	-50.0
65 AND UP	26.9	26.2	22.3	15.6	18.4	18.2	17.9	32.6	32.3	40.9	52.0

**NUMBER OF NONMOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE, RESIDENT DATA, SELECTED
GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	12	12	11	13	12	14	11	15	15	19	58.3
UNDER 1	0	0	1	1	1	1	1	0	0	0	-
1-4	0	0	0	0	0	0	0	1	1	1	-
5-14	1	0	0	0	0	0	0	0	0	0	-100.0
15-24	1	1	1	1	1	1	0	1	2	2	100.0
25-44	3	3	2	1	1	1	1	2	3	4	33.3
45-64	1	1	1	2	1	2	1	2	2	4	300.0
65 AND UP	6	7	6	8	8	10	8	9	8	8	33.3

**NUMBER OF NONMOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE, RESIDENT DATA, SELECTED
GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	0	0	0	0	0	0	0	2	2	1	-
UNDER 1	0	0	0	0	0	0	0	0	0	0	-
1-4	0	0	0	0	0	0	0	1	1	1	-100.0
5-14	0	0	0	0	0	0	0	0	0	0	-
15-24	0	0	0	0	0	0	0	0	0	0	-
25-44	0	0	0	0	0	0	0	0	0	0	-
45-64	0	0	0	0	0	0	0	0	0	0	-
65 AND UP	0	0	0	0	0	0	0	0	0	0	-

**NUMBER OF NONMOTOR VEHICLE ACCIDENTAL DEATHS, BY AGE AND RACE, RESIDENT DATA, SELECTED
GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

WHITE

AREA

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1999-99
ALL AGES	12	12	11	13	12	14	11	13	14	18	50.0
UNDER 1	0	0	1	1	1	1	1	0	0	0	-
1-4	0	0	0	0	0	0	0	0	0	0	-100.0
5-14	1	0	0	0	0	0	0	0	0	0	-100.0
15-24	1	1	1	1	1	1	0	1	1	2	100.0
25-44	3	3	2	1	1	1	1	2	2	3	0.0
45-64	1	1	1	2	1	2	1	2	2	4	300.0
65 AND UP	6	7	6	8	8	10	8	8	8	8	33.3

**NONMOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	18.1	17.0	16.4	19.0	17.4	19.7	15.4	21.0	21.5	26.7	47.5
UNDER 1	0.0	0.0	83.3	82.2	122.2	80.9	80.5	40.1	40.1	40.2	-
1-4	9.7	0.0	0.0	0.0	0.0	0.0	0.0	18.2	18.1	18.1	86.6
5-14	7.1	0.0	0.0	3.5	3.4	3.4	0.0	3.4	3.4	3.4	-52.1
15-24	11.1	11.3	11.4	11.3	11.4	7.6	3.8	11.6	19.5	27.7	149.5
25-44	14.6	12.9	9.6	6.4	4.8	4.9	4.9	11.6	13.4	18.7	28.1
45-64	6.8	8.9	8.7	10.6	8.3	10.2	6.0	9.9	9.8	21.3	213.2
65 AND UP	62.2	63.7	59.0	76.0	68.7	85.5	69.9	74.9	68.7	68.3	9.8

**NONMOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

NONWHITE

AREA

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	0.0	0.0	0.0	0.0	0.0	0.0	8.3	41.1	40.7	32.4	-
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	213.9	208.6	203.7	-
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	52.4	52.1	51.8	-
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.2	28.4	28.8	-
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	108.7	107.1	106.2	0.0	-

**NONMOTOR VEHICLE ACCIDENTAL DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	19.1	18.0	17.3	20.1	18.5	20.9	15.8	19.8	20.3	26.3	37.7
UNDER 1	0.0	0.0	89.7	88.6	131.8	87.4	87.0	43.4	43.5	43.6	-
1-4	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0
5-14	7.7	0.0	0.0	3.8	3.7	3.7	0.0	3.7	3.7	3.7	-51.9
15-24	11.9	12.1	12.2	12.2	12.2	8.2	4.1	8.3	16.9	25.7	116.0
25-44	15.4	13.7	10.2	6.8	5.1	5.2	5.2	10.5	12.5	18.1	17.5
45-64	7.0	9.3	9.1	11.1	8.7	10.7	6.3	10.4	10.3	22.4	220.0
65 AND UP	63.8	65.4	60.6	78.0	70.6	87.8	68.8	74.0	67.6	70.2	10.0

**NUMBER OF VIOLENT DEATHS, BY AGE AND RACE, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	14	14	15	14	14	16	17	16	14	13	-7.1
UNDER 1	0	0	0	0	0	0	0	0	0	0	-
1-4	0	0	0	0	0	0	0	0	0	0	-
5-14	0	0	0	0	0	1	1	1	0	0	-
15-24	2	2	2	1	1	2	2	2	2	1	-50.0
25-44	5	6	7	7	6	6	5	5	4	5	0.0
45-64	2	2	2	3	4	5	4	5	4	5	150.0
65 AND UP	5	4	4	3	3	3	4	4	4	3	-40.0

**NUMBER OF VIOLENT DEATHS, BY AGE AND RACE, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	85-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	1	1	0	1	1	2	2	2	1	1	0.0
UNDER 1	0	0	0	0	0	0	0	0	0	0	-
1-4	0	0	0	0	0	0	0	0	0	0	-
5-14	0	0	0	0	0	0	0	0	0	0	-
15-24	0	0	0	0	0	0	0	0	0	0	-
25-44	1	1	0	0	0	1	1	2	1	1	0.0
45-64	0	0	0	0	0	0	0	0	0	0	-
65 AND UP	0	0	0	0	0	0	0	0	0	0	-

**NUMBER OF VIOLENT DEATHS, BY AGE AND RACE, RESIDENT DATA,
SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	14	13	14	13	14	15	15	14	13	13	-7.1
UNDER 1	0	0	0	0	0	0	0	0	0	0	-
1-4	0	0	0	0	0	0	0	0	0	0	-
5-14	0	0	0	0	0	1	1	1	0	0	-
15-24	2	2	2	1	1	1	2	1	2	1	-50.0
25-44	5	5	7	6	6	5	4	3	3	4	-20.0
45-64	2	2	2	3	4	5	4	5	4	5	150.0
65 AND UP	5	4	4	3	3	3	4	4	4	3	-40.0

**VIOLENT DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

ALL RACES

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	21.0	20.9	21.2	19.5	20.3	23.0	23.4	22.4	19.6	18.7	-11.0
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	0.0	0.0	0.0	0.0	0.0	6.9	6.8	6.8	0.0	0.0	-
15-24	22.3	26.4	19.0	11.3	15.2	19.0	26.8	19.3	23.4	7.9	-64.6
25-44	25.9	29.0	33.7	32.1	29.0	29.2	26.2	23.2	20.1	25.6	-1.2
45-64	15.8	13.4	15.3	19.2	27.1	30.7	24.1	27.7	23.5	27.2	72.2
65 AND UP	45.8	38.2	34.1	27.4	23.9	26.5	37.8	37.5	34.3	25.6	-44.1

**VIOLENT DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

NONWHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	18.6	27.4	8.9	26.2	17.1	42.2	41.6	49.3	24.4	16.2	-12.9
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
15-24	0.0	0.0	0.0	55.0	54.1	53.5	52.9	52.4	52.1	0.0	-
25-44	58.0	85.4	28.1	28.0	0.0	83.9	112.2	140.9	56.9	57.5	-0.9
45-64	0.0	0.0	0.0	48.8	46.8	45.1	0.0	0.0	0.0	0.0	-
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-

**VIOLENT DEATH RATES PER 100,000 POPULATION, BY AGE AND RACE,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE GROUP

AREA

WHITE

ANDERSON

THREE -YEAR AVERAGES 1988-1999

AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99
ALL AGES	21.2	20.5	21.9	19.1	20.4	21.9	22.3	20.8	19.3	18.9	-10.8
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	0.0	0.0	0.0	0.0	0.0	7.4	7.4	7.4	0.0	0.0	-
15-24	23.8	28.3	20.3	8.1	12.2	16.4	24.8	16.7	21.1	8.6	-63.9
25-44	24.0	25.6	34.0	32.3	30.8	25.8	20.9	15.8	17.8	23.5	-2.1
45-64	16.4	14.0	16.0	17.8	26.2	30.0	25.3	29.1	24.7	28.5	73.8
65 AND UP	47.0	39.2	35.1	28.1	24.6	27.3	38.9	38.5	35.3	26.3	-44.0

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
ALL RACES		ANDERSON										
BOTH SEXES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	0.5	2.4	3.4	3.3	3.8	4.2	3.7	3.7	2.3	2.3	360.0	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	3.6	3.5	3.5	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	3.7	7.5	11.4	11.3	15.2	11.4	7.7	3.9	3.9	4.0	8.1	
25-44	0.0	3.2	4.8	4.8	6.4	9.7	9.8	11.6	6.7	6.8	-	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
NONWHITE		ANDERSON										
FEMALE		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	0.0	69.8	85.2	99.9	32.6	32.1	15.8	46.9	31.0	30.7	-	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	100.1	97.9	95.5	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	0.0	123.2	122.0	239.5	118.2	117.2	0.0	115.2	114.7	114.2	-	
25-44	0.0	104.4	154.5	153.8	51.2	51.3	51.4	103.4	52.2	52.7	-	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
NONWHITE		ANDERSON										
MALE		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	19.5	19.2	18.8	0.0	18.0	35.5	35.1	52.0	34.4	34.2	75.4	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	106.5	105.6	103.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0	
25-44	0.0	0.0	0.0	0.0	61.4	123.1	123.5	186.0	125.2	126.4	-	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
WHITE		ANDERSON										
FEMALE		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	0.0	0.0	1.0	1.0	2.8	1.9	1.9	0.0	0.0	0.0	-	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	0.0	0.0	8.2	8.2	16.4	8.3	8.3	0.0	0.0	0.0	-	
25-44	0.0	0.0	0.0	0.0	3.3	3.3	3.4	0.0	0.0	0.0	-	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

**SYPHILIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
WHITE		ANDERSON										
MALE		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	0.0	0.0	0.0	0.0	2.1	3.1	3.1	2.1	1.0	1.1	-	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	0.0	0.0	0.0	0.0	8.1	8.1	8.2	0.0	0.0	0.0	-	
25-44	0.0	0.0	0.0	0.0	3.5	7.1	7.2	7.3	3.7	3.8	-	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
ALL RACES		ANDERSON										
BOTH SEXES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	12.7	27.2	44.7	66.5	84.8	118.7	134.6	140.4	120.5	134.9	962.2	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	3.6	7.1	7.0	10.3	13.7	20.5	23.8	23.8	27.3	-	
15-24	81.7	177.4	295.8	446.4	575.8	811.2	919.5	934.6	808.7	930.1	1,038.4	
25-44	6.5	9.7	16.0	27.3	35.4	53.5	63.8	84.3	73.8	76.7	1,080.0	
45-64	0.0	0.0	2.2	2.1	4.2	4.1	4.0	2.0	0.0	0.0	-	
65 AND UP	0.0	6.4	6.2	6.1	3.0	2.9	2.9	0.0	0.0	0.0	-	

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
NONWHITE		ANDERSON										
FEMALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	195.3	279.1	306.9	383.0	440.7	658.4	949.4	921.7	851.4	644.7	230.1	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	100.1	97.9	95.5	187.1	275.7	362.0	267.6	264.8	174.8	-	
15-24	1,346.4	1,847.3	2,073.2	2,634.7	2,955.1	4,337.6	5,814.0	5,530.0	4,931.2	3,538.8	162.8	
25-44	0.0	0.0	0.0	0.0	0.0	51.3	308.5	413.4	469.5	474.7	-	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
NONWHITE		ANDERSON										
MALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	0.0	19.2	37.5	55.1	72.2	248.8	315.7	381.4	258.2	581.4	-	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	0.0	0.0	0.0	101.6	299.4	885.8	1,066.9	1,247.6	858.0	2,464.5	-	
25-44	0.0	0.0	0.0	0.0	0.0	246.2	370.4	496.0	375.5	505.7	-	
45-64	0.0	0.0	117.1	112.1	108.1	104.4	101.1	98.1	0.0	0.0	-	
65 AND UP	0.0	289.0	282.5	277.8	0.0	0.0	0.0	0.0	0.0	0.0	-	

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
WHITE		ANDERSON										
FEMALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	12.8	35.3	64.0	95.8	120.6	156.8	170.1	180.0	150.1	166.4	1,200.0	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	7.5	15.0	29.9	30.0	45.1	-	
15-24	72.1	244.5	475.6	712.7	895.1	1,165.5	1,290.4	1,344.4	1,157.5	1,329.8	1,744.4	
25-44	13.3	16.6	23.1	39.5	52.9	73.2	73.8	94.8	68.6	59.2	345.1	
45-64	0.0	0.0	0.0	0.0	4.2	4.1	4.0	0.0	0.0	0.0	-	
65 AND UP	0.0	5.4	5.3	5.1	5.0	4.9	4.9	0.0	0.0	0.0	-	

**CHLAMYDIA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
WHITE		ANDERSON										
MALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	0.0	0.0	2.1	6.3	13.7	19.9	22.0	23.0	24.1	31.6	-	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	0.0	0.0	0.0	24.2	64.7	122.1	139.4	132.4	134.1	178.6	-	
25-44	0.0	0.0	7.0	10.6	17.7	14.3	14.4	21.9	26.0	34.0	-	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
ALL RACES		ANDERSON										
BOTH SEXES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	71.0	57.9	47.6	37.1	50.0	81.6	83.6	82.1	65.4	75.4	6.2	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	10.7	10.7	7.1	7.0	3.4	10.3	10.2	13.6	13.6	13.6	27.1	
15-24	367.8	324.6	276.8	204.3	280.3	422.7	436.7	401.6	328.2	383.9	4.4	
25-44	63.1	45.1	36.9	35.3	46.7	90.9	94.9	100.9	70.4	81.8	29.6	
45-64	6.8	2.2	0.0	0.0	0.0	4.1	4.0	13.9	19.6	21.3	213.2	
65 AND UP	3.3	3.2	3.1	0.0	6.0	5.9	5.8	0.0	0.0	2.8	-15.2	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
NONWHITE		ANDERSON										
FEMALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	692.3	540.7	340.9	233.1	342.8	626.3	743.7	624.9	464.4	491.2	-29.0	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	304.9	200.2	97.9	0.0	0.0	91.9	90.5	89.2	88.3	174.8	-42.7	
15-24	3,427.2	2,955.7	1,707.3	1,077.8	1,773.0	3,399.8	4,534.9	3,917.1	3,211.0	2,625.6	-23.4	
25-44	425.8	261.0	257.5	256.3	256.1	410.3	308.5	258.4	52.2	369.2	-13.3	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	190.1	185.9	182.8	0.0	0.0	0.0	-	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
NONWHITE		ANDERSON										
MALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	956.8	824.7	769.4	569.1	739.7	1,226.0	1,192.6	1,161.6	688.5	803.7	-16.0	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	91.3	89.7	88.3	0.0	0.0	0.0	0.0	-	
15-24	2,875.4	3,062.3	3,008.3	2,235.8	2,794.4	3,937.0	3,588.7	3,071.0	1,906.6	2,464.5	-14.3	
25-44	1,211.7	814.5	742.1	492.3	737.1	1,600.0	1,790.1	1,797.9	938.7	1,011.4	-16.5	
45-64	378.3	122.0	0.0	0.0	0.0	208.8	202.2	588.8	478.0	466.9	23.4	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										
WHITE		ANDERSON										
FEMALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99	
ALL AGES	43.5	30.4	24.3	21.1	30.4	43.4	41.4	46.9	46.0	49.8	14.5	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	7.5	15.0	22.5	22.5	15.0	-	
15-24	280.4	203.8	172.2	122.9	188.9	264.5	249.8	277.3	255.3	328.1	17.0	
25-44	26.7	16.6	9.9	23.1	29.7	43.3	40.2	47.4	51.4	41.8	56.6	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	3.9	-	
65 AND UP	5.6	5.4	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0	

**GONORRHEA RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION), BY AGE, RACE, AND SEX,
RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
WHITE		ANDERSON										
MALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	71.0	57.9	47.6	37.1	50.0	81.6	83.6	82.1	65.4	75.4	6.2	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	10.7	10.7	7.1	7.0	3.4	10.3	10.2	13.6	13.6	13.6	27.1	
15-24	367.8	324.6	276.8	204.3	280.3	422.7	436.7	401.6	328.2	383.9	4.4	
25-44	63.1	45.1	36.9	35.3	46.7	90.9	94.9	100.9	70.4	81.8	29.6	
45-64	6.8	2.2	0.0	0.0	0.0	4.1	4.0	13.9	19.6	21.3	213.2	
65 AND UP	3.3	3.2	3.1	0.0	6.0	5.9	5.8	0.0	0.0	2.8	-15.2	

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,
TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
ALL RACES		ANDERSON										
BOTH SEXES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	12.2	10.2	9.6	5.2	3.8	4.2	5.1	5.6	5.6	5.2	-57.4	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	9.1	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	3.7	3.8	3.8	3.8	0.0	0.0	0.0	0.0	0.0	0.0	-100.0	
25-44	4.9	3.2	3.2	0.0	1.6	4.9	4.9	5.0	3.4	3.4	-30.6	
45-64	15.8	8.9	8.7	0.0	0.0	0.0	2.0	2.0	3.9	3.9	-75.3	
65 AND UP	45.8	44.6	40.3	30.4	20.9	17.7	20.4	23.0	20.0	17.1	-62.7	

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,
TENNESSEE**

RACE/SEX		AREA									PERCENT CHANGE 1988-90 TO 1997-99
NONWHITE		ANDERSON									
FEMALES		THREE -YEAR AVERAGES 1988-1999									
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	
ALL AGES	17.8	0.0	0.0	0.0	0.0	0.0	0.0	15.6	15.5	30.7	72.5
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
15-24	122.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51.7	52.2	52.7	-
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70.0	-
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,
TENNESSEE**

RACE/SEX		AREA									PERCENT CHANGE 1988-90 TO 1997-99
NONWHITE		ANDERSON									
MALES		THREE -YEAR AVERAGES 1988-1999									
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	
ALL AGES	0.0	0.0	0.0	0.0	0.0	0.0	17.5	17.3	17.2	0.0	-
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
45-64	0.0	0.0	0.0	0.0	0.0	0.0	101.1	98.1	95.6	0.0	-
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,
TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
WHITE		ANDERSON										
FEMALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	6.9	4.9	4.9	1.0	1.9	3.8	4.7	2.8	1.9	0.9	-87.0	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
25-44	6.7	3.3	3.3	0.0	3.3	6.7	6.7	3.4	0.0	0.0	-100.0	
45-64	4.5	4.4	4.4	0.0	0.0	0.0	0.0	0.0	3.9	3.9	-13.3	
65 AND UP	22.3	16.2	15.8	5.1	5.0	9.9	14.6	9.6	4.7	0.0	-100.0	

**TUBERCULOSIS RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS,
TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
WHITE		ANDERSON										
MALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	18.4	17.2	16.0	10.6	6.3	5.2	5.2	7.3	8.4	8.4	-54.3	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.2	19.2	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	0.0	8.0	8.1	8.1	0.0	0.0	0.0	0.0	0.0	0.0	-	
25-44	3.5	3.5	3.5	0.0	0.0	3.6	3.6	3.7	3.7	3.8	8.6	
45-64	29.6	14.6	14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0	
65 AND UP	84.5	90.8	80.9	71.8	47.3	31.3	31.1	46.5	46.4	46.4	-45.1	

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
ALL RACES		ANDERSON										
BOTH SEXES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	2.4	3.4	1.4	1.0	0.0	0.0	0.0	0.0	0.5	0.5	-79.2	
UNDER 1	168.1	168.1	41.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	9.1	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	3.7	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0	
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
NONWHITE		ANDERSON										
FEMALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
NONWHITE		ANDERSON										
MALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
UNDER 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										
WHITE		ANDERSON										
FEMALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99	PERCENT CHANGE 1988-90 TO 1997-99	
ALL AGES	3.0	4.9	2.9	1.9	0.0	0.0	0.0	0.0	0.0	0.0	-100.0	
UNDER 1	290.1	290.1	95.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.

**VACCINE-PREVENTABLE DISEASE RATES (NUMBER OF REPORTED CASES OF PER 100,000 POPULATION),
BY AGE, RACE, AND SEX, RESIDENT DATA, SELECTED GEOGRAPHIC AREAS, TENNESSEE**

RACE/SEX		AREA										PERCENT CHANGE 1988-90 TO 1997-99
WHITE		ANDERSON										
MALES		THREE -YEAR AVERAGES 1988-1999										
AGE GROUP	88-90	89-91	90-92	91-93	92-94	93-95	94-96	95-97	96-98	97-99		
ALL AGES	2.2	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0	
UNDER 1	85.2	85.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0	
1-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
5-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
15-24	7.9	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-100.0	
25-44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
45-64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
65 AND UP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	

Vaccine-preventable diseases: Diphtheria, Tetanus, Polio, Measles, Rubella, Congenital Rubella Syndrome, Mumps, and Pertussis.